



1. (35 points) An open-loop transfer function is given by,

$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.10605s + 7.10605}$$


Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?

- A. $F(s) = -9.57576 + \frac{1.21211}{s}$
- B. $F(s) = 1.13635 + \frac{1.21211}{s}$
- C. $F(s) = -2.71211 + \frac{0.60605}{s}$
- D. $F(s) = 0.92424 + \frac{2.71211}{s}$
- E. $F(s) = -9.36365 + \frac{2.71211}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 115.4^\circ + 97.8^\circ + 146.9^\circ =$$



$$\sum \theta = 64.6^\circ + 97.8^\circ + 33.1^\circ =$$




$$\sum \theta = 115.4^\circ + 97.8^\circ - 33.1^\circ =$$



$$\sum \theta = 115.4^\circ + 82.2^\circ + 33.1^\circ =$$

D. \Im



$$\sum \theta = 115.4^\circ + 97.8^\circ + 33.1^\circ =$$

E. \Im

