

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.36868s + 7.36868}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A. $F(s) = 1.97475 + \frac{3.23737}{s}$
- B. $F(s) = -7.78789 + \frac{3.23737}{s}$
- C. $F(s) = -3.23737 + \frac{0.86868}{s}$
- D. $F(s) = -8.52525 + \frac{1.73737}{s}$
- E. $F(s) = 2.71211 + \frac{1.73737}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 62.9^\circ + 100.6^\circ + 37.8^\circ =$$



$$\sum \theta = 117.1^\circ + 79.4^\circ + 37.8^\circ =$$




$$\sum \theta = 117.1^\circ + 100.6^\circ + 142.2^\circ =$$



$$\sum \theta = 117.1^\circ + 100.6^\circ + 37.8^\circ =$$

D. \mathcal{O}



$$\sum \theta = 117.1^\circ + 100.6^\circ - 37.8^\circ =$$

E. \mathcal{O}

