

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.41919s + 7.41919}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A.  $F(s) = 2.17676 + \frac{3.33838}{s}$
- B.  $F(s) = 3.01514 + \frac{1.83838}{s}$
- C.  $F(s) = -3.33838 + \frac{0.91919}{s}$
- D.  $F(s) = -8.32324 + \frac{1.83838}{s}$
- E.  $F(s) = -7.48486 + \frac{3.33838}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 117.5^\circ + 101.2^\circ - 38.7^\circ = 180.0^\circ$$




$$\sum \theta = 117.5^\circ + 101.2^\circ + 141.3^\circ = 360.0^\circ$$




$$\sum \theta = 117.5^\circ + 78.8^\circ + 38.7^\circ = 235.1^\circ$$



$$\sum \theta = 117.5^\circ + 101.2^\circ + 38.7^\circ = 257.4^\circ$$



$$\sum \theta = 62.5^\circ + 101.2^\circ + 38.7^\circ = 202.4^\circ$$



Q	A
1	C
2	B
3	A