1. (35 points) An open-loop transfer function is given by,

$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.06564s + 7.06564}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?

A. $F(s) = 0.76262 + \frac{2.6313}{s}$

B. $F(s) = 0.89394 + \frac{1.1313}{s}$

C. $F(s) = -2.6313 + \frac{0.56564}{s}$

D. $F(s) = -9.73738 + \frac{1.1313}{s}$

E. $F(s) = -9.60606 + \frac{2.6313}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?

A.



B.



3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.



A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?

$$\sum \theta = 115.1^\circ + 97.3^\circ - 32.5^\circ = 180.0^\circ$$

A.



$$\sum \theta = 115.1^\circ + 82.7^\circ + 32.5^\circ = 230.3^\circ$$

B.



$$\sum \theta = 115.1^\circ + 97.3^\circ + 32.5^\circ = 244.9^\circ$$

C.



$$\sum \theta = 115.1^\circ + 97.3^\circ + 147.5^\circ = 360.0^\circ$$

D.



$$\sum \theta = 64.9^\circ + 97.3^\circ + 32.5^\circ = 194.6^\circ$$

E.



Q	A
1	C
2	A
3	A