

1. (35 points) An open-loop transfer function is given by,


$$G(s) = \frac{1}{s^3 + 2.0s^2 + 3.45454s + 7.45454}$$

Which of the following PI controllers stabilizes the system in a unit-feedback closed-loop configuration?


- A.  $F(s) = 3.22726 + \frac{1.90909}{s}$
- B.  $F(s) = -7.27274 + \frac{3.40909}{s}$
- C.  $F(s) = -8.18182 + \frac{1.90909}{s}$
- D.  $F(s) = 2.31818 + \frac{3.40909}{s}$
- E.**  $F(s) = -3.40909 + \frac{0.95454}{s}$

2. (35 points) Which one of the following unit impulse responses corresponds to a system that does not overshoot when subjected to a unit step input?


A.



B.




3. (30 points) A design point on the root-locus plot for a P-type controller is shown below.




A zero is added so that the root-locus passes through this design point. Which of the following represents the correct angle condition for this design?


$$\sum \theta = 117.8^\circ + 78.4^\circ + 39.4^\circ = 235.6^\circ$$




$$\sum \theta = 117.8^\circ + 101.6^\circ + 140.6^\circ = 360.0^\circ$$



$$\sum \theta = 62.2^\circ + 101.6^\circ + 39.4^\circ = 203.2^\circ$$



$$\sum \theta = 117.8^{\circ} + 101.6^{\circ} - 39.4^{\circ} = 180.0^{\circ}$$



Q	A
1	E
2	A
3	D