Tracking Portal Page 1 of 3



Table of Selected Indicators by Neighborhood (community district)

BK = Brooklyn, BX = Bronx, MN = Manhattan, QN = Queens, SI = Staten Island

Name	Sulfur Dioxide (SO2) - Mean - Winter 2009	Sulfur Dioxide (SO2) - 10th Percentile- Winter 2009	Sulfur Dioxide (SO2) - 90th Percentile- Winter 2009
Bedford Park, Norwood, Fordham	10.7	8.4	13.1
East Tremont, Belmont	8.6	6.9	11.1
Highbridge, Concourse Village	9.1	7.2	10.6
Hunts Point, Longwood	5.3	4.2	6.5
Melrose, Mott Haven, Port Morris	5.7	4.7	6.5
Morrisania, Crotona Park East	7	6.4	8.2
Pelham Parkway, Morris Park, Laconia	6.6	4.7	9
Riverdale, Kingsbridge, Marble Hill	5.9	4	8.3
Soundview, Parkchester	5.7	4.1	7.1
Throgs Nk.,Co-op City, Pelham Bay	3.8	3.1	4.6
University Hts., Fordham, Mt. Hope	11.7	10.2	13.5
Wakefield, Williamsbridge	5.4	4.2	6.7
Bay Ridge, Dyker Heights	4.3	3.6	4.9
Bedford Stuyvesant	5	4.9	5.2
Bensonhurst, Bath Beach	4.6	3.9	5.1
Borough Park, Ocean Parkway	5.4	4.7	6
Brooklyn Heights, Fort Greene	4.4	3.8	4.8
Brownsville, Ocean Hill	4.8	4.4	5.3
Canarsie, Flatlands	3.8	3.1	4.3
Coney Island, Brighton Beach	3.6	3.3	4.1
Crown Heights North	5.2	4.8	5.6
Crown Heights South, Wingate	5.6	5.2	6.1
East Flatbush, Rugby, Farragut	5.2	4.3	6.4

Tracking Portal Page 2 of 3

East New York, Starrett City	3.9	3.4	4.4
Flatbush, Midwood	5.8	4.9	7
Park Slope, Carroll Gardens	4	3.1	4.6
Sheepshead Bay, Gerritsen Beach	4	3.3	4.6
Sunset Park, Windsor Terrace	4.1	3.3	5.3
Williamsburg, Greenpoint	4.8	4.2	5.5
Battery Park City, Tribeca	4.6	3.9	5.5
Central Harlem	7.6	6.5	8.7
Chelsea, Clinton	6.1	3.8	8.9
East Harlem	7.1	5.6	9
Greenwich Village, SOHO	7.8	5.6	10.4
Lower East Side, Chinatown	6.3	4.7	8.6
Manhattanville, Hamilton Heights	8	6.7	9.2
Midtown Business District	9.5	7.6	11.7
Stuyvesant Town, Turtle Bay	8.7	7	10.3
Upper East Side	11	7.6	13.6
Washington Heights, Inwood	10.1	8.1	12.3
West Side, Upper West Side	9.5	7.9	10.9
Astoria, Long Island City	5.4	4	6.7
Bayside, Douglastown, Little Neck	3.6	3.3	4
Elmhurst, South Corona	5.7	4.5	7.2
Flushing Bay Terrace	3.9	3.3	4.8
Forest Hills, Rego Park	5.1	3.8	6.5
Fresh Meadows, Briarwood	4.1	3.5	4.9
Jackson Heights, North Corona	5.3	3.8	7.2
Jamaica, St. Albans, Hollis	3.8	3.5	4.3
Ozone Park, Howard Beach	3.6	3.2	4.2
Queens Village, Rosedale	3.4	3.1	3.6
Ridgewood, Glendale, Maspeth	4.2	3.6	5.1
Sunnyside, Woodside	5.4	4.2	7
The Rockaways, Broad Channel	3.5	3.1	4.1
Woodhaven, Richmond Hill	4.4	4.1	4.9
Bushwick	5.1	4.3	5.8
New Springville, South Beach	2.8	2.4	3.2
Stapleton, Port Richmond	3.2	2.7	3.7

Tracking Portal Page 3 of 3

Tottenville, Woodrow,	2.8	2.3	2.1
Great Kills	2.0	2.3	5.1

Name: Sulfur Dioxide (SO2) Measure: Mean How Calculated: Data collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specified time period. The results were then smoothed using GIS, assigned to the appropriate NYC neighborhood, and averaged. The gaseous pollutants in NYCCAS are measured in units of parts per billion. Source(s): New York City Community Air Survey Year: Winter 2009

Name: Sulfur Dioxide (SO2) Measure: 10th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. The gaseous pollutants in NYCCAS are measured in units of parts per billion. Source(s): New York City Community Air Survey Year: Winter 2009

Name: Sulfur Dioxide (SO2) Measure: 90th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 90th percentile identified. The gaseous pollutants in NYCCAS are measured in units of parts per billion. Source(s): New York City Community Air Survey Year: Winter 2009

NYC Department of Health and Mental Hygiene Environmental Public Health Tracking and Sustainability Portal Available at http://nyc.gov/health/tracking Accessed June 19, 2012