



Table of Selected Indicators by Neighborhood (community district)

BK = Brooklyn, BX = Bronx, MN = Manhattan, QN = Queens, SI = Staten Island

Name	Fine Particulate Matter (PM2.5) - Mean - Annual Average 2009	Fine Particulate Matter (PM2.5) - 10th Percentile- Annual Average 2009	Fine Particulate Matter (PM2.5) - 90th Percentile- Annual Average 2009
Bedford Park, Norwood, Fordham	12.7	11.7	13.6
East Tremont, Belmont	11.8	10.9	12.8
Highbridge, Concourse Village	12.7	12	13.5
Hunts Point, Longwood	11.8	10.7	12.6
Melrose, Mott Haven, Port Morris	11.6	11.1	12.4
Morrisania, Crotona Park East	11.4	10.9	12.1
Pelham Parkway, Morris Park, Laconia	10.6	10	11.2
Riverdale, Kingsbridge, Marble Hill	10.7	9.3	12.3
Soundview, Parkchester	11.3	10.1	12.2
Throgs Nk., Co-op City, Pelham Bay	10.5	9.8	11.1
University Hts., Fordham, Mt. Hope	13.5	12.9	13.9
Wakefield, Williamsbridge	10.3	9.8	10.9
Bay Ridge, Dyker Heights	10.6	10	11.2
Bedford Stuyvesant	11	10.7	11.4
Bensonhurst, Bath Beach	10.3	10.1	10.5
Borough Park, Ocean Parkway	10.7	10.3	11.1
Brooklyn Heights, Fort Greene	11.7	11.1	12.6
Brownsville, Ocean Hill	11	10.6	11.4
Canarsie, Flatlands	9.6	8.8	10.4
Coney Island, Brighton Beach	9.9	9.6	10.2
Crown Heights North	11	10.8	11.4

Crown Heights South, Wingate	10.9	10.7	11.1
East Flatbush, Rugby, Farragut	10.8	10.2	11.3
East New York, Starrett City	10.6	9.4	11.6
Flatbush, Midwood	10.7	10.2	11.4
Park Slope, Carroll Gardens	11.4	10.8	12.1
Sheepshead Bay, Gerritsen Beach	9.9	9.3	10.4
Sunset Park, Windsor Terrace	11.1	9.8	12.2
Williamsburg, Greenpoint	12.1	11.5	12.8
Battery Park City, Tribeca	12.9	11.9	14.1
Central Harlem	11.4	10.9	12.3
Chelsea, Clinton	14.3	12.8	16.2
East Harlem	11.5	11	12.1
Greenwich Village, SOHO	14.6	13.5	15.4
Lower East Side, Chinatown	13	11.7	14.3
Manhattanville, Hamilton Heights	11.6	11.2	12.2
Midtown Business District	16.2	14.5	17.7
Stuyvesant Town, Turtle Bay	14.4	12.5	15.8
Upper East Side	13.8	12.5	14.8
Washington Heights, Inwood	12.9	11.3	14.6
West Side, Upper West Side	12.9	12	13.6
Astoria, Long Island City	10.9	10.2	11.6
Bayside, Douglastown, Little Neck	9.8	9.1	10.5
Elmhurst, South Corona	11.1	10.4	11.5
Flushing Bay Terrace	10.2	9.5	11.1
Forest Hills, Rego Park	10.9	10.3	11.7
Fresh Meadows, Briarwood	10	9.4	10.6
Jackson Heights, North Corona	10.7	10.3	11.3
Jamaica, St. Albans, Hollis	10	9.6	10.7
Ozone Park, Howard Beach	9.9	9.2	10.4
Queens Village, Rosedale	9.7	9.2	10.1

Ridgewood, Glendale, Maspeth	10.6	9.5	11.6
Sunnyside, Woodside	12.1	11.1	13
The Rockaways, Broad Channel	9.3	9	9.7
Woodhaven, Richmond Hill	10.3	9.9	10.8
Bushwick	10.9	10.3	11.5
New Springville, South Beach	9.5	8.8	10.1
Stapleton, Port Richmond	9.9	9.4	10.3
Tottenville, Woodrow, Great Kills	9.4	8.9	9.8

Name: Fine Particulate Matter (PM2.5) **Measure:** Mean **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specified time period. The results were then assigned to the appropriate NYC neighborhood and averaged. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

Name: Fine Particulate Matter (PM2.5) **Measure:** 10th Percentile **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

Name: Fine Particulate Matter (PM2.5) **Measure:** 90th Percentile **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 90th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

NYC Department of Health and Mental Hygiene
Environmental Public Health Tracking and Sustainability Portal
Available at <http://nyc.gov/health/tracking> Accessed June 19, 2012