



**Table of Selected Indicators by Neighborhood (community district)**

**BK = Brooklyn, BX = Bronx, MN = Manhattan, QN = Queens, SI = Staten Island**

Name	Nitrogen Dioxide (NO2) - Mean - Annual Average 2009	Nitrogen Dioxide (NO2) - 10th Percentile- Annual Average 2009	Nitrogen Dioxide (NO2) - 90th Percentile- Annual Average 2009
Bedford Park, Norwood, Fordham	26.7	23.8	29.5
East Tremont, Belmont	26.8	24	29.2
Highbridge, Concourse Village	29.6	28	31.4
Hunts Point, Longwood	26.5	23.2	29.3
Melrose, Mott Haven, Port Morris	27.9	26.5	29.2
Morrisania, Crotona Park East	27	24	28.9
Pelham Parkway, Morris Park, Laconia	22.9	20.8	25.1
Riverdale, Kingsbridge, Marble Hill	21.5	17.6	26.6
Soundview, Parkchester	24.6	21	27.4
Throgs Nk., Co-op City, Pelham Bay	21.1	19.1	23.3
University Hts., Fordham, Mt. Hope	30	27.6	31.4
Wakefield, Williamsbridge	21.2	17.5	23.4
Bay Ridge, Dyker Heights	23.4	19.1	25.9
Bedford Stuyvesant	27.4	26.3	28.4
Bensonhurst, Bath Beach	23.8	22.5	24.7
Borough Park, Ocean Parkway	24.8	22.3	26.8
Brooklyn Heights, Fort Greene	28.2	26.5	30.2
Brownsville, Ocean Hill	25.7	24.4	26.8
Canarsie, Flatlands	19.9	15	22.9
Coney Island, Brighton Beach	21.2	19.9	22.4
Crown Heights North	27.4	26.2	28.7
Crown Heights South, Wingate	26.5	24.9	27.6

East Flatbush, Rugby, Farragut	24.6	22.5	26.9
East New York, Starrett City	22.9	19.3	25.2
Flatbush, Midwood	23.8	21.9	26.2
Park Slope, Carroll Gardens	26.7	24.5	28.3
Sheepshead Bay, Gerritsen Beach	21	18.4	22.7
Sunset Park, Windsor Terrace	24.9	18.8	28.3
Williamsburg, Greenpoint	27.5	25.6	29.6
Battery Park City, Tribeca	36.3	33.8	38.6
Central Harlem	31	30	32.3
Chelsea, Clinton	35.5	30.3	41.8
East Harlem	30.1	28.1	31.4
Greenwich Village, SOHO	34.2	30.6	36.8
Lower East Side, Chinatown	32.1	28.3	35.7
Manhattanville, Hamilton Heights	30.2	28.9	31.1
Midtown Business District	46.3	41.4	50.7
Stuyvesant Town, Turtle Bay	39.9	32.9	46.4
Upper East Side	35.9	29.9	40.7
Washington Heights, Inwood	28.2	22.6	32.3
West Side, Upper West Side	31.6	29.6	33.4
Astoria, Long Island City	25.5	22.9	27.9
Bayside, Douglastown, Little Neck	19.3	16.4	21.6
Elmhurst, South Corona	27.6	25.6	29.4
Flushing Bay Terrace	21.4	18.6	24.6
Forest Hills, Rego Park	24.7	21.4	28.4
Fresh Meadows, Briarwood	21.7	18.8	24.2
Jackson Heights, North Corona	26.4	24.3	28.7
Jamaica, St. Albans, Hollis	22.9	21.1	25.9
Ozone Park, Howard Beach	21.7	18.8	23.9
Queens Village, Rosedale	20.8	18.4	22.8
Ridgewood, Glendale, Maspeth	23.1	18.4	26.5
Sunnyside, Woodside	26.1	22.7	28.3

The Rockaways, Broad Channel	18	16.2	19.8
Woodhaven, Richmond Hill	23.7	21.8	25
Bushwick	26	21.7	28
New Springville, South Beach	16.1	12.6	19.3
Stapleton, Port Richmond	18.4	15.9	20.3
Tottenville, Woodrow, Great Kills	15.4	12.5	17.7

**Name:** Nitrogen Dioxide (NO2) **Measure:** Mean **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specified time period. The results were then assigned to the appropriate NYC neighborhood and averaged. The gaseous pollutants in NYCCAS are measured in units of parts per billion. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

**Name:** Nitrogen Dioxide (NO2) **Measure:** 10th Percentile **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. The gaseous pollutants in NYCCAS are measured in units of parts per billion. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

**Name:** Nitrogen Dioxide (NO2) **Measure:** 90th Percentile **How Calculated:** Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 90th percentile identified. The gaseous pollutants in NYCCAS are measured in units of parts per billion. **Source(s):** New York City Community Air Survey **Year:** Annual Average 2009

NYC Department of Health and Mental Hygiene  
Environmental Public Health Tracking and Sustainability Portal  
Available at <http://nyc.gov/health/tracking> Accessed June 19, 2012