Tracking Portal Page 1 of 4



## Table of Selected Indicators by Neighborhood (community district) BK = Brooklyn, BX = Bronx, MN = Manhattan, QN = Queens, SI = Staten Island

						:
Name	Fine Particulate Matter (PM2.5) - 10th Percentile - Summer 2009	Fine Particulate Matter (PM2.5) - 10th Percentile- Summer 2009	Fine Particulate Matter (PM2.5) - 90th Percentile- Summer 2009	Fine Particulate Matter (PM2.5) - Mean- Winter 2009	Fine Particulate Matter (PM2.5) - 10th Percentile- Winter 2009	Fine Particulate Matter (PM2.5) - 90th Percentile- Winter 2009
Bedford Park, Norwood, Fordham	10.9	10.9	12	15.5	14.1	17.4
East Tremont, Belmont	11	11	12.1	16	15.1	16.8
Highbridge, Concourse Village	11.9	11.9	12.6	16.2	15	17.4
Hunts Point, Longwood	11.3	11.3	12.8	14.8	14	15.6
Melrose, Mott Haven, Port Morris	11.9	11.9	12.6	13.7	13.1	14.3
Morrisania, Crotona Park East	11.4	11.4	12.2	15.1	14.4	15.9
Pelham Parkway, Morris Park, Laconia	10.8	10.8	11.4	13.9	12.7	15.3
Riverdale, Kingsbridge, Marble Hill	9.8	9.8	11.6	12.7	11.4	14.8
Soundview, Parkchester	10.9	10.9	12.6	14.5	12.6	15.9
Throgs Nk.,Co-op City, Pelham Bay	10.6	10.6	12	13.5	11.8	14.9
University Hts., Fordham, Mt. Hope	11.8	11.8	12.5	17.5	17	18
Wakefield, Williamsbridge	10.2	10.2	11.1	13	12.1	13.8
Bay Ridge, Dyker Heights	10.7	10.7	11.7	13	12.4	14
Bedford Stuyvesant	11.2	11.2	11.9	13.8	13.3	14.4
Bensonhurst, Bath Beach	11	11	11.3	12.8	12.5	13.1
Borough Park, Ocean Parkway	10.9	10.9	11.4	12.7	12.4	13.2

Tracking Portal Page 2 of 4

Brooklyn Heights, Fort Greene	11.5	11.5	12.7	14.2	12.5	15.7
Brownsville, Ocean Hill	11.3	11.3	11.7	13.2	12.7	13.6
Canarsie, Flatlands	10.2	10.2	11.3	11.9	11.4	12.5
Coney Island, Brighton Beach	10.6	10.6	11.1	11.6	11.2	12
Crown Heights North	11	11	11.5	14.8	13.5	16.7
Crown Heights South, Wingate	11.2	11.2	11.6	13.8	13.3	14.3
East Flatbush, Rugby, Farragut	10.9	10.9	11.8	13.2	12.5	13.8
East New York, Starrett City	10.6	10.6	11.5	12.5	11.8	12.9
Flatbush, Midwood	10.7	10.7	11.5	13.4	12.7	14.3
Park Slope, Carroll Gardens	11	11	12.1	14.2	12.1	15.7
Sheepshead Bay, Gerritsen Beach	10.4	10.4	11.1	12.1	11.5	12.8
Sunset Park, Windsor Terrace	10.1	10.1	12.2	13.3	12.3	14.3
Williamsburg, Greenpoint	11.7	11.7	12.8	14.6	13.8	15.5
Battery Park City, Tribeca	13.3	13.3	14.6	15.3	14	17
Central Harlem	11.7	11.7	12.4	15.2	14.3	16.3
Chelsea, Clinton	12.8	12.8	14.9	16.5	14.3	18.8
East Harlem	12	12	12.7	14.8	14.5	15.2
Greenwich Village, SOHO	12.9	12.9	14.3	16.8	15.2	18.4
Lower East Side, Chinatown	11.8	11.8	13.6	16	14	17.8
Manhattanville, Hamilton Heights	11.6	11.6	12	14.7	13.9	15.5
Midtown Business District	14.4	14.4	16.3	19.2	17.8	20.5
Stuyvesant Town, Turtle Bay	12.4	12.4	15.3	17	15.6	18.4
Upper East Side	11.9	11.9	13.5	16.6	14.6	18.3
Washington Heights, Inwood	11	11	12.9	16.4	14.1	18.8
West Side, Upper West Side	11.8	11.8	12.7	14.8	14.5	15.3
Astoria, Long Island City	10.9	10.9	11.8	13.8	12.1	15.5
Bayside, Douglastown, Little Neck	10	10	10.8	12.9	11.7	14.1
Elmhurst, South Corona	11.1	11.1	11.7	13.1	12.4	13.7

Tracking Portal Page 3 of 4

Flushing Bay Terrace	10.2	10.2	11.6	12.8	12.1	13.8
Forest Hills, Rego Park	10.4	10.4	11.5	13.2	12.7	13.8
Fresh Meadows, Briarwood	10	10	11	13.1	12.6	13.9
Jackson Heights, North Corona	11.1	11.1	11.7	13.1	12.6	13.8
Jamaica, St. Albans, Hollis	10.4	10.4	11.2	12.6	12	13.6
Ozone Park, Howard Beach	10.3	10.3	11.3	12.3	11.7	13
Queens Village, Rosedale	10.1	10.1	10.9	12.1	11.7	12.6
Ridgewood, Glendale, Maspeth	10.7	10.7	11.8	13.4	12.6	14.4
Sunnyside, Woodside	11.5	11.5	12.7	14.5	13.6	15.5
The Rockaways, Broad Channel	10.1	10.1	10.7	11.7	11.4	12.2
Woodhaven, Richmond Hill	10.5	10.5	11.1	12.6	12.1	13.3
Bushwick	11.2	11.2	11.6	14.3	13.3	15.1
New Springville, South Beach	9.7	9.7	11.2	11.6	11	12.5
Stapleton, Port Richmond	10.4	10.4	11.5	12.1	11.4	13
Tottenville, Woodrow, Great Kills	9.9	9.9	10.9	11.4	10.9	11.9

Name: Fine Particulate Matter (PM2.5) Measure: 10th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. Source(s): New York City Community Air Survey Year: Summer 2009

Name: Fine Particulate Matter (PM2.5) Measure: 10th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. Source(s): New York City Community Air Survey Year: Summer 2009

Name: Fine Particulate Matter (PM2.5) Measure: 90th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 90th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. Source(s): New York City Community Air Survey Year: Summer 2009

Name: Fine Particulate Matter (PM2.5) Measure: Mean How Calculated: Air samples collected at specific

Tracking Portal Page 4 of 4

model that predicted pollutant concentrations at all locations in NYC for the specified time period. The results were then assigned to the appropriate NYC neighborhood and averaged. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. **Source(s)**: New York City Community Air Survey **Year**: Winter 2009

Name: Fine Particulate Matter (PM2.5) Measure: 10th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 10th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. Source(s): New York City Community Air Survey Year: Winter 2009

Name: Fine Particulate Matter (PM2.5) Measure: 90th Percentile How Calculated: Air samples collected at specific NYCCAS monitoring sites along with information about emissions sources were incorporated into a statistical model that predicted pollutant concentrations at all locations in NYC for the specific time period. The results were then assigned to the appropriate NYC neighborhood and the 90th percentile identified. In NYCCAS, fine particulate matter is measured in units of micrograms per cubic meter of air. Source(s): New York City Community Air Survey Year: Winter 2009

NYC Department of Health and Mental Hygiene Environmental Public Health Tracking and Sustainability Portal Available at http://nyc.gov/health/tracking Accessed June 19, 2012