

Testing axioms of stochastic discrete choice using population choice probabilities

William McCausland¹ Tony Marley² Clint Davis-Stober³

25 May 2018

¹Université de Montréal (Economics)

²University of Victoria (Psychology)


³University of Missouri (Psychology)

A simple discrete choice experiment

- ▶ “Which of the following colours do you like best”?

Red	Purple	Pink	Total
19	15	6	40
21	19		40
29		12	40
	37	3	40

Representing this data



Bayesian inference for choice probabilities

The unknowns: four probability spaces:


1. $P_{\{Red, Purple\}}(Red)$, $P_{\{Red, Purple\}}(Purple)$
2. $P_{\{Purple, Pink\}}(Purple)$, $P_{\{Purple, Pink\}}(Pink)$
3. $P_{\{Red, Pink\}}(Red)$, $P_{\{Red, Pink\}}(Pink)$
4. $P_{\{Red, Purple, Pink\}}(Red)$, $P_{\{Red, Purple, Pink\}}(Purple)$,
 $P_{\{Red, Purple, Pink\}}(Pink)$.

A prior with independent probability spaces:



- ▶ Four probability spaces are mutually independent,
- ▶ Binary probabilities are $\text{Be}(\frac{\alpha}{2}, \frac{\alpha}{2})$.
- ▶ Ternary probability is $\text{Di}(\frac{\alpha}{3}, \frac{\alpha}{3}, \frac{\alpha}{3})$.

We will take $\alpha = 2$ in the following examples.

High posterior density (HPD) regions with probability 0.95





Bringing theory to bear I: Stochastic Transitivity



Bringing theory to bear II: Regularity

Regularity: $x \in A \subseteq B \Rightarrow P_B(x) \leq P_A(x)$.



Bringing theory to bear III: Random utility/preference

Let T be the universe of objects

These conditions, the Block-Marschak conditions, are necessary and sufficient for random utility:



$$\forall x \in A \subseteq T, \quad \sum_{B: A \subseteq B \subseteq T} (-1)^{|B \setminus A|} P_B(x) \geq 0.$$

Notes:

1. Each $P_A(x)$ features in multiple sums
2. Region is convex (intersection of half planes)

Two posterior distributions

- ▶ Two different priors with same marginals:
 - ▶ left, $\lambda = 0$, independence across choice sets
 - ▶ right, $\lambda = 1$, support is random utility region.



The Asymmetric Dominance effect





Figure 1: Asymmetric Dominance Effect

Typical asymmetric dominance pattern



Experimental design

We want to test, for population probabilities, the random utility condition, no more and no less.

We ran an experiment with these features:

1. Several different choice domains (consumer choice, taste, judgement)
 - ▶ Trying to say something general about choice.
2. Between subject design for each choice domain
 - ▶ Choices are plausibly independent (globally) and identically distributed (choice set by choice set).
3. Collect choice data for *all* subsets with at least two elements of a universe of objects.
 - ▶ Expose *all* implications of random utility (and other conditions) to possible falsification.

Assignment of subjects to choice sets




Figure 2: Assignment of subjects to choice sets

A consumer choice example

Coffee

You need to buy 16oz of ground coffee for a brunch with friends. Which one of the following ground coffees would you choose?

	Price (\$)	Fair Trade	Name: Description
<input type="radio"/>	18.71	Yes	Ethiopian Yirgacheffe: vibrant and intensely aromatic, fruity
<input type="radio"/>	9.99	No	Colombian Supremo: mellow cup, complex aromas and rich flavours
<input type="radio"/>	13.72	Yes	Colombian Organic: medium body, fragrant aroma and mild acidity
<input type="radio"/>	13.46	No	Sumatra Mandheling: exotic, earthy, bright with low acidity

>>

Figure 3: Coffee

A simple taste example

Colours

Which one of the following colours do you like best?

☐ Green

☐ Pink

>>

Figure 4: Colours

A judgement example

Events

Which one of the following events do you think is most likely to happen in the next twenty years?

- ☐ Either Catalonia or Quebec become independent countries
- ☐ Either Scotland or Quebec become independent countries
- ☐ Catalonia becomes an independent country
- ☐ Scotland becomes an independent country

>>

Figure 5: Events

A visual example

Travel

Which one of the following travel destinations would you most like to visit?



Istanbul, Turkey



Marrakech, Morocco



Figure 6: Travel

Testing conditions on P using Bayes factors

Definitions:

- ▶ Λ is the region where random utility (or some other condition) holds.
- ▶ Y is data, y the observed data.

The Bayes factor in favour of the restricted model against the encompassing model is

$$\text{BF} \equiv \frac{\Pr[Y = y | P \in \Lambda]}{\Pr[Y = y]} = \frac{\Pr[P \in \Lambda | Y = y]}{\Pr[P \in \Lambda]}.$$

Log Bayes factors, first 16 domains

	WST	SST	Reg	RU	MI
Male stars	0.4	4.2	1.8	1.5	6.3
Female stars	0.0	1.3	1.2	0.8	2.5
Films	-0.7	-2.2	1.6	1.4	6.8
Star pairs	0.1	-0.7	1.8	1.7	3.9
Pizzas	-0.4	-Inf	1.7	1.4	3.9
Juices	0.1	0.1	1.5	1.3	5.8
Colours	0.2	1.3	1.3	1.1	5.3
Colour Combinations	-1.1	-3.6	1.7	1.5	5.2
Events	0.2	0.1	0.7	0.7	2.9
Radio formats	0.4	3.3	0.8	0.6	5.4
Musical artists	0.1	1.5	1.9	1.6	6.0
Aboriginal art	0.3	2.7	1.2	0.9	1.4
Impressionist art	0.3	2.4	1.5	1.2	4.9
Sentences	0.2	0.9	1.6	1.4	6.6
Travel	0.4	4.1	1.5	1.3	6.9
Marijuana	0.4	-3.6	1.5	1.4	3.6

Log Bayes factors, other 16 domains

	WST	SST	Reg	RU	MI
Latitude	0.4	-Inf	0.6	0.5	-Inf
Dots	0.2	1.5	1.8	1.5	5.1
Triangles	0.0	0.8	1.2	1.0	-Inf
Population	-0.1	0.3	1.9	1.6	6.0
Surface area	0.4	4.3	1.5	1.5	5.3
Beer	-0.1	1.6	0.6	0.6	2.5
Cars	0.0	-0.2	1.1	1.0	4.4
Restaurants	0.1	0.3	0.7	0.6	3.5
Flight layovers	0.4	0.6	1.2	1.1	-Inf
Future payments	0.4	0.3	1.7	1.7	-Inf
Phone plans	-1.1	-1.3	1.0	0.8	1.4
Hotel rooms	0.5	2.9	1.2	1.0	3.7
Two-flight itineraries	-0.5	-1.1	1.4	1.1	2.8
Televisions	0.5	3.5	1.6	1.4	5.0
Coffee	0.3	2.8	1.6	1.4	6.7
Charity	0.2	-Inf	0.9	0.8	1.4

Conclusions

Conclusions

1. Overall evidence in favour of random utility is compelling.
2. For particular choice domains, evidence favours random utility

Papers in progress

1. Analysis using data on individual choice (paper)
2. Analysis using data on population choice (this presentation)
3. R package for simplex diagrams

Future work

1. Model as prior
 - ▶ Support goes beyond RU region, but in a disciplined way.
 - ▶ Discriminate within the random utility region.