

Description and choice data for the domain “Juices”

Description of the choice domain 6, Juices

The prompt question and the universe of five response options in the choice domain **Juices** are as follows. The labels a , b , c , d and e were not displayed during the experiment and are indicated here to allow cross-referencing with data tables and visualizations below and results in the paper.

% Juices

Which one of the following fresh juices would you choose?

- Mango
- Orange
- Apple
- Grapefruit
- Pineapple

The following figure is a screenshot from the actual experiment, with one of the 26 possible menus for this domain.

The screenshot shows a web-based choice experiment interface. At the top, the title "Juices" is displayed in blue. Below it, the question "Which one of the following fresh juices would you choose?" is shown. Two radio button options are listed: "Orange" and "Grapefruit". A blue progress bar is located on the right side of the interface. At the bottom right, there is a blue button with the text ">>".

Figure 1: Screenshot for domain Juices

Menu A	Choice counts					Choice proportions				
	$N_A(a)$	$N_A(b)$	$N_A(c)$	$N_A(d)$	$N_A(e)$	$\hat{P}_A(a)$	$\hat{P}_A(b)$	$\hat{P}_A(c)$	$\hat{P}_A(d)$	$\hat{P}_A(e)$
$\{a, b\}$	15	25	-	-	-	0.375	0.625	-	-	-
$\{a, c\}$	22	-	18	-	-	0.550	-	0.450	-	-
$\{b, c\}$	-	30	10	-	-	-	0.750	0.250	-	-
$\{a, b, c\}$	15	14	11	-	-	0.375	0.350	0.275	-	-
$\{a, d\}$	26	-	-	14	-	0.650	-	-	0.350	-
$\{b, d\}$	-	25	-	15	-	-	0.625	-	0.375	-
$\{a, b, d\}$	21	15	-	4	-	0.525	0.375	-	0.100	-
$\{c, d\}$	-	-	29	11	-	-	-	0.725	0.275	-
$\{a, c, d\}$	19	-	13	8	-	0.475	-	0.325	0.200	-
$\{b, c, d\}$	-	28	7	5	-	-	0.700	0.175	0.125	-
$\{a, b, c, d\}$	10	20	5	5	-	0.250	0.500	0.125	0.125	-
$\{a, e\}$	24	-	-	-	16	0.600	-	-	-	0.400
$\{b, e\}$	-	24	-	-	16	-	0.600	-	-	0.400
$\{a, b, e\}$	11	18	-	-	11	0.275	0.450	-	-	0.275
$\{c, e\}$	-	-	21	-	19	-	-	0.525	-	0.475
$\{a, c, e\}$	13	-	19	-	8	0.325	-	0.475	-	0.200
$\{b, c, e\}$	-	16	13	-	12	-	0.390	0.317	-	0.293
$\{a, b, c, e\}$	11	11	7	-	11	0.275	0.275	0.175	-	0.275
$\{d, e\}$	-	-	-	15	25	-	-	-	0.375	0.625
$\{a, d, e\}$	13	-	-	7	20	0.325	-	-	0.175	0.500
$\{b, d, e\}$	-	22	-	8	11	-	0.537	-	0.195	0.268
$\{a, b, d, e\}$	14	14	-	4	8	0.350	0.350	-	0.100	0.200
$\{c, d, e\}$	-	-	22	6	12	-	-	0.550	0.150	0.300
$\{a, c, d, e\}$	9	-	10	11	10	0.225	-	0.250	0.275	0.250
$\{b, c, d, e\}$	-	16	7	6	11	-	0.400	0.175	0.150	0.275
$\{a, b, c, d, e\}$	5	12	6	6	11	0.125	0.300	0.150	0.150	0.275

Table 1: Observed choice counts and proportions.

Choice data for domain 6, Juices

Table 1 shows choice counts and choice proportions for this choice domain. For each menu A and each object $x \in \{a, b, c, d, e\}$, $N_A(x)$ is the number of participants who chose object x from menu A and $\hat{P}_A(x)$ is the corresponding proportion of participants who chose x from A . When $x \notin A$, a dash is displayed.

The following figure displays choice proportions for all doubleton and tripleton menus in Barycentric coordinates. See a full description of this graphical representation in the paper. Each panel shows choice proportions for all doubleton and tripleton menus of a different tripleton subset of $\{a, b, c, d, e\}$. The downward-pointed (blue) triangle shows the set of ternary choice proportions that are compatible with regularity and the three binary choice proportions, on the corresponding tripleton. The upward-pointed (red) triangle shows the set of ternary choice proportions compatible with the multiplicative inequality and the three binary choice proportions.

Warning in tritrafo(x, y, z): negative components

