

# Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision date: 09.04.2018

Version: 6.1

Print date: 09.04.2018

## SECTION 1: Identification

### Product identifier

Trade name/designation:	Phenol, saturated, pH 6.6/7.9 BIOTECHNOLOGY GRADE TO USE: For Most DNA Applications: Add small bottle of TRIS Buffer (Code 0945-1-26 mL) to large Phenol bottle and invert to mix.
Product No.:	0945
Synonymes:	no data available
CAS No.:	not applicable
Other means of identification:	

### Relevant identified uses of the substance or mixture and uses advised against

Recommended Use:	For Further Manufacturing Use Only
Uses advised against:	Not for Human or Animal Drug Use

### Details of the supplier of the safety data sheet

#### Supplier

##### **VWR International LLC**

Street	100 Matsonford Road Radnor Corporate Center, Building One, Suite 200 P. O. Box 6660
Postal code/city	Radnor, PA 19087
Telephone	+1-800-932-5000 toll-free within US/Canada +1-610-386-1700
Telefax:	+1-610-728-2103

## Manufacturer

### VWR Chemicals, LLC

Street

28600 Fountain Parkway

Postal code/city

Solon, OH 44139

### Emergency telephone

Telephone

+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

### Preparation Information

VWR International - Data Compliance

E-mail

sds@vwr.com

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Germ cell mutagenicity, category 2	H341
Acute toxicity, category 3, oral, dermal and inhalation	H301+H311+H331
Specific target organ toxicity (repeated exposure), category 2	H373
Skin corrosion, category 1B	H314

### 2.2 Label elements

#### Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

#### Hazard pictograms



**Signal word:** Danger

Hazard statements	
H341	Suspected of causing genetic defects.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.

Precautionary statements	
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.

**Hazards not otherwise classified (HNOC)**  
none/none

## SECTION 3: Composition / information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

**Hazardous ingredients Classification according to the OSHA Hazard Communication Standard 29 CFR 1910.1200**

Substance name	Concentration	Product identifier	Hazard classes and hazard categories
Phenol	> 75%	CAS No.: 108-95-2	Muta. 2 - H341 Acute Tox. 3 - H301+H311+H331 STOT RE 2 - H373 Skin Corr. 1B - H314

## SECTION 4: First aid measures

### 4.1 General information

IF exposed: Immediately call a POISON CENTER/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

#### After inhalation

Immediately call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

#### In case of ingestion

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

#### **4.2 Most important symptoms/effects, acute and delayed**

no data available

#### **4.3 Indication of any immediate medical attention and special treatment needed**

no data available

#### **4.4 Self-protection of the first aider**

First aider: Pay attention to self-protection!

#### **4.5 Information to physician**

no data available

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

##### **Extinguishing media which must not be used for safety reasons**

no restriction

#### **5.2 Specific hazards arising from the chemical**

In case of fire may be liberated:

Pyrolysis products, toxic

#### **5.3 Advice for firefighters**

DO NOT fight fire when fire reaches explosives.

Protective equipment and precautions for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

##### **Additional information**

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use water spray/stream to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

In case of major fire and large quantities: Remove persons to safety.

#### **6.2 Environmental precautions**

Discharge into the environment must be avoided.

#### **6.3 Methods and material for containment and cleaning up**

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

#### **6.4 Additional information**

Clear spills immediately.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible: Inhalation skin contact Eye contact Use extractor hood (laboratory). If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

### 7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: no data available

Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.

### 7.3 Specific end use(s)

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredient (Designation)	Regulatory information	Country	Limit value type (country of origin)	Limit value
Phenol	NIOSH	US	LTV	19 mg/m <sup>3</sup> - 5 ppm
Phenol	NIOSH	US	STV	60 mg/m <sup>3</sup> (1) - 15,6 ppm (1)
Phenol	OSHA	US	LTV	19 mg/m <sup>3</sup> - 5 ppm

### 8.2 Engineering controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

#### *Eye/face protection*

Eye glasses with side protection

#### *Skin protection*

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

#### *Respiratory protection*

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

#### *Additional information*

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

#### *Environmental exposure controls*

no data available

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Color:	colorless
(b) Odour:	no data available
(c) Odour threshold:	no data available

#### Safety relevant basic data

(d) pH:	6.6
(e) Melting point/freezing point:	no data available
(f) Initial boiling point and boiling range:	no data available
(g) Flash point:	no data available
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	no data available
(l) Vapour density:	no data available
(m) Relative density:	no data available
(n) Solubility(ies)	
Water solubility (g/L):	no data available
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	no data available
(p) Auto-ignition temperature:	no data available
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	no data available
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

### 9.2 Other information

Bulk density:	not applicable
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry constant:	no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

no data available

## 10.7 Additional information

no data available

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute effects

#### *Acute oral toxicity:*

Phenol - LD50: > 317 mg/kg - Rat - (RTECS)

Phenol - LDLo: > 140 mg/kg - Human - (RTECS)

#### *Acute dermal toxicity:*

Phenol - LD50: < 525 mg/kg - Rat - (IUCLID)

#### *Acute inhalation toxicity:*

no data available

### Irritant and corrosive effects

#### *Primary irritation to the skin:*

Causes severe skin burns and eye damage.

#### *Irritation to eyes:*

Causes serious eye damage.

#### *Irritation to respiratory tract:*

not applicable

**Respiratory or skin sensitization**

In case of skin contact: not sensitising

After inhalation: not sensitising

**STOT-single exposure**

not applicable

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

**Germ cell mutagenicity**

Suspected of causing genetic defects.

**Reproductive toxicity**

No indications of human reproductive toxicity exist.

**Aspiration hazard**

not applicable

**Other adverse effects**

no data available

**Additional information**

no data available

## SECTION 12: Ecological information

### 12.1 Ecotoxicity

**Fish toxicity:**

Phenol - LC50: 20.5 mg/l (96 h) - Cairns, J.Jr., and A. Scheier 1959. The Relationship of Bluegill Sunfish Body Size to Tolerance for Some Common Chemicals. Proc.13th Ind.Waste Conf., Purdue Univ.Eng.Bull 96:243-252; Smith, S., V.J. Furay, P.J. Layiwola, and J.A. Menezes-Filho 1994. Ev

**Daphnia toxicity:**

Phenol - LC50: 20 mg/l (48 h) - Cowgill, U.M., and D.P. Milazzo 1991. The Sensitivity of Ceriodaphnia dubia and Daphnia magna to Seven Chemicals Utilizing the Three-Brood Test. Arch.Environ.Contam.Toxicol. 20(2):211-217

Phenol - EC50: 12.6 mg/l (48 h) - Holcombe, G.W., G.L. Phipps, A.H. Sulaiman, and A.D. Hoffman 1987. Simultaneous Multiple Species Testing: Acute Toxicity of 13 Chemicals to 12 Diverse Freshwater Amphibian,..Arch.Environ.Contam.Toxicol. 16:697-710 (OECDG Data File)



**Algae toxicity:**

Phenol - EC50: 229 mg/l (72 h) - Tisler, T., and J. Zagorc-Koncan 1995. Relative Sensitivity of Some Selected Aquatic Organisms to Phenol. Bull.Environ.Contam.Toxicol. 54(5):717-723

Phenol - EC50: 84.5 mg/l (96 h) - Thellen, C., C. Blaise, Y. Roy, and C. Hickey 1989. Round Robin Testing with the Selenastrum capricornutum Microplate Toxicity Assay. Hydrobiologia 188/189:259-268

**Bacteria toxicity:**

no data available

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

Partition coefficient: n-octanol/water: no data available

**12.4 Mobility in soil:**

no data available

**12.5 Results of PBT/vPvB assessment**

no data available

**12.6 Other adverse effects**

no data available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Appropriate disposal / Product**

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

**Appropriate disposal / Package**

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

**Additional information**

no data available

## SECTION 14: Transport information

### Land transport (DOT)

UN-No.:	2821
Proper Shipping Name:	PHENOL SOLUTION
Class(es):	6.1
Classification code:	T1
Hazard label(s):	6.1
Packing group:	II
Environmental hazards:	No
Marine pollutant:	no data available
Special precautions for user:	

### Sea transport (IMDG)

UN-No.:	2821
Proper Shipping Name:	PHENOL SOLUTION
Class(es):	6.1
Classification code:	
Hazard label(s):	6.1
Packing group:	II
Environmental hazards:	No
MARINE POLLUTANT:	No
Special precautions for user:	
Segregation group:	-
EmS-No.	F-A S-A
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	not relevant

### Air transport (ICAO-TI / IATA-DGR)

UN-No.:	2821
Proper Shipping Name:	PHENOL SOLUTION
Class(es):	6.1
Classification code:	
Hazard label(s):	6.1
Packing group:	II
Special precautions for user:	

## SECTION 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

### SARA 313 Components

- Phenol - CAS No.: 108-95-2

**Massachusetts Right To Know Components**

- Phenol - CAS No.: 108-95-2

**Pennsylvania Right To Know Components**

- Phenol - CAS No.: 108-95-2

**New Jersey Right To Know Components**

- Phenol - CAS No.: 108-95-2

**California Prop. 65 Components**

Does not contain listed substances.

## SECTION 16: Other information

**Abbreviations and acronyms**

ACGIH - American Conference of Governmental Industrial Hygienists  
DOT - Department of Transportation  
IARC - International Agency for Research on Cancer  
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations  
ICAO-TI - International Civil Aviation Organization-Technical Instructions  
IMDG - International Maritime Code for Dangerous Goods  
LTV - Long Term Value  
NIOSH - National Institute for Occupational Safety and Health  
NTP - National Toxicology Program  
OSHA - Occupational Safety & Health Administration  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
STV - Short Term Value  
SVHC - Substances of Very High Concern  
TDG - Transport of Dangerous Goods  
TLV - Threshold Limit Value  
vPvB - very Persistent, very Bioaccumulative

**Additional information**

Indication of changes:                      general update

*The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.*