Negative Affect and SM Use - SMASH Study

Melissa Dreier

7/8/2022

Descriptive Statistics

```
## Age
mean(data$Age, na.rm=TRUE)
## [1] 15.82034
sd(data$Age, na.rm=TRUE)
## [1] 0.9989791
## Race
table(data$Race_012, data$pid)
##
##
       1002 1004 1005 1006 1007 1008 1009 1011 1013 1014 1021 1022 1023 1024 1025
##
              739
                        678
                              432
                                   652
                                         695
                                                         621
                                                               337
                                                                    675
                                                                          698
                                                                                    817
                                                      0
                           0
                                              989
                                                      0
                                                           0
                                                                                 0
##
                   677
                                      0
                                           0
                                                                 0
##
                                      0
                                                0
                                                   834
##
##
       1026 1027 1029 1030
##
        815
             704
                   669
                        602
                0
                     0
                           0
##
     1
          0
                0
##
table(data$Gender, data$pid)
##
##
       1002 1004 1005 1006 1007 1008 1009 1011 1013 1014 1021 1022 1023 1024 1025
##
                0
                   677
                           0
                                      0
                                           0
                                              989
                                                   834
                                                           0
                                                                 0
                                                                               672
                                                                                    817
        724
                0
                     0
                        678
                              432
                                   652
                                                0
                                                      0
                                                         621
                                                              337
                                                                    675
                                                                                 0
##
     1
                                         695
                                                                         698
                                                                                      0
##
              739
                           0
                                                      0
##
##
       1026 1027 1029 1030
             704
                     0
                        602
##
##
        815
                0
                   669
                           0
##
                0
                           0
```

```
## Days in Study

# summarize max days in study

Max_days <- data %>%
    group_by(pid) %>%
    summarise(Max_day = max(day_in_study, na.rm=TRUE))

# get mean/sd day in study
mean(Max_days$Max_day, na.rm=TRUE)

## [1] 30.57895

sd(Max_days$Max_day, na.rm=TRUE)

## [1] 5.620555

## Get Means/SDs of SM time spent

sm_summary <- day %>%
    group_by %>%
    summarise(sm_time = (mean(sum_sm, na.rm=TRUE) * 60), sm_checks = mean(count_sm, na.rm=TRUE))
```

Negative Mood - Bayesian Framework

```
## Negative mood - sumduration
NA_sm_sum_bayes <- brm(NAf_pm_p ~ sum_sm_p + NAf_am_p + sum_sm_p_c + day_in_study + (1 | pid), prior =
                    family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1,
                    chains = 4, cores = 4, seed = "123", control = list(adapt_delta = 0.999, max_treedep
model parameters (NA sm sum bayes, centrality = "mean")
## # Fixed effects
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## (Intercept) | 3.16 | [-119.74, 127.59] | 52.05% | 61.13% | 1.000 | 70526.00
## sum_sm_p | 0.19 | [ -0.40, 0.77] | 73.76% | 100% | 1.000 | 79259.00
## NAf_am_p | 2.15 | [ -0.49, 4.78] | 94.42% |
                                                          100% | 1.000 | 70054.00
## sum_sm_p_c | -0.19 | [ -1.04,     0.66] | 66.96% | 100% | 1.000 | 62673.00 | 44 day_in_study | 1.19 | [ -4.47,     6.92] | 65.79% | 100% | 1.000 | 70156.00
## # Fixed effects sigma
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat |
           | 506.33 | [470.27, 545.79] | 100% |
                                                        0% | 1.000 | 76395.00
```

```
standard_error(NA_sm_sum_bayes)
##
         Parameter
## 1
     b_Intercept 62.8516695
     b_sum_sm_p 0.2950649
       b_NAf_am_p 1.3409750
## 3
## 4 b_sum_sm_p_c 0.4319137
## 5 b_day_in_study 2.9119264
            sigma 19.2549247
## Negative mood - counts
NA_sm_count_bayes <- brm(NAf_pm_p ~ count_sm_p + NAf_am_p + count_sm_p_c + day_in_study + (1 | pid), p
                   family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1,
                    chains = 4, cores = 4, seed = "123", control = list(adapt_delta = 0.999, max_treedep
model_parameters(NA_sm_count_bayes, centrality = "mean")
## # Fixed effects
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
## (Intercept) | 20.62 | [-98.18, 142.02] | 63.00% | 59.64% | 1.000 | 67682.00
## count_sm_p | 0.90 | [ 0.11, 1.68] | 98.75% | 100% | 1.000 | 67157.00 | 1.000 | 67157.00 | 1.000 | 65563.00 | 1.000 | 1.000 | 65563.00 | 1.000 | 1.000 | 65397.00 | 1.000 | 1.000 | 68991.00 | 1.000 | 1.000 | 68991.00
##
## # Fixed effects sigma
##
## Parameter | Mean |
                          95% CI | pd | % in ROPE | Rhat |
           | 502.10 | [466.45, 541.03] | 100% |
                                                      0% | 1.000 | 72613.00
## sigma
standard_error(NA_sm_count_bayes)
##
        Parameter
     b_Intercept 61.0762471
## 1
## 2 b_count_sm_p 0.4000597
## 3 b_NAf_am_p 1.3194582
## 4 b_count_sm_p_c 0.2816419
## 5 b_day_in_study 2.8707431
## 6
             sigma 19.0431873
```

Positive Affect on SM - Within-Day Models Bayesian

```
#-----Pos affect & same day SM------
## Positive affect & minutes of SM
```

```
family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1,
                                      chains = 4, cores = 4, seed = "123",control = list(adapt_delta = 0.999, max_treedep
tidy_stan(PA_on_SM_day_bayes, prob = 0.95, typical = "mean", type = "fixed", digits = 3)
## # Fixed effects
##
## Parameter | Median | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
## (Intercept) | 2.227 | [-25.85, 30.56] | 56.22% | 53.18% | 1.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000 | 80331.000
## # Fixed effects sigma
##
## Parameter | Median | 95% CI | pd | % in ROPE | Rhat |
## -----
## sigma | 98.846 | [92.40, 106.11] | 100% | 0% | 1.000 | 80474.000
model_parameters(PA_on_SM_day_bayes, centrality = "mean")
## # Fixed effects
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
## (Intercept) | 2.28 | [-25.85, 30.56] | 56.22% | 53.18% | 1.000 | 80331.00
## SM_Pos_p | 0.24 | [ -0.31, 0.77] | 80.21% | 100% | 1.000 | 83385.00 | ## SM_Pos_p_c | 0.07 | [ -0.32, 0.46] | 64.20% | 100% | 1.000 | 79000.00 | ## day_in_study | -0.18 | [ -1.25, 0.90] | 62.34% | 100% | 1.000 | 82131.00
## # Fixed effects sigma
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
## sigma | 98.95 | [92.40, 106.11] | 100% | 0% | 1.000 | 80474.00
standard error(PA on SM day bayes)
##
                Parameter
## 1
           b_Intercept 14.4081824
## 2
              b_SM_Pos_p 0.2767788
## 3 b_SM_Pos_p_c 0.1993240
## 4 b_day_in_study 0.5510825
## 5
           sigma 3.4919061
## Positive affect & SM checks
PA_on_SM_count_day_bayes <- brm(count_sm_p ~ SM_Pos_p + SM_Pos_p_c + day_in_study + (1 | pid), prior =
                                      family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1,
                                      chains = 4, cores = 4, seed = "123",control = list(adapt_delta = 0.999, max_treedep
```

PA_on_SM_day_bayes <- brm(sum_sm_p ~ SM_Pos_p + SM_Pos_p_c + day_in_study + (1 | pid), prior = prior1,

```
model_parameters(PA_on_SM_count_day_bayes, centrality = "mean")
## # Fixed effects
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat |
## -----
## (Intercept) | 2.69 | [-16.54, 21.97] | 60.86% | 52.20% | 1.000 | 77444.00
## SM_Pos_p | 0.75 | [ 0.39, 1.12] | 100.00% | 100% | 1.000 | 79619.00 | ## SM_Pos_p_c | -0.04 | [ -0.30, 0.23] | 60.84% | 100% | 1.000 | 75156.00 | ## day_in_study | 0.10 | [ -0.62, 0.83] | 60.95% | 100% | 1.000 | 77993.00
## # Fixed effects sigma
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## sigma | 66.91 | [62.53, 71.71] | 100% | 0% | 1.000 | 88627.00
standard_error(PA_on_SM_count_day_bayes)
##
        Parameter
## 1
      b Intercept 9.8469461
## 2
       b_SM_Pos_p 0.1876314
## 3 b_SM_Pos_p_c 0.1348922
## 4 b_day_in_study 0.3715356
      sigma 2.3562323
```

Negative Affect on SM

Fixed effects sigma

##

```
## Negative affect & minutes of SM

NA_on_SM_day_bayes <- brm(sum_sm_p ~ SM_Neg_p + SM_Neg_p_c + day_in_study + (1 | pid), prior = prior1, family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1, chains = 4, cores = 4, seed = "123",control = list(adapt_delta = 0.999, max_treedep)

model_parameters(NA_on_SM_day_bayes, centrality = "mean")

## # Fixed effects
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
##

"# (Intercept) | 14.74 | [-4.46, 34.73] | 93.38% | 20.11% | 1.000 | 41717.00
## SM_Neg_p | 0.24 | [-0.28, 0.77] | 81.37% | 100% | 1.000 | 67586.00
## SM_Neg_p_c | -0.29 | [-1.13, 0.48] | 77.07% | 100% | 1.000 | 29861.00
## day_in_study | -0.66 | [-1.57, 0.26] | 91.97% | 100% | 1.000 | 53227.00
```

```
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
          | 69.38 | [63.97, 75.42] | 100% | 0% | 1.000 | 60783.00
## sigma
standard_error(NA_on_SM_day_bayes)
##
       Parameter
## 1
       b_Intercept 9.9603126
## 2 b_SM_Neg_p 0.2687266
## 3 b_SM_Neg_p_c 0.4081199
## 4 b_day_in_study 0.4675308
          sigma 2.9305403
## 5
## Negative affect & SM checks
NA_on_SM_count_day_bayes <- brm(count_sm_p ~ SM_Neg_p + SM_Neg_p_c + day_in_study + (1 | pid), prior =
                  family = "gaussian", data = day, warmup = 2.5e3, iter = 1.5e4, thin = 1,
                  chains = 4, cores = 4, seed = "123", control = list(adapt_delta = 0.999, max_treedep
model_parameters(NA_on_SM_count_day_bayes, centrality = "mean")
## # Fixed effects
##
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat | ESS
## -----
## (Intercept) | 12.67 | [-4.60, 30.09] | 92.61% | 23.63% | 1.000 | 69702.00
## SM_Neg_p | 0.49 | [-0.03, 1.00] | 96.73% | 100% | 1.000 | 64540.00 | 55622.00 | 4# day_in_study | -0.62 | [-1.48, 0.24] | 91.90% | 100% | 1.000 | 63927.00
## # Fixed effects sigma
## Parameter | Mean | 95% CI | pd | % in ROPE | Rhat |
## sigma | 67.64 | [62.40, 73.37] | 100% | 0% | 1.000 | 71599.00
standard_error(NA_on_SM_count_day_bayes)
##
       Parameter
## 1 b_Intercept 8.8099235
      b SM Neg p 0.2613456
## 2
## 3 b_SM_Neg_p_c 0.3279461
## 4 b_day_in_study 0.4425889
## 5
       sigma 2.8079436
```