



# Module 1 Day 4

Arrays and Loops

# What makes an application?

- Program Data

- ✓ Variables & .NET Data Types
- Arrays
- ❑ More Collections (list, dictionary, stack, queue)
- ❑ Classes and objects (OOP)

- Program Logic

- ✓ Statements and expressions
- ✓ Conditional logic (if)
- Repeating logic (for, foreach, do, while)
- ✓ Methods (functions / procedures)
- ❑ Classes and objects (OOP principles)
- ❑ Frameworks (MVC)

- Input / Output

- User
  - ❑ Console read / write
  - ❑ HTML / CSS
  - ❑ Front-end frameworks (HTML / CSS / JavaScript)
- Storage
  - ❑ File I/O
  - ❑ Relational database
  - ❑ APIs

# Variables Review

- Variable: A name that represents a memory location
- Stores a value of some type
- 3 steps to use:
  - Declare – give it a name and type
  - Allocate – give it some memory
  - Assign – give it a value

score

92

```
// Declare and allocate a place to hold the student's score
int score;

// Assign a value to score
score = 92;

// Display the value of the score
Console.WriteLine($"Student score is {score}");
```

# Variables

- What if I have a group of similar values?
- E.g., student scores

score1	92
score2	78
score3	69
score4	96
score5	88

- What would a class of 30 look like?
- How would I calculate the average class score?


```
// Declare and allocate and assign students' scores
int score1 = 92;
int score2 = 78;
int score3 = 69;
int score4 = 96;
int score5 = 88;

// Display the value of the score
Console.WriteLine("Before the curve:");
Console.WriteLine($"Student1 score is {score1}");
Console.WriteLine($"Student2 score is {score2}");
Console.WriteLine($"Student3 score is {score3}");
Console.WriteLine($"Student4 score is {score4}");
Console.WriteLine($"Student5 score is {score5}");

// Adjust scores because the grading curve is +6
score1 = score1 + 6;
score2 += 6;
score3 += 6;
score4 += 6;
score5 += 6;
```

# Arrays

- A set of related values, all the **same type**
  - Stored contiguously in memory
  - Referenced by a **single variable name**
- Array is a **reference** type
  - The array variable points to the location of the start of the array
  - The items in the array may be reference or value types
- Each item in an array is called an **element**
- Elements are accessed by an **index** (integer)




# Declaring, allocating and assigning arrays

```
// Declare a place to hold the students' scores
int[] scores;

// Allocate the storage for scores
scores = new int[5];

// Assign the values
scores[0] = 92;
scores[1] = 78;
scores[2] = 69;
scores[3] = 96;
scores[4] = 88;
```



```
// Declare and allocate and assign students' scores
int score1 = 92;
int score2 = 78;
int score3 = 69;
int score4 = 96;
int score5 = 88;
```

- An array's length never changes once it is allocated!
- Indexes start at 0
- **Length** property tells us how many elements are in the array


# Declaring, allocating and assigning arrays

```
// Declare and allocate and assign students' scores  
int[] scores = new int[5] { 92, 78, 69, 96, 88 };
```

- OR -

```
// Declare and allocate and assign students' scores  
int[] scores = new int[] { 92, 78, 69, 96, 88 };
```

```
// Declare and allocate and assign students' scores  
int score1 = 92;  
int score2 = 78;  
int score3 = 69;  
int score4 = 96;  
int score5 = 88;
```



Let's  
Code



# Looping

- Executes a statement block multiple times
  - for
  - foreach
  - while
  - do
- We'll cover "for" today



# Looping - for

```
Console.WriteLine("Before the curve:");
for (int i = 0; i < scores.Length; i++)
{
    // Display the value of the score
    Console.WriteLine($"Student{i+1} score is {scores[i]}");
    // Adjust scores because the grading curve is +6
    scores[i] += 6;
}
```

```
// Display the value of the score
Console.WriteLine("Before the curve:");
Console.WriteLine($"Student1 score is {score1}");
Console.WriteLine($"Student2 score is {score2}");
Console.WriteLine($"Student3 score is {score3}");
Console.WriteLine($"Student4 score is {score4}");
Console.WriteLine($"Student5 score is {score5}");

// Adjust scores because the grading curve is +6
score1 = score1 + 6;
score2 += 6;
score3 += 6;
score4 += 6;
score5 += 6;
```

- How do we calculate the average score?

# Breaking a Loop Early

- `break`;
  - Transfers control to the statement following the loop
  - Exits the loop
- `continue`;
  - Transfers control to the top of the loop for the next iteration
  - Skips only a portion of the current iteration
- `return`;
  - Exits the method, and so exits the loop
- Find if there are any perfect scores in the array