Enhancing Binary Particle Swarm Optimization for Graph Coloring Problem

Motivation:

Graph coloring is a classic NP-hard optimization problem with applications in scheduling, resource allocation, and network design. The Graph Coloring Problem is a challenging optimization task with practical relevance. Graph coloring problem (GCP) belongs to the class of NP–hard combinatorial optimizations problems. GCP is defined for an undirected graph as a problem of assignment of available colors to graph vertices providing that adjacent vertices are assigned different colors and the number of colors is minimal [1]. The solution of a graph coloring problem is given below:


Figure: Non-colored and colored graph

Intensive research conducted in this area resulted in a large number of exact and approximate algorithms, heuristics and metaheuristics [2]. GCP was the subject of Second DIMACS Implementation Challenge in 1993 and Computational Symposium on Graph Coloring and Generalizations in 2002. A collection of graph coloring instances in DIMACS format and summary of results are available at [3]. Many metaheuristic methods have been developed for this problem [4-8]. Literature shows that these existing algorithms may struggle with large and complex graphs. Binary Particle Swarm Optimization (BPSO) has shown promise in solving combinatorial optimization problems. This research proposes enhancements to BPSO for the Graph Coloring Problem (GCP), aiming to improve its efficiency, convergence speed, and solution quality.

Problem Statement:

The Graph Coloring Problem involves assigning colors to the vertices of a graph in such a way that no adjacent vertices share the same color. The objective is to minimize the number of colors used. BPSO, when applied to the GCP, requires modifications to better handle the discrete and binary nature of the problem.The problem statement for enhancing Binary Particle Swarm Optimization (BPSO) for the Graph Coloring Problem involves optimizing the traditional BPSO algorithm to efficiently solve the graph coloring problem. The goal is to find a coloring of the vertices in a graph where no adjacent vertices share the same color, using as few colors as possible.

Objectives:

The primary objectives of this research are:

- To improve the binary encoding scheme used by BPSO to represent and manipulate graph coloring solutions more effectively.
- To integrate a local search mechanism within the BPSO algorithm to refine solutions and enhance the convergence speed.
- To evaluate the enhanced BPSO algorithm against existing state-of-the-art graph coloring algorithms using standard benchmark datasets. Assess its efficiency, solution quality, and scalability.

Expected Outcomes:

The anticipated outcomes of this research include:

- A modified BPSO algorithm specifically designed for the GCP, featuring improved binary encoding and local search integration.
- Demonstrated enhancement in the quality of graph coloring solutions, minimizing the number of colors used while maintaining feasibility.
- Evaluation of the enhanced BPSO against existing graph coloring algorithms, showcasing its competitive advantages in terms of efficiency and solution quality.

প্রদর্শন

Methodology:

Methodology for Enhancing Binary Particle Swarm Optimization for Graph Coloring Problem:

- **Binary Encoding Enhancement:** Refine the binary encoding representation to better capture the unique characteristics of the GCP, ensuring feasibility and accuracy in representing valid color assignments.
- **Local Search Integration:** Integrate a local search strategy within the BPSO framework to exploit the local neighborhood and refine solutions. This enhances the algorithm's ability to navigate the solution space effectively.
- **Algorithm Validation:** Validate the enhanced BPSO algorithm using standard benchmark datasets for the GCP. Compare its performance against existing algorithms in terms of solution quality and computational efficiency.

The flowchart of the modified BPSO algorithm is given below:

Figure: The flowchart of the modified BPSO algorithm

Conclusion:

This proposal outlines a research plan to enhance Binary Particle Swarm Optimization for the Graph Coloring Problem. The proposed modifications aim to address the specific challenges of the GCP and contribute to the development of more effective optimization algorithms for combinatorial problems.

References:

[1] T. R. Jensen and B. Toft, "Graph coloring problems," John Wiley & Sons, Oct. 24, 2011.

[2] M. Kubale, "Introduction to computational complexity and algorithmic graph coloring," Gdanskie Towarzystwo Naukowe, 1998.

[3] F. Mascia, "DIMACS Maximum Clique Benchmarks," IRIDIA - ULB (Université Libre de Bruxelles). Available: https://iridia.ulb.ac.be/~fmascia/maximum_clique/DIMACS-benchmark. Access date: Jul. 12, 2023.

[4] S. Shah, "GCLIQUE: An Open Source Genetic Algorithm for the Maximum Clique Problem," Authorea Preprints, Sep. 26, 2023.

[5] M. Hasan, M. R. Islam, and A. G. Mugdha, "Solving maximum clique problem using chemical reaction optimization," *OPSEARCH*, Jun. 20, 2023, pp. 1-37.

[6] E. Pelofske, G. Hahn, and H. N. Djidjev, "Solving larger maximum clique problems using parallel quantum annealing," *Quantum Information Processing*, vol. 22, no. 5, May 16, 2023, pp. 219.

[7] B. Q. Pinto, C. C. Ribeiro, I. Rosseti, and A. Plastino, "A biased random-key genetic algorithm for the maximum quasi-clique problem," *European Journal of Operational Research*, vol. 271, no. 3, Dec. 16, 2018, pp. 849-865.

[8] D. B. Fontes, J. F. Goncalves, and F. A. Fontes, "An evolutionary approach to the maximum edge weight clique problem," *Recent Advances in Electrical & Electronic Engineering (Formerly Recent Patents on Electrical & Electronic Engineering)*, vol. 11, no. 3, Sep. 1, 2018, pp. 260-266.