Python If-else statements

Decision making is the most important aspect of almost all the programming languages. As the name implies, decision making allows us to run a particular block of code for a particular decision. Here, the decisions are made on the validity of the particular conditions. Condition checking is the backbone of decision making.

In python, decision making is performed by the following statements.

Statement	Description
If Statement	The if statement is used to test a specific condition. If the condition is true, a block of code (if-block) will be executed.
If - else Statement	The if-else statement is similar to if statement except the fact that, it also provides the block of the code for the false case of the condition to be checked. If the condition provided in the if statement is false, then the else statement will be executed.
Nested if Statement	Nested if statements enable us to use if ? else statement inside an outer if statement.

Indentation in Python


For the ease of programming and to achieve simplicity, python doesn't allow the use of parentheses for the block level code. In Python, indentation is used to declare a block. If two statements are at the same indentation level, then they are the part of the same block.

Generally, four spaces are given to indent the statements which are a typical amount of indentation in python.

Indentation is the most used part of the python language since it declares the block of code. All the statements of one block are intended at the same level indentation. We will see how the actual indentation takes place in decision making and other stuff in python.

The if statement

The if statement is used to test a particular condition and if the condition is true, it executes a block of code known as if-block. The condition of if statement can be any valid logical expression which can be either evaluated to true or false.



The syntax of the if-statement is given below.

- 1. **if** expression:
- 2. statement

Example 1

- 1. # Simple Python program to understand the if statement
- 2. num = int(input("enter the number:"))
- 3. # Here, we are taking an integer num and taking input dynamically

- 4. **if** num%2 == 0:
- 5. # Here, we are checking the condition. If the condition is true, we will enter the block
- 6. **print**("The Given number is an even number")

Output:

```
enter the number: 10
```

The Given number is an even number

Example 2: Program to print the largest of the three numbers.

- 1. # Simple Python Program to print the largest of the three numbers.
- a = int (input("Enter a: "));
- 3. b = int (input("Enter b: "));
- 4. c = int (input("Enter c: "));
- 5. **if** a>b **and** a>c:
- 6. # Here, we are checking the condition. If the condition is true, we will enter the block
- 7. **print** ("From the above three numbers given a is largest");
- 8. **if** b>a **and** b>c:
- 9. # Here, we are checking the condition. If the condition is true, we will enter the block
- 10. **print** ("From the above three numbers given b is largest");
- 11. **if** c>a **and** c>b:
- 12. # Here, we are checking the condition. If the condition is true, we will enter the block
- 13. **print** ("From the above three numbers given c is largest");

Output:

Enter a: 100


Enter b: 120 Enter c: 130

From the above three numbers given c is largest

The if-else statement

The if-else statement provides an else block combined with the if statement which is executed in the false case of the condition.

If the condition is true, then the if-block is executed. Otherwise, the else-block is executed.



The syntax of the if-else statement is given below.

- 1. if condition:
- 2. #block of statements
- 3. **else**:
- 4. #another block of statements (else-block)

Example 1: Program to check whether a person is eligible to vote or not.

- 1. # Simple Python Program to check whether a person is eligible to vote or not.
- 2. age = int (input("Enter your age: "))
- 3. # Here, we are taking an integer num and taking input dynamically
- 4. **if** age>=18:

- 5. # Here, we are checking the condition. If the condition is true, we will enter the block
- 6. **print**("You are eligible to vote !!");
- 7. **else**:
- 8. **print**("Sorry! you have to wait !!");

Output:

Enter your age: 90 You are eligible to vote!!

Example 2: Program to check whether a number is even or not.

- 1. # Simple Python Program to check whether a number is even or not.
- 2. num = int(input("enter the number:"))
- 3. # Here, we are taking an integer num and taking input dynamically
- 4. **if** num%2 == 0:
- 5. # Here, we are checking the condition. If the condition is true, we will enter the block
- 6. **print**("The Given number is an even number")
- 7. **else**:
- 8. **print**("The Given Number is an odd number")

Output:

enter the number: 10
The Given number is even number

The elif statement


The elif statement enables us to check multiple conditions and execute the specific block of statements depending upon the true condition among them. We can have any number of elif statements in our program depending upon our need. However, using elif is optional.

The elif statement works like an if-else-if ladder statement in C. It must be succeeded by an if statement.

The syntax of the elif statement is given below.

1. if expression 1:

- 2. # block of statements
- 3.
- 4. **elif** expression 2:
- 5. # block of statements
- 6.
- 7. **elif** expression 3:
- 8. # block of statements
- 9.
- 10. **else**:
- 11. # block of statements



Example 1

- 1. # Simple Python program to understand elif statement
- 2. number = int(input("Enter the number?"))
- 3. # Here, we are taking an integer number and taking input dynamically
- 4. **if** number==10:

- 5. # Here, we are checking the condition. If the condition is true, we will enter the block
- 6. **print**("The given number is equals to 10")
- 7. **elif** number==50:
- 8. # Here, we are checking the condition. If the condition is true, we will enter the block
- 9. **print**("The given number is equal to 50");
- 10. **elif** number==100:
- 11. # Here, we are checking the condition. If the condition is true, we will enter the block
- 12. **print**("The given number is equal to 100");
- 13. **else**:
- 14. **print**("The given number is not equal to 10, 50 or 100");

Output:

Enter the number?15
The given number is not equal to 10, 50 or 100

Example 2

- 1. # Simple Python program to understand elif statement
- 2. marks = int(input("Enter the marks? "))
- 3. # Here, we are taking an integer marks and taking input dynamically
- 4. **if** marks > 85 **and** marks <= 100:
- 5. # Here, we are checking the condition. If the condition is true, we will enter the block
- 6. **print**("Congrats! you scored grade A ...")
- 7. **elif** marks > 60 **and** marks <= 85:
- 8. # Here, we are checking the condition. If the condition is true, we will enter the block
- 9. **print**("You scored grade B + ...")
- 10. **elif** marks > 40 **and** marks <= 60:
- 11. # Here, we are checking the condition. If the condition is true, we will enter the block
- 12. **print**("You scored grade B ...")
- 13. **elif** (marks > 30 **and** marks <= 40):
- 14. # Here, we are checking the condition. If the condition is true, we will enter the block
- 15. **print**("You scored grade C ...")
- 16. **else**:

17. **print**("Sorry you are fail ?")

Output:

Enter the marks? 89 Congrats! you scored grade A ...