

ICPSR 25504

**National Health and Nutrition
Examination Survey (NHANES),
2005-2006**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Codebook -- Questionnaire: Depression
Screener

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Depression Screener

SEQN	Respondent sequence number
------	----------------------------

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric
Question: Target: B(18 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

DPQ010	Little interest in doing things
--------	---------------------------------

Location: 6-8 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(18 Yrs. to 150 Yrs.) English Text: Over the last 2 weeks, how often have you been bothered by the following problems: little interest or pleasure in doing things? Would you say... English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	3850	72.2 %
1	Several days	673	12.6 %
2	More than half the days	180	3.4 %
3	Nearly every day	124	2.3 %
9	Don't know	9	0.2 %
. (M)	-	498	9.3 %

DPQ020	Feeling down, depressed, or hopeless
--------	--------------------------------------

Location: 9-11 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling down, depressed, or hopeless? English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	3769	70.7 %
1	Several days	769	14.4 %
2	More than half the days	179	3.4 %
3	Nearly every day	114	2.1 %
9	Don't know	5	0.1 %
. (M)	-	498	9.3 %

DPQ030	Trouble sleeping or sleeping too much
--------	---------------------------------------

Location: 12-14 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] trouble falling or staying asleep, or sleeping too much? English Instructions: HANDCARD DPQ1

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	3152	59.1 %
1	Several days	1071	20.1 %
2	More than half the days	286	5.4 %
3	Nearly every day	320	6.0 %
9	Don't know	7	0.1 %
. (M)	-	498	9.3 %

DPQ040 Feeling tired or having little energy

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling tired or having little energy? English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	2429	45.5 %
1	Several days	1706	32.0 %
2	More than half the days	370	6.9 %
3	Nearly every day	326	6.1 %
9	Don't know	5	0.1 %
. (M)	-	498	9.3 %

DPQ050 Poor appetite or overeating

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] poor appetite or overeating? English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	3813	71.5 %
1	Several days	691	13.0 %
2	More than half the days	160	3.0 %
3	Nearly every day	168	3.1 %
9	Don't know	4	0.1 %
. (M)	-	498	9.3 %

DPQ060 Feeling bad about yourself

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] feeling bad about yourself - or that you are a failure or have let yourself or your family down? English Instructions: HANDCARD DPQ1

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	4134	77.5 %
1	Several days	513	9.6 %
2	More than half the days	95	1.8 %
3	Nearly every day	89	1.7 %
9	Don't know	5	0.1 %
. (M)	-	498	9.3 %

DPQ070 Trouble concentrating on things

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] trouble concentrating on things, such as reading the newspaper or watching TV? English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	4070	76.3 %
1	Several days	545	10.2 %
2	More than half the days	118	2.2 %
3	Nearly every day	99	1.9 %
9	Don't know	4	0.1 %
. (M)	-	498	9.3 %

DPQ080 Moving or speaking slowly or too fast

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: [Over the last 2 weeks, how often have you been bothered by the following problems:] moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual? English Instructions: HANDCARD DPQ1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	4362	81.8 %
1	Several days	341	6.4 %
2	More than half the days	79	1.5 %
3	Nearly every day	45	0.8 %
9	Don't know	9	0.2 %
. (M)	-	498	9.3 %

DPQ090 Thought you would be better off dead

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: Over the last 2 weeks, how often have you been bothered by the following problems: Thoughts that you would be better off dead or of hurting yourself in some

- Study 25504 -

way? English Instructions: INTERVIEWER INSTRUCTION: IF DPQ.090 CODED 1, 2, OR 3 PLEASE COMPLETE MENTAL HEALTH OBSERVATION FOR PHYSICIAN REVIEW AT CONCLUSION OF INTERVIEW.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all	4667	87.5 %
1	Several days	122	2.3 %
2	More than half the days	32	0.6 %
3	Nearly every day	13	0.2 %
9	Don't know	2	0.0 %
. (M)	-	498	9.3 %

DPQ100 **Difficulty these problems have caused**

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(18 Yrs. to 150 Yrs.) English Text: How difficult have these problems made it for you to do your work, take care of things at home, or get along with people? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not at all difficult	2332	43.7 %
1	Somewhat difficult	737	13.8 %
2	Very difficult	80	1.5 %
3	Extremely difficult	30	0.6 %
9	Don't know	6	0.1 %
. (M)	-	2149	40.3 %

SDDSRVYR **Data Release Number**

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	NHANES 2005-2006 Public Release	5334	100.0 %

RIDSTATR **Interview/Examination Status**

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Both Interviewed and MEC examined	5334	100.0 %

RIDEXMON **Six month time period**

Location: 42-44 (width: 3; decimal: 0)

- Study 25504 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed - two categories: November 1 through April 30, May 1 through October 31. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	November 1 through April 30	2467	46.3 %
2	May 1 through October 31	2867	53.7 %

RIAGENDR

Gender

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	2561	48.0 %
2	Female	2773	52.0 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	301	5.6 %
19	-	260	4.9 %
20	-	95	1.8 %
21	-	99	1.9 %
22	-	105	2.0 %
23	-	111	2.1 %
24	-	104	1.9 %
25	-	109	2.0 %
26	-	103	1.9 %
27	-	85	1.6 %
28	-	97	1.8 %
29	-	113	2.1 %
30	-	93	1.7 %
31	-	87	1.6 %
32	-	78	1.5 %
33	-	78	1.5 %
34	-	93	1.7 %
35	-	91	1.7 %
36	-	86	1.6 %
37	-	63	1.2 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	-	81	1.5 %
39	-	68	1.3 %
40	-	103	1.9 %
41	-	85	1.6 %
42	-	77	1.4 %
43	-	71	1.3 %
44	-	84	1.6 %
45	-	92	1.7 %
46	-	91	1.7 %
47	-	71	1.3 %
48	-	72	1.3 %
49	-	69	1.3 %
50	-	79	1.5 %
51	-	85	1.6 %
52	-	55	1.0 %
53	-	73	1.4 %
54	-	79	1.5 %
55	-	60	1.1 %
56	-	50	0.9 %
57	-	41	0.8 %
58	-	54	1.0 %
59	-	55	1.0 %
60	-	80	1.5 %
61	-	71	1.3 %
62	-	79	1.5 %
63	-	66	1.2 %
64	-	67	1.3 %
65	-	65	1.2 %
66	-	72	1.3 %
67	-	62	1.2 %
68	-	35	0.7 %
69	-	64	1.2 %
70	-	65	1.2 %
71	-	57	1.1 %
72	-	45	0.8 %
73	-	55	1.0 %
74	-	49	0.9 %
75	-	36	0.7 %
76	-	48	0.9 %
77	-	37	0.7 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
78	-	46	0.9 %
79	-	31	0.6 %
80	-	42	0.8 %
81	-	55	1.0 %
82	-	41	0.8 %
83	-	39	0.7 %
84	-	33	0.6 %
85	>= 85 years of age	148	2.8 %

RIDAGEMN Age in Months - Recode

Location: 51-54 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 55-58 (width: 4; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 59-61 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Mexican American	1133	21.2 %
2	Other Hispanic	164	3.1 %
3	Non-Hispanic White	2516	47.2 %
4	Non-Hispanic Black	1300	24.4 %
5	Other Race - Including Multi-Racial	221	4.1 %

DMQMILIT Veteran/Military Status

Location: 62-64 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the United States? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	675	12.7 %
2	No	4656	87.3 %
7	Refused	3	0.1 %

- Study 25504 -

DMDBORN

Country of Birth - Recode

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	4190	78.6 %
2	Born in Mexico	687	12.9 %
3	Born Elsewhere	454	8.5 %
7	Refused	3	0.1 %

DMDCITZN

Citizenship Status

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Citizen by birth or naturalization	4559	85.5 %
2	Not a citizen of the US	770	14.4 %
7	Refused	5	0.1 %

DMDYRSUS

Length of time in US

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less than 1 year	24	0.4 %
2	1 yr., less than 5 yrs.	188	3.5 %
3	5 yrs., less than 10 yrs.	234	4.4 %
4	10 yrs., less than 15 yrs.	150	2.8 %
5	15 yrs., less than 20 yrs.	117	2.2 %
6	20 yrs., less than 30 yrs.	184	3.4 %
7	30 yrs., less than 40 yrs.	107	2.0 %
8	40 yrs., less than 50 yrs.	51	1.0 %
9	50 years or more	54	1.0 %
77	Refused	11	0.2 %
99	Don't know	19	0.4 %
. (M)	-	4195	78.6 %

- Study 25504 -

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	9th Grade	24	0.4 %
10	10th Grade	29	0.5 %
11	11th Grade	108	2.0 %
12	12th Grade, No Diploma	42	0.8 %
13	High School Graduate	190	3.6 %
14	GED or Equivalent	9	0.2 %
15	More than high school	137	2.6 %
66	Less Than 9th Grade	21	0.4 %
99	Don't know	1	0.0 %
. (M)	-	4773	89.5 %

DMDEDUC2 Education Level - Adults 20+

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	597	11.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	733	13.7 %
3	High School Grad/GED or Equivalent	1136	21.3 %
4	Some College or AA degree	1361	25.5 %
5	College Graduate or above	939	17.6 %
7	Refused	4	0.1 %
9	Don't Know	3	0.1 %
. (M)	-	561	10.5 %

DMDSCHOL Now attending school?

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	In school	267	5.0 %
2	On vacation from school (between grades)	71	1.3 %
3	Neither in school or on vacation from school (btwn grades)	221	4.1 %
. (M)	-	4775	89.5 %

DMDMARTL

Marital Status

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2615	49.0 %
2	Widowed	430	8.1 %
3	Divorced	449	8.4 %
4	Separated	154	2.9 %
5	Never married	1241	23.3 %
6	Living with partner	440	8.2 %
77	Refused	5	0.1 %

DMDHHSIZ

Total number of people in the Household

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	734	13.8 %
2	-	1624	30.4 %
3	-	1034	19.4 %
4	-	805	15.1 %
5	-	562	10.5 %
6	-	280	5.2 %
7	7 or more people in the Household	295	5.5 %

DMDFMSIZ

Total number of people in the Family

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	-	1151	21.6 %
2	-	1417	26.6 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	-	958	18.0 %
4	-	759	14.2 %
5	-	540	10.1 %
6	-	275	5.2 %
7	7 or more people in the Family	234	4.4 %

INDHHINC

Annual Household Income

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	128	2.4 %
2	\$ 5,000 to \$ 9,999	244	4.6 %
3	\$10,000 to \$14,999	390	7.3 %
4	\$15,000 to \$19,999	391	7.3 %
5	\$20,000 to \$24,999	399	7.5 %
6	\$25,000 to \$34,999	669	12.5 %
7	\$35,000 to \$44,999	521	9.8 %
8	\$45,000 to \$54,999	501	9.4 %
9	\$55,000 to \$64,999	335	6.3 %
10	\$65,000 to \$74,999	302	5.7 %
11	\$75,000 and Over	1129	21.2 %
12	Over \$20,000	117	2.2 %
13	Under \$20,000	30	0.6 %
77	Refused	34	0.6 %
99	Don't know	88	1.6 %
. (M)	-	56	1.0 %

INDFMINC

Annual Family Income

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	\$ 0 to \$ 4,999	190	3.6 %
2	\$ 5,000 to \$ 9,999	281	5.3 %
3	\$10,000 to \$14,999	440	8.2 %
4	\$15,000 to \$19,999	412	7.7 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	\$20,000 to \$24,999	426	8.0 %
6	\$25,000 to \$34,999	678	12.7 %
7	\$35,000 to \$44,999	535	10.0 %
8	\$45,000 to \$54,999	485	9.1 %
9	\$55,000 to \$64,999	297	5.6 %
10	\$65,000 to \$74,999	278	5.2 %
11	\$75,000 and Over	1044	19.6 %
12	Over \$20,000	78	1.5 %
13	Under \$20,000	30	0.6 %
77	Refused	36	0.7 %
99	Don't know	77	1.4 %
. (M)	-	47	0.9 %

INDFMPIR

Family PIR

Location: 98-102 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to poverty threshold English Instructions:

<i>Value</i>	<i>Label</i>
5	PIR value greater than or equal to 5.00

RIDEXPRG

Pregnancy Status at Exam - Recode

Location: 103-105 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes, positive lab pregnancy test or self-reported pregnant	354	6.6 %
2	SP not pregnant at exam	1626	30.5 %
3	Cannot ascertain if SP is pregnant at exam	67	1.3 %
. (M)	-	3287	61.6 %

DMDHRGND

HH Ref Person Gender

Location: 106-108 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Male	3056	57.3 %
2	Female	2278	42.7 %

- Study 25504 -

DMDHRAGE

HH Ref Person Age

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
18	-	75	1.4 %
19	-	101	1.9 %
20	-	67	1.3 %
21	-	66	1.2 %
22	-	58	1.1 %
23	-	64	1.2 %
24	-	96	1.8 %
25	-	100	1.9 %
26	-	101	1.9 %
27	-	90	1.7 %
28	-	88	1.6 %
29	-	99	1.9 %
30	-	75	1.4 %
31	-	102	1.9 %
32	-	87	1.6 %
33	-	85	1.6 %
34	-	92	1.7 %
35	-	98	1.8 %
36	-	87	1.6 %
37	-	76	1.4 %
38	-	96	1.8 %
39	-	92	1.7 %
40	-	136	2.5 %
41	-	111	2.1 %
42	-	115	2.2 %
43	-	115	2.2 %
44	-	109	2.0 %
45	-	116	2.2 %
46	-	104	1.9 %
47	-	121	2.3 %
48	-	89	1.7 %
49	-	80	1.5 %
50	-	96	1.8 %
51	-	133	2.5 %
52	-	75	1.4 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	-	104	1.9 %
54	-	85	1.6 %
55	-	62	1.2 %
56	-	64	1.2 %
57	-	60	1.1 %
58	-	54	1.0 %
59	-	62	1.2 %
60	-	89	1.7 %
61	-	66	1.2 %
62	-	106	2.0 %
63	-	76	1.4 %
64	-	73	1.4 %
65	-	76	1.4 %
66	-	79	1.5 %
67	-	67	1.3 %
68	-	30	0.6 %
69	-	65	1.2 %
70	-	74	1.4 %
71	-	62	1.2 %
72	-	37	0.7 %
73	-	58	1.1 %
74	-	47	0.9 %
75	-	33	0.6 %
76	-	66	1.2 %
77	-	29	0.5 %
78	-	45	0.8 %
79	-	33	0.6 %
80	-	39	0.7 %
81	-	48	0.9 %
82	-	46	0.9 %
83	-	38	0.7 %
84	-	26	0.5 %
85	>= 85 years of age	140	2.6 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?
English Instructions:

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Born in 50 US States or Washington, DC	4041	75.8 %
2	Born in Mexico	677	12.7 %
3	Born Elsewhere	471	8.8 %
7	Refused	3	0.1 %
9	Don't know	2	0.0 %
. (M)	-	140	2.6 %

DMDHREDU HH Ref Person Education Level

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	639	12.0 %
2	9-11th Grade (Includes 12th grade with no diploma)	773	14.5 %
3	High School Grad/GED or equivalent	1280	24.0 %
4	Some College or AA degree	1487	27.9 %
5	College Graduate or above	984	18.4 %
7	Refused	4	0.1 %
9	Don't know	27	0.5 %
. (M)	-	140	2.6 %

DMDHRMAR HH Ref Person Marital Status

Location: 118-120 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Married	2936	55.0 %
2	Widowed	438	8.2 %
3	Divorced	516	9.7 %
4	Separated	190	3.6 %
5	Never married	773	14.5 %
6	Living with partner	375	7.0 %
77	Refused	11	0.2 %
. (M)	-	95	1.8 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 121-123 (width: 3; decimal: 0)

- Study 25504 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Less Than 9th Grade	381	7.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	307	5.8 %
3	High School Grad/GED or equivalent	649	12.2 %
4	Some College or AA degree	748	14.0 %
5	College Graduate or above	608	11.4 %
9	Don't know	9	0.2 %
. (M)	-	2632	49.3 %

SIALANG Language of SP Interview

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	4703	88.2 %
2	Spanish	629	11.8 %
. (M)	-	2	0.0 %

SIAPROXY Proxy used in SP Interview?

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	47	0.9 %
2	No	5285	99.1 %
. (M)	-	2	0.0 %

SIAINTRP Interpreter used in SP Interview?

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person (SP) interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	106	2.0 %
2	No	5226	98.0 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
. (M)	-	2	0.0 %

FIALANG **Language of Family Interview**

Location: 133-135 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	4874	91.4 %
2	Spanish	411	7.7 %
. (M)	-	49	0.9 %

FIAPROXY **Proxy used in Family Interview?**

Location: 136-138 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	10	0.2 %
2	No	5275	98.9 %
. (M)	-	49	0.9 %

FIINTRP **Interpreter used in Family Interview?**

Location: 139-141 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	83	1.6 %
2	No	5202	97.5 %
. (M)	-	49	0.9 %

MIALANG **Language of MEC Interview**

Location: 142-144 (width: 3; decimal: 0)
Variable Type: numeric
Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	4338	81.3 %

- Study 25504 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	Spanish	545	10.2 %
. (M)	-	451	8.5 %

MIAPROXY Proxy used in MEC Interview?

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC CAPI Interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	36	0.7 %
2	No	4847	90.9 %
. (M)	-	451	8.5 %

MIAINTRP Interpreter used in MEC Interview?

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI interview? English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Yes	17	0.3 %
2	No	4866	91.2 %
. (M)	-	451	8.5 %

AIALANG Language of ACASI Interview

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English Instructions:

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	English	4452	83.5 %
2	Spanish	573	10.7 %
. (M)	-	309	5.8 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 154-167 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 168-181 (width: 14; decimal: 6)

- Study 25504 -

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.
English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	2640	49.5 %
2	2694	50.5 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
44	455	8.5 %
45	334	6.3 %
46	436	8.2 %
47	360	6.7 %
48	306	5.7 %
49	511	9.6 %
50	372	7.0 %
51	303	5.7 %
52	376	7.0 %
53	293	5.5 %
54	342	6.4 %
55	336	6.3 %
56	351	6.6 %
57	297	5.6 %
58	262	4.9 %