

Create a workspace in Amazon Grafana

- Go to the <u>Amazon Grafana</u> console, click on Create workspace
- Key in the workspace name **emr-on-tfc-summit**, then **Next**
- Use AWS SSO as the authentication access type



Create an SSO user with random username and email.




• In the Data sources and notification channels – optional section, select the **Amazon Managed Service for Prometheus.**


▼ Data sources and notification channels - optional

Data sources


Selecting an AWS data source below creates an IAM role that enables Amazon Grafana access to those resources in your current account. It does not set up the selected service as a data source. Note that some resources must be tagged GrafanaDataSource to be accessible.




- Proceed to the final Review and create page, then Create workspace
- click on the **Assign new user or group** button when you see the warning message in the Authentication tab.




• Assign the SSO user created.




• Re-select the user and **set it as an admin.** This option lets the user add data sources to the Grafana dashboard in the next steps.




 Go back to the workspace console and click the Grafana workspace URL. Login via AWS SSO.



• You can get the username and password from the <u>AWS SSO User console</u>. Click the Username then **Reset password**.




• Generate a one-time password




Add Prometheus as data source

 After login successfully, select the smaller AWS logo on the left ribbon just above the settings icon, then choose AWS services -> Amazon Managed Service for Prometheus as a data source.



Choose your region and the data source, then click Add 1 data source.




Create a dashboard for Spark


• A pre-defined Spark dashboard template is created already. Open the following link and copy the file content.

https://raw.githubusercontent.com/aws-ia/terraform-aws-eks-blueprints/main/examples/analytics/emr-on-eks/examples/grafana-dashboard-for-spark/emr-eks-grafana-dashboard.json

• Go back to your Grafana, click the + icon and choose the **Import** option. Paste the template file content to the **Import via panel json** section, finally click on **Load** then **Import** buttons.



 On the dashboard, set the time range to 15 minutes and change the refresh frequency to 10 seconds.




•

Appendix


• Understand the dashboard

Pod State Timelines section - A graph that tracks a job autoscaling performance when firing up a Spark application with EMR on EKS. It collects the time & pod status information, then visualize it. It displays when a pod status is changed from pending to running, from running to succeeded.

• The following example shows a 2-executor small job was run on an existing EC2 instance, no EC2 / EKS node autoscaling was triggered.



The following case is for a 47-executor job – a medium size Spark application that is still running. The longest scaling time (in Pending) is 3 minutes for 5 pods. And 47 pods were scheduled by batch, not concurrently. The autoscaling was triggered by Cluster Autoscaler.



 The following example is for the same Spark job with 47 executors/pods that was failed by Driver. The longest startup time (in Pending) is 2 minutes. And 47 pods were scheduled at once. Over 50% of pods were up in 1 minute. The autoscaling was managed by Karpenter.

