

Climates of the Past

EES 3310/5310

Global Climate Change

Jonathan Gilligan

Class #13: Monday, February 22 2021

Mineral Weathering

Carbonate vs. Silicate Weathering

- **Carbonate Weathering:**
 - Dissolves carbonate minerals on land
 - Increases ocean carbonate
 - Adds *twice as much carbonate* to oceans as silicate weathering
 - Relieves ocean acidification
 - Increases transfer of CO₂ from atmosphere to ocean
 - Creates carbonate rocks on sea floor with carbon that originated on land
 - Does not transform atmospheric CO₂ to rocks
- **Silicate Weathering:**
 - Transforms carbon dioxide in atmosphere into rocks
 - Creates carbonate rocks on sea floor with carbon that originated in atmosphere

Weathering as Thermostat

CO₂ concentration is controlled by the balance of volcanic outgassing and chemical weathering


- **Higher temperatures:**
 - More rain, faster chemical reactions
 - Faster weathering
 - Atmospheric CO₂ falls
- **Lower temperatures**
 - Less rain, slower chemical reactions
 - Slower weathering
 - Atmospheric CO₂ rises

Temperature of Earth

- Weathering acts as thermostat.
- Earth's temperature has been remarkably stable over time.
 - 4 billion years ago, sun was 30% dimmer...
 - With today's greenhouse effect the earth would have been frozen
 - But there has constantly been liquid water.
 - Early earth had more greenhouse gases (thermostat)
- Geologic change alters thermostat "setting":
 - Volcanic outgassing
 - Land surface (e.g., mountain ranges)
 - Vascular plants
- In the long run, silicate thermostat will fix global warming...
 - ...but it will take tens to hundreds of thousands of years.

Prospects for future:

- **Oceanic sinks:**
 - A few centuries:
 - Around 50% of excess CO₂ dissolves into oceans
 - Dissolution stops as oceans acidify
 - A few thousand years:
 - Reactions with limestone restore pH, CO₂ solubility
 - Hundreds of thousand of years
 - Silicate-mineral weathering removes and buries excess CO₂.
- **Bottom line:**
 - CO₂ stays in the atmosphere many thousands of years after we stop burning fossil fuels.




CO_2 vs. Methane


- CO_2 :
 - After 1000 years, around 30% of excess CO_2 remains in atmosphere
 - After 10,000 years, 13% remains
 - After 100,000 years, 6% remains
- Methane (CH_4):
 - 31 times more powerful (molecule-for-molecule) than CO_2
 - Atmospheric lifetime: 12.4 years:
 - After 25 years, 13% remains.
 - After 100 years, 0.031% remains.

Climates of the Past


Climates of the Past



Climates of the Past




Climates of the Past




Digging into the past

Digging into the past:

Temperature measuring stations over the last 130 years.



Surface Temperature Monitoring




Temperature Anomaly

- **Global temperature change:**
 - Average temperatures are different at different places.
 - Temperatures change with the seasons
 - How to compare temperature change between places with different climates?
- **Temperature anomaly:**
 - Define a reference time period (several decades)
 - Anomaly = **actual temperature** at a place and time *minus*
average temperature at that place during reference period


Temperature Anomaly

- Anomaly = **actual temperature** at a place and time *minus* **average temperature** at that place during reference period
- **Example: Anomaly for Nashville, January, 2020**
 - Monthly avg. temp. for January, 2020 = 7.2°C
 - Average January temp 1950–1979 = 3.0°C
 - Anomaly = $7.2^{\circ}\text{C} - 3.0^{\circ}\text{C} = 4.3^{\circ}\text{C}$


Global Anomaly 1850–2020




North America 1850–2020




Continental US Anomaly 1850–2020



Tennessee Anomaly 1850–2020



Nashville Anomaly 1850–2020




Ocean Temperatures

Ocean Temperatures




Ocean Temperatures

Argo Temperature/Salinity Float Network



Ocean Heat Content




Searching for
a Smoking Gun:

What caused the warming?


Sunspots?

Sunspots?




Sunspots

- Discovered 1611 by Galileo and J. Fabricius
- More sunspots → brighter
- 11 year cycle
- Intensity changes:
 - <1% for 11-year cycle
 - <0.1% change in decadal average from little ice age to present



Sunspots didn't cause recent warming



Fingerprints: Predictions and Patterns

Predictions: 1967

VOL. 24, NO. 3

JOURNAL OF THE ATMOSPHERIC SCIENCES

MAY 1967

Thermal Equilibrium of the Atmosphere with a Given Distribution of Relative Humidity

SYUKURO MANABE AND RICHARD T. WETHERALD

Geophysical Fluid Dynamics Laboratory, ESSA, Washington, D. C.

(Manuscript received 2 November 1966)

ABSTRACT

Radiative convective equilibrium of the atmosphere with a given distribution of relative humidity is computed as the asymptotic state of an initial value problem.


The results show that it takes almost twice as long to reach the state of radiative convective equilibrium for the atmosphere with a given distribution of relative humidity than for the atmosphere with a given distribution of absolute humidity.

Also, the surface equilibrium temperature of the former is almost twice as sensitive to change of various factors such as solar constant, CO₂ content, O₃ content, and cloudiness, than that of the latter, due to the adjustment of water vapor content to the temperature variation of the atmosphere.

According to our estimate, a doubling of the CO₂ content in the atmosphere has the effect of raising the temperature of the atmosphere (whose relative humidity is fixed) by about 2°C. Our model does not have the extreme sensitivity of atmospheric temperature to changes of CO₂ content which was adduced by Möller.

Stratosphere vs. Surface:

Lower stratosphere



Day vs. Night

