

Simulation Result 1: C~Exp(0.2)

Yi

2023-02-20

Table 1: Summary of the estimated SAUC for Biomarker1 when the true censoring is distributed as $Exp(0.2)$.

Patients	N	Method	$p = 0.7$	$p = 0.5$	$p = 0.3$
			Median (Q1, Q3)	Median (Q1, Q3)	Median (Q1, Q3)
50-150	20	HZ _P	74.97 (73.45, 76.48)	74.78 (73.43, 75.97)	74.68 (73.69, 75.66)
		HZ _O	76.30 (74.33, 78.03)	76.51 (74.57, 78.51)	77.03 (75.15, 79.14)
		Prop	75.73 (73.47, 77.88)	75.23 (73.02, 77.68)	74.70 (72.10, 77.02)
	30	HZ _P	74.79 (73.58, 75.95)	74.59 (73.54, 75.58)	74.52 (73.76, 75.32)
		HZ _O	75.89 (74.27, 77.41)	76.22 (74.54, 77.85)	77.01 (75.42, 78.57)
		Prop	75.38 (73.72, 77.27)	74.80 (72.84, 76.69)	74.48 (72.28, 76.40)
	50	HZ _P	74.68 (73.78, 75.58)	74.60 (73.73, 75.38)	74.52 (73.85, 75.12)
		HZ _O	75.76 (74.67, 76.93)	76.27 (75.06, 77.32)	76.79 (75.60, 78.07)
		Prop	75.19 (73.68, 76.58)	74.63 (73.16, 76.16)	74.21 (72.42, 76.02)
	100	HZ _P	74.54 (73.87, 75.17)	74.53 (73.96, 75.05)	74.42 (73.93, 74.82)
		HZ _O	75.53 (74.75, 76.31)	76.13 (75.32, 76.94)	76.80 (75.93, 77.54)
		Prop	74.88 (73.85, 76.11)	74.63 (73.50, 76.13)	74.20 (72.92, 75.48)
50-300	20	HZ _P	75.87 (74.66, 77.07)	75.73 (74.79, 76.82)	75.73 (74.99, 76.53)
		HZ _O	76.73 (75.22, 78.36)	77.29 (75.65, 78.87)	77.90 (76.18, 79.45)
		Prop	76.52 (74.68, 78.10)	76.35 (74.51, 77.90)	75.82 (73.93, 77.37)
	30	HZ _P	75.85 (74.85, 76.88)	75.68 (74.84, 76.53)	75.69 (75.03, 76.33)
		HZ _O	76.77 (75.43, 77.98)	77.02 (75.77, 78.34)	77.79 (76.19, 79.14)
		Prop	76.47 (75.03, 77.75)	76.02 (74.59, 77.53)	75.79 (74.15, 77.29)
	50	HZ _P	75.76 (74.96, 76.51)	75.61 (75.04, 76.22)	75.59 (75.08, 76.07)
		HZ _O	76.51 (75.48, 77.45)	76.75 (75.81, 77.69)	77.40 (76.36, 78.48)
		Prop	76.12 (75.04, 77.33)	75.79 (74.79, 76.96)	75.57 (74.42, 76.76)
	100	HZ _P	74.54 (73.87, 75.17)	74.53 (73.96, 75.05)	74.42 (73.93, 74.82)
		HZ _O	75.53 (74.75, 76.31)	76.13 (75.32, 76.94)	76.80 (75.93, 77.54)
		Prop	74.88 (73.85, 76.11)	74.63 (73.50, 76.13)	74.20 (72.92, 75.48)

Median with 25th and 75th empirical quartiles (Q1, Q3) of the SAUC at $t = 2$ are reported. N denotes the number of the published studies. Proposed denotes the proposed sensitivity analysis method; HZ_P denotes the HZ model using the population (published and unpublished) studies; HZ_O denotes the HZ model using the observed (published) studies. CR denotes the proportion of convergence among 1000 repetition All the entries are multiplied by 100.

Table 2: Summary of the estimated SAUC for Biomarker2 when the true censoring is distributed as $Exp(0.2)$.

Patients	N	Method	$p = 0.7$	$p = 0.5$	$p = 0.3$
			Median (Q1, Q3)	Median (Q1, Q3)	Median (Q1, Q3)
50-150	20	HZ _P	57.63 (56.65, 58.68)	57.74 (56.91, 58.64)	57.68 (57.07, 58.42)
		HZ _O	59.42 (58.40, 60.65)	60.69 (59.44, 61.90)	61.96 (60.72, 63.20)
		Prop	58.74 (57.45, 59.85)	59.17 (57.54, 60.66)	59.64 (57.22, 61.72)
	30	HZ _P	57.79 (56.95, 58.56)	57.77 (57.03, 58.42)	57.77 (57.23, 58.27)
		HZ _O	59.64 (58.67, 60.63)	60.64 (59.74, 61.60)	61.89 (60.92, 62.90)
		Prop	58.79 (57.67, 59.81)	59.29 (57.69, 60.63)	60.20 (57.32, 61.83)
	50	HZ _P	57.74 (57.09, 58.33)	57.73 (57.16, 58.24)	57.73 (57.32, 58.15)
		HZ _O	59.59 (58.88, 60.38)	60.67 (59.98, 61.41)	62.00 (61.22, 62.73)
		Prop	58.79 (57.76, 59.65)	59.48 (57.61, 60.63)	60.56 (57.09, 61.98)
	100	HZ _P	57.71 (57.31, 58.19)	57.72 (57.36, 58.10)	57.74 (57.44, 58.02)
		HZ _O	59.63 (59.13, 60.14)	60.68 (60.14, 61.21)	62.00 (61.44, 62.53)
		Prop	58.99 (57.97, 59.72)	59.69 (57.54, 60.69)	61.43 (57.61, 62.17)
50-300	20	HZ _P	57.91 (57.09, 58.64)	57.90 (57.31, 58.54)	57.93 (57.50, 58.38)
		HZ _O	59.27 (58.30, 60.07)	60.07 (59.24, 60.89)	61.06 (60.11, 61.99)
		Prop	58.38 (57.46, 59.23)	58.35 (57.17, 59.43)	57.90 (56.53, 59.14)
	30	HZ _P	57.95 (57.24, 58.59)	57.87 (57.37, 58.37)	57.92 (57.52, 58.33)
		HZ _O	59.34 (58.57, 60.05)	60.08 (59.44, 60.82)	61.07 (60.30, 61.81)
		Prop	58.32 (57.47, 59.11)	58.09 (57.19, 59.03)	57.60 (56.63, 58.77)
	50	HZ _P	57.95 (57.47, 58.40)	57.95 (57.50, 58.35)	57.93 (57.60, 58.23)
		HZ _O	59.35 (58.82, 59.91)	60.11 (59.55, 60.68)	61.10 (60.50, 61.64)
		Prop	58.22 (57.61, 58.89)	57.98 (57.18, 58.74)	57.45 (56.64, 58.30)
	100	HZ _P	57.71 (57.31, 58.19)	57.72 (57.36, 58.10)	57.74 (57.44, 58.02)
		HZ _O	59.63 (59.13, 60.14)	60.68 (60.14, 61.21)	62.00 (61.44, 62.53)
		Prop	58.99 (57.97, 59.72)	59.69 (57.54, 60.69)	61.43 (57.61, 62.17)

Median with 25th and 75th empirical quartiles (Q1, Q3) of the SAUC at $t = 2$ are reported. N denotes the number of the published studies. Proposed denotes the proposed sensitivity analysis method; HZ_P denotes the HZ model using the population (published and unpublished) studies; HZ_O denotes the HZ model using the observed (published) studies. CR denotes the proportion of convergence among 1000 repetition All the entries are multiplied by 100.

Table 3: Summary of the estimated SAUC for Biomarker1 when the true censoring is distributed as $U(1, 4)$, but a misspecified exponential distribution is fitted.

Patients	N	Method	$p = 0.7$	$p = 0.5$	$p = 0.3$
			Median (Q1, Q3)	Median (Q1, Q3)	Median (Q1, Q3)
50-150	20	HZ _P	75.07 (73.54, 76.47)	74.95 (73.75, 76.05)	75.01 (74.04, 75.88)
		HZ _O	76.29 (74.13, 78.10)	76.81 (74.77, 78.67)	77.66 (75.62, 79.53)
		Prop	76.47 (74.27, 78.62)	75.88 (73.57, 77.99)	75.18 (72.99, 77.49)
	30	HZ _P	75.05 (73.89, 76.20)	74.92 (73.98, 75.91)	74.88 (74.06, 75.66)
		HZ _O	76.24 (74.85, 77.58)	76.76 (75.36, 78.17)	77.27 (75.80, 78.85)
		Prop	76.27 (74.64, 78.23)	75.76 (73.92, 77.63)	74.85 (72.72, 76.92)
	50	HZ _P	74.94 (73.92, 75.78)	74.81 (74.04, 75.59)	74.80 (74.21, 75.36)
		HZ _O	75.95 (74.84, 77.03)	76.31 (75.05, 77.39)	76.98 (75.87, 78.08)
		Prop	75.94 (74.50, 77.38)	75.09 (73.51, 76.59)	74.43 (72.73, 76.17)
	100	HZ _P	74.81 (74.14, 75.41)	74.77 (74.27, 75.28)	74.76 (74.30, 75.19)
		HZ _O	75.81 (74.98, 76.59)	76.32 (75.54, 77.10)	77.03 (76.18, 77.76)
		Prop	75.54 (74.48, 76.72)	74.98 (73.85, 76.25)	74.34 (73.01, 75.60)
50-300	20	HZ _P	76.22 (75.28, 77.32)	76.13 (75.17, 77.04)	75.97 (75.20, 76.64)
		HZ _O	77.13 (75.76, 78.71)	77.74 (76.27, 79.15)	78.24 (76.68, 79.81)
		Prop	77.43 (75.14, 79.55)	76.91 (74.83, 78.65)	76.05 (74.26, 77.71)
	30	HZ _P	76.08 (75.08, 76.99)	75.98 (75.14, 76.71)	75.82 (75.30, 76.36)
		HZ _O	76.99 (75.62, 78.19)	77.50 (76.27, 78.79)	78.15 (76.64, 79.48)
		Prop	76.96 (75.11, 78.73)	76.55 (74.86, 78.17)	76.04 (74.49, 77.57)
	50	HZ _P	75.97 (75.23, 76.61)	75.93 (75.36, 76.50)	75.82 (75.34, 76.26)
		HZ _O	76.72 (75.82, 77.63)	77.31 (76.24, 78.24)	77.80 (76.50, 79.06)
		Prop	76.63 (75.38, 78.08)	76.44 (75.08, 77.62)	75.64 (74.52, 76.95)
	100	HZ _P	74.81 (74.14, 75.41)	74.77 (74.27, 75.28)	74.76 (74.30, 75.19)
		HZ _O	75.81 (74.98, 76.59)	76.32 (75.54, 77.10)	77.03 (76.18, 77.76)
		Prop	75.54 (74.48, 76.72)	74.98 (73.85, 76.25)	74.34 (73.01, 75.60)

Median with 25th and 75th empirical quartiles (Q1, Q3) of the SAUC at $t = 2$ are reported. N denotes the number of the published studies. Proposed denotes the proposed sensitivity analysis method; HZ_P denotes the HZ model using the population (published and unpublished) studies; HZ_O denotes the HZ model using the observed (published) studies. CR denotes the proportion of convergence among 1000 repetition All the entries are multiplied by 100.

Table 4: Summary of the estimated SAUC for Biomarker2 when the true censoring is distributed as $U(1, 4)$, but a misspecified exponential distribution is fitted.

Patients	N	Method	$p = 0.7$	$p = 0.5$	$p = 0.3$
			Median (Q1, Q3)	Median (Q1, Q3)	Median (Q1, Q3)
50-150	20	HZ _P	57.78 (56.84, 58.68)	57.80 (56.96, 58.65)	57.79 (57.16, 58.39)
		HZ _O	59.82 (58.64, 60.88)	61.09 (59.90, 62.16)	62.47 (61.29, 63.67)
		Prop	58.71 (57.60, 59.84)	58.83 (57.39, 60.22)	58.44 (56.70, 60.35)
	30	HZ _P	57.72 (56.99, 58.42)	57.79 (57.13, 58.40)	57.82 (57.29, 58.32)
		HZ _O	59.79 (58.96, 60.71)	61.08 (60.17, 61.93)	62.52 (61.65, 63.44)
		Prop	58.58 (57.60, 59.57)	58.61 (57.28, 59.96)	58.04 (56.56, 60.13)
	50	HZ _P	57.90 (57.27, 58.43)	57.84 (57.34, 58.29)	57.79 (57.37, 58.16)
		HZ _O	59.97 (59.30, 60.62)	61.10 (60.49, 61.76)	62.43 (61.72, 63.12)
		Prop	58.51 (57.77, 59.39)	58.32 (57.39, 59.55)	57.70 (56.48, 59.24)
	100	HZ _P	57.82 (57.37, 58.21)	57.80 (57.47, 58.17)	57.81 (57.54, 58.08)
		HZ _O	59.85 (59.38, 60.32)	61.12 (60.64, 61.59)	62.45 (61.98, 62.94)
		Prop	58.36 (57.69, 59.07)	57.91 (57.24, 58.84)	57.26 (56.42, 58.31)
50-300	20	HZ _P	58.01 (57.28, 58.74)	57.90 (57.33, 58.50)	58.00 (57.50, 58.45)
		HZ _O	59.52 (58.68, 60.39)	60.33 (59.49, 61.11)	61.40 (60.52, 62.26)
		Prop	58.40 (57.45, 59.34)	58.03 (57.16, 58.98)	57.73 (56.65, 58.71)
	30	HZ _P	57.97 (57.37, 58.56)	57.96 (57.43, 58.41)	57.91 (57.58, 58.30)
		HZ _O	59.50 (58.84, 60.14)	60.41 (59.66, 61.00)	61.33 (60.65, 61.98)
		Prop	58.23 (57.47, 58.98)	58.04 (57.23, 58.74)	57.56 (56.65, 58.38)
	50	HZ _P	57.94 (57.50, 58.43)	57.93 (57.51, 58.30)	57.94 (57.66, 58.22)
		HZ _O	59.47 (58.97, 59.99)	60.35 (59.83, 60.86)	61.36 (60.79, 61.83)
		Prop	58.15 (57.58, 58.79)	57.87 (57.19, 58.53)	57.42 (56.64, 58.12)
	100	HZ _P	57.82 (57.37, 58.21)	57.80 (57.47, 58.17)	57.81 (57.54, 58.08)
		HZ _O	59.85 (59.38, 60.32)	61.12 (60.64, 61.59)	62.45 (61.98, 62.94)
		Prop	58.36 (57.69, 59.07)	57.91 (57.24, 58.84)	57.26 (56.42, 58.31)

Median with 25th and 75th empirical quartiles (Q1, Q3) of the SAUC at $t = 2$ are reported. N denotes the number of the published studies. Proposed denotes the proposed sensitivity analysis method; HZ_P denotes the HZ model using the population (published and unpublished) studies; HZ_O denotes the HZ model using the observed (published) studies. CR denotes the proportion of convergence among 1000 repetition All the entries are multiplied by 100.