

Contents

| Using the Navigator | 3 |
|---|--------|
| Navigator Overview | 3 |
| Types of Navigator Views | 3 |
| Navigator Physical View | 3 |
| Custom Navigator Views Navigator Logical View | 4 4 |
| Expanding the Navigator in Increments Collapsing and Expanding the Navigator | |
| Finding Navigator Items | 6 |
| Removing an Offline Managed System Navigator Item | 8 |
| Index | 9 |

Using the Navigator

The Navigator provides a hierarchical view of your enterprise. At the highest level you can get a high level overview of the status of your monitored environment. From there you can navigate to specific monitored resources to check activity and investigate problems.

At every level, event indicators alert you to changes in system or application conditions.

Navigator Overview


The Navigator provides a hierarchical view of your enterprise. At the highest level you can get a high level overview of the status of your monitored environment. From there you can navigate to specific monitored resources to check activity and investigate problems.

Types of Navigator Views

Navigator Physical View


The default Navigator view is Physical and shows the hierarchy of your monitored enterprise. The Navigator Physical view is a discovered view: as new managed systems come online or when they become disconnected, the view is adjusted accordingly.


Table 1: Hierarchy of monitored enterprise



Here is an example of a system named JDOE, running on Windows, with the Windows OS agent.

Table 2: JDOE enterprise example





You can collapse the tree by double-clicking the Enterprise item, and expand it by double-clicking again.

Custom Navigator Views

Your Marvel Enterprise Portal configuration can also have custom-designed Navigator views. These views are selectable from the Navigator toolbar, navigable and show event indicators (described below) in the same way as the Navigator Physical view. Unlike the Navigator Physical view, custom Navigator views can be edited. You can, for example, design a Navigator view for Manufacturing and another for Marketing.

Your user ID can be assigned to all or a subset of the defined Navigator views, and your access in any of these views can be restricted to a certain branch. To see the list of available Navigator views, click the list box in the Navigator toolbar.

A small white cross over a Navigator item icon means one or more other Navigator items share the characteristics of that item. This happens when an item from one Navigator view has been copied to another Navigator view. All the managed systems, workspaces, link definitions, situations, and policies associated with the original (source) item are applied to the new item. And from then on, changes to one item (such as a new workspace is added) are applied to the other. Right-click a Navigator item and click Show Navigator List to see the other Navigator views it is contained in.

Navigator Logical View

Users initially have one custom Navigator view called Logical with a single Navigator item for Enterprise. Click the list box and select the Navigator Logical view from the list.

Expanding the Navigator in Increments


When clicking **Expand** on a Navigator branch of more than, by default, 25 child items, you are prompted to enter the number to expand at one time.

- 1. Set the number of items to expand:
 - a) If the **Expand child items** window is not open, right-click the **Navigator** item whose child items you want to expand incrementally and click **Expand**.
 - b) Enter the number to expand and click **OK** to open that number of child items.
 - c) Click Morewhen you want to open the next group of child items.
- 2. Expand child items.

You can expand all the child items of a Navigator item. The entire branch does not expand, just the children of the selected item. If the **Expand child items** window is not open, right-click the **Navigator** item whose child items you want to expand and click **Expand Child Items**.


In large managed environments the expand feature helps you control the Navigator display and its performance. In this example, the expansion limit of 4 was chosen for the Windows Server child items:


Table 3: Example: Expansion limit of 4 for the Windows Server child items



This example illustrates the result of selecting Expand Child Items at the platform level of the Navigator. The site is monitoring 500 Windows-based systems. The user can quickly see which systems have situation events and at what severity.

Table 4: Example: Expanding Child Items at the platform level of the Navigator





Collapsing and Expanding the Navigator

To provide more space for workspace views, you can hide the Navigator, then restore it when you want to see it.

You can also can save the workspace with the Navigator minimized.

- Click the * Collapse bar on the right border to collapse the Navigator view.
 You can also drag the right border if you prefer to manually adjust the Navigator width. The adjacent workspace views expand to fill the gap and the status bar shows the Navigator view icon and name in the right-most section.
- 2. Either click the **Expand** bar on the left border or click < Navigator view. In the status bar to restore the Navigator view.

There is an additional option to open a different Navigator view instead of restoring the original by right-clicking <**Navigator name>** to see and select from a list of available Navigator views.

Finding Navigator Items

The Navigator shows all the managed systems that run on an operating system and this list can get very long. Use the **Find** tool to locate **Navigator** items based on properties such as IP address or associated situations.

To find a Navigator item:

- 1. Click \(\subseteq \) Find in the Navigator toolbar.
- 2. Select the Navigator item from the For Navigator list if the item to search for is in a different Navigator view.
- 3. Enter the values of the properties to search by:

| Properties | Value |
|------------|--|
| IP Address | (Distributed systems only) If you know the IP address, you can enter it here. Example: SCAN == 9.55.1* finds computers that start with 9.55.1, such as 9.55.105.180 and 9.55.110.180 |
| Hostname | (Distributed systems only) Specify all or part of the host name here. Example: SCAN == MYHOST?? finds computers that start with MYHOST and have |

| Properties | Value |
|---------------------------|--|
| | two trailing characters, such as MYHOSTEL and MYHOST33 but not MYHOSTA or myhostess. |
| SMFID Name | (z/OS-based systems only) Find the item by the session ID value. |
| Sysplex Name | (z/OS-based systems only) Specify the item by system complex name. |
| Product Code | Select the product name from the list to specify the managed system type to find. |
| Managed System Name | The managed system name is often the same as the host name. Example: SCAN == *UAGENTO? finds Universal Agents Navigator items such as onionASFSdp:UAGENT00 and garlicASFSdp:UAGENT05. |
| Associated Situation Name | Enter a situation name to find the Navigator items that the situation is associated with. (For an alert indicator to display in the Navigator for a situation that has become true, the situation must be associated with a Navigator item.) |

^{4.} Tick the Include only managed system items check box to show the found Navigator items at the agent level (and subagent if applicable) but to exclude the child Navigator items (attribute level), .

5. Click **Advanced** and specify the page size to control the number of Navigator items to list per page in the find results.

The default is 100 rows per page. By reducing the number, you can have the results displayed more quickly and in smaller, more manageable pages; then move through the pages with Page down and Page up. By increasing the number, you increase the processing time but you can see all the results on one table page.

- 6. Click Find. The Find results area is appended to the window with a list of Navigator items that meet the criteria.
- 7. Click a Navigator item in the Find results area and click **Switch to** after selecting any or none of the following check boxes:
 - □Open workspace in new window

Keep the current workspace open and open the workspace at the selected Navigator item in a new window (or separate tab if you are in browser mode and your browser is configured for tabbed windows).

□Close after switching to workspace

Close the **Find** window after opening the workspace for the selected Navigator item.

The default workspace for the selected Navigator item is opened.

In this example, the find criteria looks on the MySystem computers for Navigator items with associated situations that have "CPU" in the situation name.

Table 5: Find criteria

| Properties | Value |
|------------|-------|
| IP Address | |

| Properties | Value |
|---------------------------|--------------------|
| Hostname | abc == 'MySystem?' |
| SMFID Name | |
| Sysplex Name | |
| Product Code | |
| Managed System Name | |
| Associated Situation Name | abc == '*CPU*' |

Table 6: Find results

| Item | View | Item Path |
|-----------|----------|--|
| Process | Physical | WindowsOS/MySystem1/ Windows Systems/ Enterprise |
| Processor | Physical | WindowsOS/MySystem1/ Windows Systems/ Enterprise |
| Process | Physical | WindowsOS/MySystem2/ Windows Systems/ Enterprise |
| Processor | Physical | WindowsOS/MySystem2/ Windows Systems/ Enterprise |

You can keep the window open to switch between one found Navigator item and another or to change the criteria and find other Navigator items.

Removing an Offline Managed System Navigator Item

- 1. Click the **Enterprise Navigator** item. The default workspace opens.
- 2. Click Workspace gallery, scroll to Managed System Status, and click the workspace.
- 3. Right-click an *OFFLINE row, then click ➤ Clear offline entry.

The offline entry is now cleared from the Navigator until the managed system comes online.

If this is a custom Navigator view with only one managed system, it is possible for the item to continue to appear in the view. This is possible when the item was added using drag-and-drop in the Navigator editor. Use the Navigator editor to manually remove the item, described in Deleting a Navigator view or item. If the managed system comes online again, it does not appear in the custom Navigator view. If you want it to appear there, assign the managed system in the Navigator item properties as described in Navigator item properties.

Index

\mathbf{C}

Collapsing and expanding the NavigatorCollapsing the NavigatorRestore the Navigator view 6
Custom Navigator viewsNavigator toolbarUser ID
assignmentAccess restrictions 4

E

Event indicators 3
Expanding the Navigator in incrementsExpanding Child Items at the platform level of the Navigator 4

F

Find criteria 6
Find results 6
Finding Navigator itemsLocate NavigatorCustom Navigator viewsNavigator Logical view 6

H

Hierarchical view 3

\mathbf{N}

Navigator item sharing 4
Navigator items at the agent level 6
Navigator Logical viewCustom Navigator view selection 4
Navigator Overview 3
Navigator Physical viewManaged systems hierarchyEnterprise levelAgent types and instances 3

R

Removing an offline managed system Navigator itemRemoving an offline managed system 8
Resource monitoring categories 3

U

Using the Navigator 3