

RPC Urls

Summary

On DynamicContext, we provide direct access to RPC providers for EVM & Solana. The rpcProviders can be used to make RPC calls to the blockchain while also providing convenience methods without going through a wallet.

Each provider will use the RPC configured in the Dashboard if present, otherwise they fall back to public RPCs urls. By default, all EVM and Solana networks have public default providers as shown in this table:

Network Public RPC Url
Ethereum <https://cloudflare-eth.com> Optimism <https://mainnet.optimism.io> Gnosis Chain <https://rpc.gnosischain.com> Aurora <https://mainnet.aurora.dev> Polygon <https://polygon-rpc.com> Palm <https://palm-mainnet.infura.io/v3/3a961d6501e54add9a41aa53f15de99b> BNB Smart Chain <https://arb1.arbitrum.io/rpc> Solana <https://api.mainnet-beta.solana.com>

Dashboard Configuration

To enter your provider url for a given network:

1. Go to the [Configurations](#)
2. page in your Dashboard.
3. Click on the chain to open the details tab
4. Click the down arrow to expand a network
5. Enter your Provider Url
6. Click the test button to check url

Your browser does not support HTML video.

Usage

RPC Providers

You get the provider from the DynamicContext.

`const { rpcProviders } = useDynamicContext ()` ; The rpcProvider is an object with the following fields:

```
export type DynamicRPCProviders = { evmDefaultProvider: EvmRpcProvider | undefined ; evmProviders: EvmRpcProvider[ ] | undefined ; getEvmRpcProviderByChainId : ( chainId: number ) => EvmRpcProvider | undefined ; solanaDefaultProvider: SolanaRpcProvider | undefined ; solanaProviders: SolanaRpcProvider[ ] | undefined ; } ;
```

EVM Providers methods

Expanding on the EVM providers, there are 3 fields/methods:

1. `evmDefaultProvider`:
2. This returns a provider for Ethereum Mainnet if mainnet is enabled
3. `evmProviders`:
4. Is a full list of all EVM providers that have been configured
5. `getEvmRpcProviderByChainId`
6. : a convenience method that lets you retrieve a provider for a specific Chain ID

```
export type EvmRpcProvider = { chainId: number ; chainName: string ; provider: ethers. providers. JsonRpcProvider ; } ;
```

Solana Providers

Expanding on the Solana providers, there are 2 fields/methods:

1. `solanaDefaultProvider`:

2. Returns the provider for Solana Mainnet (101)
3. **solanaProviders**: Is a full list of all Solana providers that have been configured

These providers are also available on the WalletConnector through `getRpcProvider`

```
export type SolanaRpcProvider = { chainId? : number ; chainName: string ; provider: Connection; } ;
```

Example

Below is a simple example to fetch an arbitrary ENS mapping:

```
const mainnetProvider= rpcProviders. evmDefaultProvider?. provider; const ensAddress= mainnetProvider. resolveName ( 'myname.eth' ) ; console . log ( 'address for myname.eth' , ensAddress) ;
```

Was this page helpful?

Yes No [Custom Networks](#) [Banxa](#) [twitter](#) [linkedin](#) [slack](#) [Powered by Mintlify](#)