eth_getProof

Returns the account and storage values, including the Merkle proof, of the specified account.

Parameters

- address
- : A string representing the address (20 bytes) to check for balance.
- storageKeys
- : An array of 32-byte storage keys to be proofed and included.
- blockParameter
- · : A hexadecimal block number, or one of the string tagslatest
- ,earliest
- · ,pending
- ,safe
- · , orfinalized
- . See thedefault block parameter
- •

Returns

- balance
- · : Hexadecimal of the current balance in wei.
- codeHash
- The 32-byte hash of the code of the account.
- nonce
- : The nonce of the account.
- storageHash
- : 32 bytes. The SHA3 of the StorageRoot. All storage will deliver a Merkle proof starting with thisrootHash
- .
- accountProof
- : An array of RLP-serialized MerkleTree-Nodes, starting with the stateRoot-Node, following the path of the SHA3 (address) as key.
- storageProof
- : An array of storage-entries as requested. Each entry is an object with these properties:* key
 - : The requested storage key.
 - value
- o vaid
 - : The storage value.
- proof
 - : An array of RLP-serialized MerkleTree-Nodes, starting with the storageHash-Node, following the path of the SHA3 (key) as path.

Example

ReplaceYOUR-API-KEY with an API key from yourInfura dashboard.

Request

- cURL
- WSS

 $curl \ https://mainnet.infura.io/v3/YOUR-API-KEY \ -X \ POST \ -H \ "Content-Type: application/json" \ -d \ '{"jsonrpc": "2.0","method": "eth_getProof","id": 1,"params": ["0x7F0d15C7FAae65896648C8273B6d7E43f58Fa842", ["0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cadc001622fb5e363b421"], "latest"]}' \ wscat \ -c \ wss://mainnet.infura.io/ws/v3/YOUR-API-KEY -x \ '{"jsonrpc":"2.0","method":"eth_getProof","params": ["0x7F0d15C7FAae65896648C8273B6d7E43f58Fa842", ["0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cadc001622fb5e363b421"], "latest"], "id":1}' \\ ["0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cadc001622fb5e363b421"], "latest"], "l$

Response

JSON

```
{ "id": 1, "jsonrpc": "2.0", "result": { "accountProof": [ "0xf90211a...0701bc80", "0xf90211a...0d832380", "0xf90211a...5fb20c80", "0xf90211a...0675b80", "0xf90151a0...ca08080" ], "address" : "0x7f0d15c7faae65896648c8273b6d7e43f58fa842", "balance" : "0x0", "codeHash" : "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470", "nonce" : "0x0", "storageHash" : "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cadc001622fb5e363b421", "storageProof" : [ { "key" : "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cadc001622fb5e363b421", "proof" : [], "value" : "0x0" } ] } }
```

Last updatedonApr 19, 2024 Previous eth getLogs Next eth getStorageAt