

Setup Goaccess

Editing Nginx Configuration

Configure Nginx to format logs and set up a server block.

1. Open the Nginx configuration file:
- 2.

...

Copy `sudo nano/etc/nginx/nginx.conf`

...

1. Add the following log format into your http group in nginx:
- 2.

...

Copy `http{ log_formatcombined_log'remote_addr - remote_user [time_local] ' '"request" status body_bytes_sent ' '"http_referer" "http_user_agent"'`;

... (rest of the configuration)

}

...

Warning: This logs the users IP address directly. It's not recommended to do it in this fashion, if possible anonymize the address as seen below. 1. (optional) Instead anonymize IP addresses in logs: 2.

...

Copy `http{ mapremote_addr anonymized_addr { ~(?P\d+\.\d+).\d+.ip.0.0; ~(?P[^\:]+\:[^\:]+): ip::;`

IP addresses to not anonymize (such as your server)

`127.0.0.1remote_addr; ::1 remote_addr;`

`w.x.y.z remote_addr;`

`a::c:d::e:f remote_addr;`

`default0.0.0.0; }`

`log_formatcombined_log'anonymized_addr - remote_user [time_local] ' '"request" status body_bytes_sent ' '"http_referer" "http_user_agent"'`;

`access_log/var/log/nginx/access.log combined_log;`

... (rest of the configuration)

}

...

1. Configure a server block:
- 2.

...

Copy `server{ listen80; server_nameyourdomain.com;# Replace with your domain`

```
root/var/www/html; indexreport.html;
```

```
location/ { try_filesuri uri/=404; } }
```

```
...
```

Testing and Reloading Nginx Configuration

1. Test the new configuration:
- 2.

```
...
```

```
Copy sudonginx-t
```

```
...
```

1. Reload Nginx to apply changes:
- 2.

```
...
```

```
Copy sudosystemctlreloadnginx
```

```
...
```

Configuring Log Rotation

Log rotation in Nginx is a process for managing log files to prevent them from becoming excessively large and consuming too much disk space. As Nginx continuously logs web requests, these files can grow rapidly. Without rotation, they can lead to performance issues and make log analysis more difficult. The default setting for log rotation is daily, which means that the logs that GoAccess can use for its reporting are also only daily. To increase that timeframe, do the following:

1. Edit log rotation configuration:
- 2.

```
...
```

```
Copy sudonano/etc/logrotate.d/nginx
```

```
...
```

1. Add the configuration, please change the monthly to daily or weekly if you need daily or weekly rotation of the logs.
- 2.

```
...
```

```
Copy /var/log/nginx/*.log{ monthly missingok rotate1 compress delaycompress notifempty create0640www-dataadm
sharedscripts prerotate if[-d/etc/logrotate.d/httpd-prerotate ];then\ run-parts/etc/logrotate.d/httpd-prerotate; \ fi\ endscrip
postrotate invoke-rc.dnginxrotate>/dev/null2>&1 endscrip }
```

```
...
```

1. Apply the new rotation configuration:
- 2.

```
...
```

```
Copy sudologrotate-f/etc/logrotate.d/nginx
```

```
...
```

Setting Up GoAccess for Web Traffic Monitoring

1. Generate a HTML report:
- 2.

```
...
```

```
Copy sudogoaccess/var/log/nginx/access.log-o/var/www/html/report.html--log-format=COMBINED
```

```
...
```

If you wish to automate this, use crontab to generate recurring reports:

1. Open crontab for editing (use sudo, otherwise crontab will not access to the log file):
- 2.

...

Copy sudo crontab -e

...

1. Add the line to automate hourly report generation:
- 2.

...

Copy 0****goaccess/var/log/nginx/access.log-o/var/www/html/report.html--log-format=COMBINED

...

Last updated 2 months ago On this page * [Editing Nginx Configuration](#) * [Testing and Reloading Nginx Configuration](#) * [Configuring Log Rotation](#) * [Setting Up GoAccess for Web Traffic Monitoring](#)

Was this helpful? [Edit on GitHub](#) [Export as PDF](#)