

Mainnet upgrade: v0.16

Instructions for 2022-Mar-21 mainnet upgrade to axelar-core v0.16.1 .

Upgrade height 1336350 [countdown](#)

1. If you're a validator, please vote for the upgrade proposal via

axelard tx gov vote 6 yes --from validator Bash Copy 1. Wait for the proposed upgrade block, 1336350 2. . Your node will panic at that block height with a log: {"level": "error", "module": "consensus", "err": "UPGRADE \"v0.16\" NEEDED at height: ", 3. . Stop your node after chain halt.

pkill -f 'axelard start'

Validators need to also stop vald/tofnd

pkill -f 'axelard vald-start' pkill -f tofnd Bash Copy 1. Backup the state:

cp -r ~/.axelar/.core/data ~/.axelar-dojo-1-upgrade-0.16/.core/data Bash Copy ⚠ Caution: If you backup the entire folder, ~/.axelar/.core , that'll also include your private keys (inside config and keyring-file subfolders). That can be dangerous if anyone gets access to your backups. We recommend backing up keys separately when you first create your node, and then excluding them from any data backups. 1. Restart your node with the new v0.16.1 2. build (tofnd 3. still uses v0.8.2 4.).

Example using join scripts in [axelarate-community git repo](#) :

in axelarate-community repo

git checkout main git pull KEYRING_PASSWORD = "pw-1" ./scripts/node.sh -n mainnet -a v0.16.1 # For validators, restart vald/tofnd KEYRING_PASSWORD = "pw-1" TOFND_PASSWORD = "pw-2" ./scripts/validator-tools-host.sh -a v0.16.1 -n mainnet Bash Copy The join scripts should automatically pull the new binary from [Mainnet resources](#) . Or you can add the flag -a v0.16.1 to force a specific version.

[Edit this page](#)