

Getting NEAR RPC

NEAR ipRPC

Lava offers incentivized public RPC for NEAR. Developers can get free, public endpoints for all.

Mainnet

Service	URL	json-rpc https://near.lava.build
---------	-----	--

Testnet

Service	URL	json-rpc https://near-testnet.lava.build
---------	-----	--

Gateway

To learn more about using the Lava Gateway visit the [Getting Started guide](#)

SDK

To learn more about our SDK visit the [Getting Started guide](#)

Input

- BackEnd
- FrontEnd

// Install lavaSDK with the following command: // npm i @lavanet/lava-sdk const

```
{
```

```
LavaSDK
```

```
}
```

```
=
```

```
require ( "@lavanet/lava-sdk" )
```

```
async
```

```
function
```

```
useNEARMainnet ( )
```

```
{
```

```
const nearMainnet =
```

```
await
```

```
LavaSDK . create ( { privateKey : process . env . PRIVATE_KEY ,
```

```
//hide your private key in an environmental variable chainIds :
```

```
'NEAR' , } ) ;
```

```
const nearBlockResponse =
```

```
await nearMainnet . sendRelay ( { method :
```

```
"block" , params :
```

```
{ "finality" : "final" } , rpcInterface :
```

```

"jsonrpc" , } ) ;
console . log ( nearBlockResponse ) ; }

( async
( )
=>
{ await
useNEARMainnet ( ) ; } ) ( ) ; // Install lavaSDK with the following command: // npm i @lavanet/lava-sdk const
{
LavaSDK
}
=
require ( "@lavanet/lava-sdk" )
async
function
useNEARMainnet ( )
{
const nearMainnet =
await
LavaSDK . create ( { badge :
{ badgeServerAddress :
"https://badges.lavanet.xyz" ,
// Or your own Badge-Server URL projectId :
"enter_your_project_id_here" } , chainIds :
'NEAR' , rpcInterface :
"rest" , } ) ;
const nearBlockResponse =
await nearMainnet . sendRelay ( { method :
"block" , params :
{ "finality" : "final" } , rpcInterface :
"jsonrpc" , } ) ;
console . log ( nearBlockResponse ) ; }

( async
( )
=>
{ await
useNEARMainnet ( ) ; } ) ( ) ;

```

Output

To learn more about our SDK visit the [Getting Started guide](#) [Edit this page](#) [Previous](#) [NEAR x Lava](#) [Next](#) [Running a NEAR RPC Node](#)