

# eth\_getUncleCountByBlockNumber

Returns the number of uncles in a block from a block matching the given block number.

## Parameters

block parameter : [Required ] A hexadecimal block number, or one of the string tags latest , earliest , pending , or finalized . See the [default block parameter](#) .

warning safe isn't supported. Use finalized instead.

## Returns

block uncle count : A hexadecimal equivalent of the integer representing the number of uncles in the block.

## Example

Replace YOUR-API-KEY with an API key from your [Infura dashboard](#) .

## Request

- cURL
- WSS

```
curl https://scroll-mainnet.infura.io/v3/ \ -X POST \ -H "Content-Type: application/json" \ -d '{"jsonrpc": "2.0", "method": "eth_getUncleCountByBlockNumber", "params": ["0x5bad55"], "id": 1}' wscat -c wss://scroll-mainnet.infura.io/ws/v3/ -x '{"jsonrpc": "2.0", "method": "eth_getUncleCountByBlockNumber", "params": ["0x5bad55"], "id": 1}'
```

## Response

- JSON

```
{ "jsonrpc": "2.0", "id": 1, "result": "0x1" }
```

Last updated on Nov 5, 2024 [Previous eth\\_getUncleCountByBlockHash](#) [Next eth\\_maxPriorityFeePerGas](#)