Introduction

- Alchemy API Reference Overview
 - Chain APIs Overview
- Enhanced APIs Overview
 Alchemy Quickstart Guide

Resources

- FAQ
 - Feature Support By Chain
- Throughput
- Batch Requests
- Gas Limits
- Error Reference
- Compute Units
 - Pricing Plans
 - Compute Unit Costs

NFT API

- NFT API Quickstart
- NFT API Endpoints Overview
- NFT API FAQ
- Ownership & Token Gating
 - getNFTsForOwner get
 - getOwnersForNFT get
 - getOwnersForContract get
 - isHolderOfContract get
 - -----
 - getContractsForOwner get
 - getCollectionsForOwner get
- NFT Metadata Access
- getNFTMetadata get
 - getNFTMetadataBatch post
- getContractMetadata get
- getCollectionMetadata get
 - invalidateContract get
- getContractMetadataBatch post
 - getNFTsForContract get
- getNFTsForCollection get
- searchContractMetadata get
- refreshNftMetadata post
- Spam Detection
 - getSpamContracts get
- isSpamContract get
- isAirdropNFT get
- •
- reportSpam get
- Rarity Data

- summarizeNFTAttributes get
- computeRarity get
- Sales & Marketplace Data
 - getFloorPrice get
 - getNFTSales get
- NFT API V2 to V3 Migration Guide
- •
- NFT API V2 vs. V3 Endpoint Differences
 NFT API V2 Methods (Older Version)
- getNFTs get
- getNFTMetadata get
- getNFTMetadataBatch post
- getContractMetadata get
- getContractMetadataBatch post
- getNFTsForCollection get
- getOwnersForToken get
- getOwnersForCollection get
 - getSpamContracts get
- isSpamContract get
- isAirdrop get
- invalidateContract get
- getFloorPrice get
- computeRarity get
- searchContractMetadata get
- summarizeNFTAttributes get
 - isHolderOfCollection get
 - getNFTSales get
 - getContractsForOwner get
 - reportSpam get

Transfers API (Tx History)

- Transfers API Quickstart
- Transfers API Endpoints
 - alchemy_getAssetTransfers post

Transaction Receipts API

- Transaction Receipts Endpoints
 - alchemy_getTransactionReceipts post

Token API

- Token API Quickstart
- Token API Endpoints
 - <u>alchemy_getTokenBalances post</u>
- alchemy_getTokenMetadata_post
- alchemy getTokenAllowance post

Subgraphs

- Subgraphs Quickstart
- Supported Subgraph Chains
- Developing a Subgraph
 - Graph CLI
 - Creating a Subgraph
 - Project Structure
 - Data Sources
 - Writing Mappings
- Moving your Subgraph to Production
 - Deploying a Subgraph
- Subgraph Versioning
- Querying a Subgraph
- Deleting a Subgraph
- <u>Direct Database Access</u>
- Community subgraphs

Webhooks

- Notify API Quickstart
 - Notify Tutorials and Applications
 - Notify API FAQ
- Custom Webhooks Quickstart
 - Custom Webhooks FAQ
 - Custom Webhooks GraphQL Examples
 - Custom Webhook Filters
 - Custom Webhook Variables
- Custom Webhook API Methods
- _____
 - Read Variable Elements get
- Create a Variable post
- Delete a Variable delete
- Update a Variable patch
- Notify API Methods
 - Get all webhooks get
 - Get all addresses for an Address Activity webhook get
 - Create webhook post
 - Add and remove webhook addresses patch
 - Replace webhook addresses put
 - Update webhook status put
- Update webhook NFT filters patch
- Update NFT metadata webhook filters patch
- Get all webhook NFT filters get
- Delete webhook delete
- Webhook Types
- Custom Webhook
- Address Activity Webhook
- 7 Madress Motivity Westion

- Mined Transaction Webhook
- Dropped Transaction Webhook
 - NFT Activity Webhook
 - NFT Metadata Updates Webhook

Websockets

- Subscription API Quickstart
- Best Practices for Using WebSockets in Web3
- Subscription API Endpoints
 - alchemy_minedTransactions
 - alchemy_pendingTransactions
- newPendingTransactions
- newHeads
- logs

Trace API

- Trace API Quickstart
- Trace API Endpoints
 - trace_block post
 - trace_call post

 - trace_get post
 - trace_rawTransaction post
- trace_replayBlockTransactions post
- trace_replayTransaction post
- trace_transaction post
- ___
- <u>trace_filter post</u>
 <u>Trace API Resources</u>
- - What are EVM Traces?Trace API vs. Debug API
 - What is trace transaction?
 - What is trace_block?
 - What is trace_filter?
 - trace_call vs debug_traceCall

Debug API

- Debug API Quickstart
- Debug API Endpoints
- debug traceCall post
- debug traceTransaction post
- debug_traceBlockByNumber post
 - debug_traceBlockByHash post

ACCOUNT ABSTRACTION

- Bundler API Quickstart
- Bundler API Endpoints
- •
- eth_getUserOperationReceipt post

- eth_supportedEntryPoints post
- eth_getUserOperationByHash post
 - · eth_sendUserOperation post
 - rundler_maxPriorityFeePerGas post
- eth_estimateUserOperationGas post
- Bundler API Fee Logic
- Factory Addresses
- Gas Manager Coverage API Quickstart
- Gas Manager Coverage API Endpoints
 - alchemy_requestPaymasterAndData post
 - alchemy_requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic
- Gas Manager Deployment Addresses
- **UserOperation Simulation Endpoints**

- alchemy_simulateUserOperationAssetChanges post
- AA-SDK
- **Account Abstraction FAQ**

Embedded Accounts

- **Accounts API Endpoints**
- Create Account post
- Send Auth Email post
 - Authenticate User post
 - Get User post
 - Sign Message post
 - Register New Authenticator post

Gas Manager Admin API

- Gas Manager Admin API Quickstart
- Gas Manager Admin API Endpoints
 - Create Policy post
 - · Get Policy get
 - Delete Policy delete
 - Replace Policy put
 - · Get All Policies get
 - · Update Policy Status put
 - · Get Policy Stats get
 - · Get Sponsorships get

Alchemy Transact

- Transact Quickstart
- **Reinforced Transactions**
- **Transaction Simulation**
- Asset Changes
- Execution Simulation
- Bundle Simulation
- Transaction Simulation Examples
- Transaction Simulation FAQs
- Transaction Simulation Endpoints

· alchemy_simulateAssetChanges post alchemy simulateAssetChangesBundle post • alchemy_simulateExecution post alchemy simulateExecutionBundle post Gas Optimized Transactions • alchemy_getGasOptimizedTransactionStatus_post • alchemy_sendGasOptimizedTransaction post • Private Transactions • eth_cancelPrivateTransaction post • eth_sendPrivateTransaction post **Alchemy SDK** • Alchemy SDK Quickstart · How to use Alchemy SDK with Typescript • Examples Using the Alchemy SDK • How to Manage a Multichain Project Using Alchemy SDK Alchemy SDK Surface Overview Alchemy SDK vs. Raw API Methods **SDK Core Methods** • call - SDK • send - SDK estimateGas - SDK findContractDeployer - SDK • getBalance - SDK • getBlock - SDK • getBlockNumber - SDK • getBlockWithTransactions - SDK • getCode - SDK getFeeData - SDK getGasPrice - SDK • getLogs - SDK • getStorageAt - SDK • getTokenBalances - SDK • getTokenMetadata - SDK • getTokensForOwner - SDK • getTransactionCount - SDK • getTransactionReceipt - SDK getTransactionReceipts - SDK • isContractAddress - SDK • getAssetTransfers - SDK • SDK NFT Methods • getNftsForOwner - SDK

• getNftMetadata -SDK

• getNftMetadataBatch - SDK • refreshNftMetadata - SDK • getNftSales - SDK • searchContractMetadata - SDK • summarizeNftAttributes - SDK • getNftsForOwnerIterator - SDK • getNftsForContractIterator - SDK • getContractMetadata - SDK getNftsForContract -SDK • getTransfersForOwner - SDK • getTransfersForContract - SDK • getMintedNfts - SDK • getOwnersForNft - SDK • getOwnersForContract - SDK getSpamContracts -SDK • isSpamContract - SDK • refreshContract - SDK • getContractsForOwner - SDK • getFloorPrice - SDK computeRarity - SDK verifyNftOwnership - SDK **SDK Transact Methods** • getTransaction - SDK • sendTransaction - SDK • sendPrivateTransaction - SDK • cancelPrivateTransaction - SDK • waitForTransaction - SDK estimateGas - SDK • getMaxPriorityFeePerGas - SDK • simulateAssetChanges - SDK • simulateAssetChangesBundle - SDK • simulateExecution - SDK • simulateExecutionBundle - SDK SDK Debug Methods traceCall - SDK • traceTransaction - SDK traceBlock - SDK **SDK Notify Methods** • getAllWebhooks - SDK getAddresses - SDK getNftFilters - SDK

 createWebhook - SDK updateWebhook - SDK • deleteWebhook - SDK • SDK WebSockets Endpoints **SDK Ethers Utils** arrayify • formatUnits • concat • hexConcat • dnsEncode <u>hexDataLength</u> • formatEther • hexDataSlice • <u>hexStripZeros</u> • <u>hashMessage</u> • isHexString • isValidName • joinSignature • splitSignature • toUtf8Bytes • hexValue • toUtf8String hexZeroPad zeroPad hexlify • <u>id</u> isBytes • isBytesLike • Interface • namehash • parseEther • parseUnits stripZeros Alchemy SDK V2 to V3 Migration Guide Alchemy SDK V2 vs. V3 Method Differences SDK V2 Methods • call - SDK • getAssetTransfers - SDK • getMintedNfts - SDK verifyNftOwnership - SDK getOwnersForNft - SDK • computeRarity - SDK

- getTransfersForContract SDK
 getNftsForOwner SDK
 refreshContract SDK
 getOwnersForContract SDK
 - getFloorPrice SDK
 - isSpamContract SDK
 - findContractDeployer -SDK
 - getSpamContracts SDK
 - getGasPrice SDK
 - getBalance SDK
 - getBlock -SDK
 - getBlockWithTransactions SDK
 - estimateGas SDK
 - getBlockNumber SDK
 - getCode SDK
 - getFeeData SDK
 - getLogs SDK
 - getNftMetadataBatch SDK
 - getTokensForOwner SDK
 - getStorageAt SDK
- getTokenBalances SDK
- getTransactionCount SDK
- getTokenMetadata SDK
- ∘ <u>send SDK</u>
- getTransactionReceipts SDK

• getTransactionReceipt - SDK

- getTransaction SDK
- isContractAddress SDK
- getNftMetadata SDK
- getNftSales SDK
- cancelPrivateTransaction SDK
- sendPrivateTransaction SDK
- traceTransaction SDK
 - simulateExecutionBundle SDK
- simulateExecution SDK
 - getMaxPriorityFeePerGas SDK
 - simulateAssetChangesBundle SDK
- estimateGas SDK
- simulateAssetChanges SDK
- traceBlock SDK

• waitForTransaction - SDK • traceCall - SDK • sendTransaction - SDK • updateWebhook - SDK • refreshNftMetadata -SDK • createWebhook - SDK getNftFilters - SDK • getAddresses - SDK • summarizeNftAttributes - SDK • deleteWebhook - SDK • searchContractMetadata - SDK • getAllWebhooks - SDK • getNftsForOwnerIterator - SDK • getNftsForContractIterator -SDK • getContractMetadata - SDK • getTransfersForOwner - SDK • getNftsForContract - SDK **Ethereum** Ethereum API Quickstart Ethereum API FAQ Ethereum Developer Guide to the Merge How to decode an eth_call response • How do I distinguish between a contract address and a wallet address? • Ethereum API Endpoints • eth blockNumber - Ethereum post • eth_getBalance - Ethereum post · eth_getLogs - Ethereum post · eth_chainId - Ethereum post • eth getBlockByNumber - Ethereum post · eth accounts - Ethereum post • eth_feeHistory - Ethereum post · eth_estimateGas - Ethereum post • eth_gasPrice - Ethereum post • eth_getBlockTransactionCountByHash - Ethereum post · eth getBlockReceipts - Ethereum post • eth_getBlockTransactionCountByNumber - Ethereum post eth_getCode - Ethereum post · eth_getProof - Ethereum post eth_getStorageAt - Ethereum post • eth_getTransactionByBlockHashAndIndex - Ethereum post eth_getTransactionByHash - Ethereum post

- eth_getTransactionCount Ethereum post
 - eth getTransactionReceipt Ethereum post
 - eth_getUncleByBlockHashAndIndex Ethereum post
 - eth_getUncleByBlockNumberAndIndex Ethereum post
 - eth_getUncleCountByBlockHash Ethereum post
 - eth_getUncleCountByBlockNumber Ethereum post
- eth_maxPriorityFeePerGas Ethereum post
- eth_protocolVersion Ethereum post
- eth_sendRawTransaction Ethereum post
- net listening Ethereum post
- net version Ethereum post
- _____
 - web3_clientVersion Ethereum post
 - web3_sha3 Ethereum post
 - eth_getTransactionByBlockNumberAndIndex Ethereum post
 - eth_call Ethereum post
- eth_getBlockByHash Ethereum post
- eth_createAccessList Ethereum post
- eth_newFilter Ethereum post
- eth_getFilterChanges Ethereum post
- eth_getFilterLogs Ethereum post
- eth_newBlockFilter Ethereum post
- eth_newPendingTransactionFilter Ethereum post
 - eth_uninstallFilter Ethereum post
- eth_subscribe
 - eth_unsubscribe

Polygon PoS

- Polygon PoS API Quickstart
- Polygon SDK Examples
- Polygon PoS API FAQ
- Polygon PoS API Endpoints
 - bor_getAuthor Polygon PoS post
 - bor_getCurrentProposer Polygon PoS post
 - bor_getCurrentValidators Polygon PoS post
 - bor_getRootHash Polygon PoS post
 - eth_accounts Polygon PoS post
- eth_call Polygon PoS post
- eth_chainId Polygon PoS post
- eth_estimateGas Polygon PoS post
- eth_gasPrice Polygon PoS post
- eth_getBalance Polygon PoS post

- eth_getBlockByHash Polygon PoS post
 - eth_getBlockByNumber Polygon PoS post
 - eth_getBlockTransactionCountByHash Polygon PoS post
 - eth_getBlockTransactionCountByNumber Polygon PoS post
 - eth_getCode Polygon PoS post
- eth_getFilterChanges Polygon PoS post
- eth_getFilterLogs Polygon PoS post
- eth_getLogs Polygon PoS post
- eth_getRootHash Polygon PoS post
- eth_getSignersAtHash Polygon PoS post
 - eth_getStorageAt Polygon PoS post
- eth_getTransactionByBlockHashAndIndex Polygon PoS post
- eth_getTransactionByBlockNumberAndIndex Polygon PoS post
 - eth_getTransactionByHash Polygon PoS post
 - eth_getTransactionCount Polygon PoS post
- eth_getTransactionReceipt Polygon PoS post
- eth_getTransactionReceiptsByBlock Polygon PoS post
- eth_sendRawTransaction Polygon PoS post
- eth_uninstallFilter Polygon PoS post
- net_listening Polygon PoS post
 - eth_getUncleCountByBlockHash Polygon PoS post
 - eth_getUncleCountByBlockNumber Polygon PoS post
 - eth_newBlockFilter Polygon PoS post
 - eth_newFilter Polygon PoS post
 - eth_newPendingTransactionFilter Polygon PoS post
 - web3_clientVersion Polygon PoS post
 - eth_createAccessList Polygon PoS post
- eth_blockNumber Polygon PoS post
- bor_getSignersAtHash Polygon PoS post
- net version Polygon PoS post
- eth_getProof Polygon PoS post
- eth_getUncleByBlockNumberAndIndex Polygon PoS post
- eth_subscribe Polygon PoS
 - eth_unsubscribe Polygon PoS

Polygon zkEVM

- Polygon zkEVM API Quickstart
- Polygon zkEVM API FAQ
 - What is the difference between Polygon zkEVM and Ethereum?
 - What is the difference between Polygon zkEVM and Polygon PoS?
- Polygon zkEVM Endpoints
- eth_getTransactionCount Polygon zkEVM post

 eth_call - Polygon zkEVM post eth chainId - Polygon zkEVM post • eth_newBlockFilter - Polygon zkEVM post • eth estimateGas - Polygon zkEVM post • eth_newFilter - Polygon zkEVM post eth_gasPrice - Polygon zkEVM post eth_sendRawTransaction - Polygon zkEVM post • eth_getBalance - Polygon zkEVM post • eth_uninstallFilter - Polygon zkEVM post · eth getBlockByHash - Polygon zkEVM post • net version - Polygon zkEVM post • eth_getBlockByNumber - Polygon zkEVM post • web3_clientVersion - Polygon zkEVM post • eth_getBlockTransactionCountByHash - Polygon zkEVM post eth_getBlockTransactionCountByNumber - Polygon zkEVM post · zkevm batchNumber - Polygon zkEVM post • eth_getCode - Polygon zkEVM post • eth_getFilterChanges - Polygon zkEVM post eth_getFilterLogs - Polygon zkEVM post zkevm_getBatchByNumber - Polygon zkEVM post eth_getLogs - Polygon zkEVM post • zkevm_getBroadcastURI - Polygon zkEVM post eth_getStorageAt - Polygon zkEVM post <u>zkevm_isBlockConsolidated - Polygon zkEVM post</u> • eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post zkevm_isBlockVirtualized - Polygon zkEVM post eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post • zkevm_verifiedBatchNumber - Polygon zkEVM post eth_getTransactionByHash - Polygon zkEVM post • <u>zkevm_virtualBatchNumber - Polygon zkEVM post</u> • eth_getCompilers - Polygon zkEVM post • eth_getUncleByBlockHashAndIndex - Polygon zkEVM post eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post • eth_getUncleCountByBlockHash - Polygon zkEVM post • eth_getUncleCountByBlockNumber - Polygon zkEVM post • eth_protocolVersion - Polygon zkEVM post • eth_blockNumber - Polygon zkEVM post • eth_getTransactionReceipt - Polygon zkEVM post

zkevm_batchNumberByBlockNumber - Polygon zkEVM post
 zkevm_consolidatedBlockNumber - Polygon zkEVM post

- zkevm estimateFee API Polygon zkEVM post
 - zkevm estimateGasPrice API Polygon zkEVM post

Arbitrum

- Arbitrum API Quickstart
- Arbitrum SDK Examples
- Arbitrum API FAQ
 - Arbitrum vs. Ethereum API Differences
- Arbitrum API Endpoints
 - eth_call Arbitrum post
 - eth_estimateGas Arbitrum post
 - eth_accounts Arbitrum post
- eth_blockNumber Arbitrum post
 - eth_chainId Arbitrum post
- eth_gasPrice Arbitrum post
- •
- eth_getBalance Arbitrum post
- eth_getBlockTransactionCountByHash Arbitrum post
- eth_getBlockTransactionCountByNumber Arbitrum post
- eth_getCode Arbitrum post
- eth_getFilterChanges Arbitrum post
- eth_getFilterLogs Arbitrum post
- eth_getLogs Arbitrum post
- eth_getStorageAt Arbitrum post
- eth_getTransactionByBlockHashAndIndex Arbitrum post
- eth_getTransactionCount Arbitrum post
- eth_getUncleByBlockNumberAndIndex Arbitrum post
- eth_getUncleCountByBlockHash Arbitrum post
 - eth_getUncleCountByBlockNumber Arbitrum post
- eth_newBlockFilter Arbitrum post
- eth_newFilter Arbitrum post
- eth_newPendingTransactionFilter Arbitrum post
 - eth_uninstallFilter Arbitrum post
- net_listening Arbitrum post
- net_version Arbitrum post
- web3_clientVersion Arbitrum post
- web3_sha3 Arbitrum post
- eth_sendRawTransaction Arbitrum post
- eth_createAccessList Arbitrum post
- eth_maxPriorityFeePerGas Arbitrum post
- eth_feeHistory Arbitrum post
- eth_getBlockByHash Arbitrum post

- eth_getBlockByNumber Arbitrum post
- eth_getTransactionByBlockNumberAndIndex Arbitrum post
 - eth_getTransactionByHash Arbitrum post
 - eth_getProof Arbitrum post
 - eth_getTransactionReceipt Arbitrum post
- eth_getUncleByBlockHashAndIndex Arbitrum post
- eth_subscribe
- eth_unsubscribe

Optimism

- Optimism API Quickstart
- Optimism SDK Examples
- Optimism API FAQ
 - Optimism Error Codes
- Optimism API Endpoints
- eth_call Optimism post
- eth_estimateGas Optimism post
- eth_accounts Optimism post
- eth_blockNumber Optimism post
- eth chainId Optimism post
 - eth_gasPrice Optimism post
 - eth_getBalance Optimism post
- eth_getBlockTransactionCountByHash Optimism post
- eth_getBlockTransactionCountByNumber Optimism post
 - eth_getCode Optimism post
- eth_getFilterChanges Optimism post
- eth_getFilterLogs Optimism post
- eth getLogs Optimism post
 - eth_getStorageAt Optimism post
- eth_getTransactionByBlockHashAndIndex Optimism post
- eth_getTransactionByBlockNumberAndIndex Optimism post
 - eth_getTransactionByHash Optimism post
 - eth_getTransactionCount Optimism post
 - eth getTransactionReceipt Optimism post
- eth_getUncleByBlockHashAndIndex Optimism post
- eth_getUncleByBlockNumberAndIndex Optimism post
- eth_getUncleCountByBlockHash Optimism post
- eth_getUncleCountByBlockNumber Optimism post
- eth newBlockFilter Optimism post
- eth_newFilter Optimism post
- eth_newPendingTransactionFilter Optimism post
- eth_protocolVersion Optimism post

• eth_sendRawTransaction - Optimism post • eth_syncing - Optimism post • eth_uninstallFilter - Optimism post • net_listening - Optimism post • net_version - Optimism post • web3_clientVersion - Optimism post • web3_sha3 - Optimism post • eth_getBlockByHash - Optimism post • eth_getBlockByNumber - Optimism post · eth getProof - Optimism post • eth subscribe • eth_unsubscribe Base **Base API Quickstart Base API FAQ Base API Endpoints** eth_accounts - Base post • eth_blockNumber - Base post • eth_call - Base post · eth chainId - Base post • eth_estimateGas - Base post eth_feeHistory - Base post eth_gasPrice - Base post · eth getBalance - Base post • eth_getBlockByHash - Base post • eth_getBlockByNumber - Base post • eth_getBlockTransactionCountByHash - Base post • eth_getBlockTransactionCountByNumber - Base post eth_getCode - Base post • eth_getFilterChanges - Base post • eth_getFilterLogs - Base post · eth_getLogs - Base post • eth_getProof - Base post • eth_getStorageAt - Base post • eth_getTransactionByBlockHashAndIndex - Base post • eth_getTransactionByBlockNumberAndIndex - Base post • eth_getTransactionByHash - Base post • eth_getTransactionCount - Base post

• eth_getTransactionReceipt - Base post

• eth_getUncleByBlockHashAndIndex - Base post

- eth_getUncleByBlockNumberAndIndex Base post
- eth_getUncleCountByBlockHash Base post
- eth_getUncleCountByBlockNumber Base post
- eth_maxPriorityFeePerGas Base post
- eth_newBlockFilter Base post
- Oth Now Blook Mor Base po
 - eth_newFilter Base post
 - eth_newPendingTransactionFilter Base post
- eth_protocolVersion Base post
- eth_sendRawTransaction Base post
- eth_syncing Base post
- eth_uninstallFilter Base post
- net_listening Base post
 - web3_sha3 Base post

* Solana

- Solana API Quickstart
- Solana API FAQ
- Solana API Endpoints
- getAccountInfo post
- simulateTransaction post
 - getBalance post
 - getBlock post
- getBlockCommitment post
- getBlockProduction post
- getBlocks post
- getBlocksWithLimit post
- getBlockTime post
- getClusterNodes post
- getEpochInfo post
- getEpochSchedule post
- getFeeForMessage post
 - getFirstAvailableBlock post
- getGenesisHash post
-
- getHealth post
- getHighestSnapshotSlot post
- getIdentity post
- getInflationGovernor post
- getInflationRate post
- getInflationReward post
- getLargestAccounts post
- getMaxRetransmitSlot post
- getMaxShredInsertSlot post

• getMinimumBalanceForRentExemption post • getMultipleAccounts post • getProgramAccounts post • getRecentPerformanceSamples post getSignaturesForAddress post • getSignatureStatuses post getSlot post • getSlotLeader post • getSlotLeaders post getSupply post getTokenAccountBalance post • getTokenAccountsByOwner post • getTokenSupply post getTransaction post getVersion post • getVoteAccounts post isBlockhashValid post • minimumLedgerSlot post · sendTransaction post · requestAirdrop post • getBlockHeight post • getRecentBlockhash post **Astar** Astar API Quickstart **Astar API FAQ** Astar API Endpoints eth_accounts - Astar post • eth_getTransactionReceipt - Astar post • eth_maxPriorityFeePerGas - Astar post • eth_blockNumber - Astar post • eth_call - Astar post • eth_chainId - Astar post • eth_gasPrice - Astar post • eth_getBalance - Astar post • eth_getBlockByHash - Astar post eth_getBlockByNumber - Astar post • eth_getBlockTransactionCountByHash - Astar post

• eth_getBlockTransactionCountByNumber - Astar post

• eth_getCode - Astar post

• eth_getStorageAt - Astar post

- eth_getTransactionByBlockHashAndIndex Astar post
- eth_getTransactionByBlockNumberAndIndex Astar post
 - eth_getTransactionByHash Astar post
 - eth_getTransactionCount Astar post
- eth_getUncleByBlockNumberAndIndex Astar post
- eth_sendRawTransaction Astar post
- net_version Astar post
- web3_clientVersion Astar post
- web3_sha3 Astar post
- eth_getLogs Astar post
- eth_getFilterChanges Astar post
- - eth_getFilterLogs Astar post
 - eth_newFilter Astar post
 - eth_newPendingTransactionFilter Astar post
 - eth_uninstallFilter Astar post
- eth_newBlockFilter Astar post
- eth_estimateGas Astar post
- eth_subscribe
- eth_unsubscribe

STARKNET

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
 - starknet_addDeclareTransaction post
- starknet_getClassAt post
- starknet_addDeployAccountTransaction post
- starknet_getClassHashAt post
- starknet_addInvokeTransaction post
- starknet_getEvents post
- starknet_blockHashAndNumber post
- starknet_getNonce post
- starknet blockNumber post
- starknet getStateUpdate post
- starknet_call post
- starknet_getStorageAt post
- starknet_chainId post
- starknet getTransactionByBlockIdAndIndex post
- starknet_estimateFee post
- starknet_getTransactionByHash post
- starknet_getBlockTransactionCount post
- starknet_getTransactionReceipt post

- starknet_getBlockWithTxHashes post
- starknet pendingTransactions post
- starknet getBlockWithTxs post
- starknet syncing post
- starknet getClass post
 - starknet estimateMessageFee post

Account Abstraction FAQ

Frequently asked questions about Account Abstraction

How can I get push notifications for mined userOperations?

Follow the guide onusing custom webhooks to get real time alerts and receipts for mined userOperations.

What is a dummy signature and why do I need it for certain endpoints?

Our APIs are compatible with any type of smart account. This means regardless of the smart account you're using, our endpoints will work with it. However, different smart accounts have unique ways of signing transactions, known as signature patterns. A dummy signature is essentially a template or example signature that aligns with the signature pattern of your specific account type.

For certain API endpoints, particularly those involved in gas estimation, a dummy signature is required in the request. This is because these endpoints need to simulate or estimate the transaction without actually executing it, and the dummy signature helps in this process. For more information, consult the docs for your specific account implementation. The following endpoints require a dummy signature for gas estimation:

- eth_estimateUserOperationGas
- alchemy simulateUserOperationAssetChanges
- alchemy_requestGasAndPaymasterAndData

If your account type is either Light Account or Simple Account, you can use the provided dummy signature:

How do I upgrade from Simple Account to Light Account?

Simple Account's support upgradeToAndCall implemented by openzeppelin's <u>UUPSUpgradeable</u> contract. This allows you to upgrade from Simple Account to<u>LightAccount</u> without changing the smart contract account address. Using upgradeToAndCall will update the underlying implementation contract on the account while the account address and assets will stay the same.

You can call [upgradeToAndCall] on the Simple Account with these params:

- newImplementation
- : Latest LightAccount implementation address (foundhere
 - make sure to use the implementation address, not the factory address)* For example LightAccount v1.1.0 -0xae8c656ad28F2B59a196AB61815C16A0AE1c3cba
- data
- · : encoded version of the
- initialize
- · function with
- anOwner
- parameter set to the owner/signer on the account, usually the same owner as what the account used as Simple Account.* In solidity/foundry you can use
 - abi.encodeCall
 - and in viem you can use
 - [encodeFunctionData]
 - (https://github.com/alchemyplatform/light-account/blob/main/Deployments.md#lightaccount
 - 。)

△ It is very important that the initialize step is encoded correctly to ensure the account does not get in to a risky state where someone else could call initialize on it and reassign and a signer. You can call owner() on the account after upgrade to make sure it is assigned correctly.

This can be called on the existing smart contract account by sending a user operation that calls execute (or executeBatch) and have that call upgradeToAndCall (the same way you would make the account send calls to other addresses).

Updated about 1 month ago

