

API

Blockscout Internal Documentation

To view Modules and API Reference documentation:

1. Generate documentation.
2. mix docs
3. View the generated docs.
4. open doc/index.html
- 5.

Blockscout API Usage

API calls can be accessed from the Blockscout main menu, footer or header depending on the instance.

Blockscout supports several methods:

1. REST API
 2. : API that serves the UI for new instances
 3. of Blockscout. Methods available here <https://eth.blockscout.com/api-docs>
 4. [Graphiql](#)
 5. : An IDE for exploring GraphQL.
 6. RPC API
 7. : provided for developers transitioning their applications from Etherscan to Blockscout. Supports GET and POST requests.
 8.
 1. Typically located at <https://blockscout.com/instance/networktype/api-docs>
 9.
 1. .
 10.
 1. For example, Ethereum mainnet docs are located at <https://eth.blockscout.com/api-docs>
 11. 4.
 12. Eth RPC API
 13. : Supports the most popular [JSON RPC methods](#)
 14. .
 - 15.
- ?
- ?
- ?

GraphQL

Send Queries to quickly get information. Use the Docs button to quickly find arguments accepted by the schema. More information is available in our [Blockscout GraphQL tutorial](#) .

?

ETH RPC

Blockscout supports the following methods. Requests and return data are identical to the [Ethereum documentation](#) .

- eth_blockNumber
- eth_getBalance
- eth_getLogs
-

More details on [ETH RPC for Blockscout](#) are available here.

API Keys

If My Account is enabled, users can add up to 3 API keys to ensure 50 request/second limits. When API Keys are not used, the global default is 50 requests/second.

- More info on [My Account and adding API Keys](#)
- More info on [API Requests and Limits](#)
-

