

Image from <http://www.szzljy.com>

Image from <http://www.szzljy.com>

Image from <http://www.szzljy.com>

Image from <http://www.szzljy.com>

<http://www.szzljy.com>By [Alejandro Santander](#) in collaboration with [Leo Arias](#).

By [Alejandro Santander](#) in collaboration with [Leo Arias](#).

[Alejandro Santander](#)[Leo Arias](#)You're on the road, driving fast in your rare, fully restored 1969 Mustang Mach 1. The sunlight shimmers on the all-original, gorgeous plated rims. It's just you, the road, the desert, and the never-ending chase of the horizon. Perfection!

In the blink of an eye, your 335 hp beast is engulfed in white smoke, as if transformed into a steam locomotive, and you're forced to stop on the side of the road. With determination, you pop the hood, only to realize that you have absolutely no idea what you're looking at. How does this damn machine work? You grab your phone and discover that you have no signal.

Image from <http://www.mustangandfords.com>

Image from <http://www.mustangandfords.com>

Image from <http://www.mustangandfords.com>

<http://www.mustangandfords.com>Could this perhaps be an analogy for your current knowledge of dApp development? In the analogy, the Mustang is your set of smart contracts, the rims are all those well-thought-out little details and the ♥ you put into them. And the popping of the hood is you looking into your contract's EVM bytecode and having absolutely no idea what's going on.

If this sounds familiar, then not to worry! The purpose of this series of articles is to deconstruct a simple Solidity contract, look at its bytecode, and break it apart into identifiable structures down to the lowest level. We'll pop the hood on Solidity. By the end of the series, you should feel comfortable when looking at or debugging EVM bytecode. The whole point of the series is to demystify the EVM bytecode produced by the Solidity compiler. And it's really much simpler than it seems.

Note: This series is aimed at developers who already feel comfortable with and have experience in developing Solidity contracts, but want to understand how things work at a slightly deeper/lower level—that is, how Solidity is translated into EVM bytecode by the Solidity compiler, and how the EVM executes such bytecode. If you aren't there just yet, I recommend reading this great introduction by Facu Spagnuolo: [A Gentle Introduction to Ethereum Programming](#).

Note: This series is aimed at developers who already feel comfortable with and have experience in developing Solidity contracts, but want to understand how things work at a slightly deeper/lower level—that is, how Solidity is translated into EVM bytecode by the Solidity compiler, and how the EVM executes such bytecode. If you aren't there just yet, I recommend reading this great introduction by Facu Spagnuolo: [A Gentle Introduction to Ethereum Programming](#).

[A Gentle Introduction to Ethereum Programming](#)Here's the contract we'll deconstruct:

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```
}()
pragma solidity
^
0.4.24
;
contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}
functiontotalSupply
() public
view
returns
(uint256
){
return
totalSupply_;
}
```

```

functiontransfer
(address
    _to
    , uint256
    _value
) public
returns
(bool
) {
    require
    (_to !=
    address
    (0
    ));
    require
    (_value <=
    balances[msg
    .sender
    ]);
    balances[msg
    .sender
    ] =
    balances[msg
    .sender
    ] -
    _value;
    balances[_to] =
    balances[_to] +
    _value;
    return
    true
    ;
}

```

```

functionbalanceOf
(address
    _owner
) public
view
returns
(uint256
) {
    return
    balances[_owner];
}
}

```

[view raw](#)

[  
 BasicToken.sol  
 ](<https://gist.github.com/ajsantander/dce951a95e7608bc29d7f5deeb6e2ecf#file-basictoken-sol>)  
 hosted with ♥ by [GitHub](#)

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.  
[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```

]()

pragma solidity
^
0.4.24
;

contract
BasicToken

```

```

{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}
functiontotalSupply
() public
view
returns
(uint256
){
return
totalSupply_;
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
){
require
(_to !=
address
(0
));
require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[_to] =
balances[_to] +
_value;
return
true

```

```
;
}

function balanceOf
(address
_owner
) public
view
returns
(uint256
) {
return
balances[_owner];
}
}
```

[view raw](#)

[  
BasicToken.sol  
](https://gist.github.com/ajsantander/dce951a95e7608bc29d7f5deeb6e2ecf#file-basictoken-sol)  
hosted with ♥ by [GitHub](#)

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```
]()

pragma solidity
^

0.4.24

;

contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}

function totalSupply
() public
view
returns
(uint256
) {
return
totalSupply_;
}

function transfer
(address
```

```

_to
, uint256
_value
) public
returns
(bool
) {
require
(_to !=
address
(0
));
require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[_to] =
balances[_to] +
_value;
return
true
;
}

functionbalanceOf
(address
_owner
) public
view
returns
(uint256
) {
return
balances[_owner];
}
}

```

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```

]()
pragma solidity
^
0.4.24
;
contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256

```

```

    ) balances;

constructor

(uint256
    _initialSupply
) public
{
    totalSupply_ =
        _initialSupply;
    balances[msg
        .sender
    ] =
        _initialSupply;
}

functiontotalSupply

() public
view
returns
(uint256
) {
    return
        totalSupply_;
}

functiontransfer

(address
    _to
    , uint256
    _value
) public
returns
(bool
) {
    require
        (_to !=
            address
            (0
        ));
    require
        (_value <=
            balances[msg
                .sender
            ]);
    balances[msg
        .sender
    ] =
        balances[msg
            .sender
        ] -
            _value;
    balances[_to] =
        balances[_to] +
            _value;
    return
        true
    ;
}

functionbalanceOf

(address
    _owner
) public
view

```

```
returns
(uint256
){
return
balances[_owner];
}
}
```

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```
]()
pragma solidity
^
0.4.24
;
contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}
functiontotalSupply
() public
view
returns
(uint256
){
return
totalSupply_;
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
){
require
(_to !=
address
(0
));
```

```

require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[_to] =
balances[_to] +
_value;
return
true
;
}

functionbalanceOf
(address
_owner
) public
view
returns
(uint256
){
return
balances[_owner];
}
}

```

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```

]()

pragma solidity
^
0.4.24
;

contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;

```



```

}

functiontotalSupply

() public

view

returns

(uint256

){

return

totalSupply_;

}

functiontransfer

(address

_to

, uint256

_value

) public

returns

(bool

){

require

(_to !=

address

(0

));

require

(_value <=

balances[msg

.sender

]);

balances[msg

.sender

] =

balances[msg

.sender

] -

_value;

balances[_to] =

balances[_to] +

_value;

return

true

;

}

functionbalanceOf

(address

_owner

) public

view

returns

(uint256

){

return

balances[_owner];

}

}

```

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

```

]()

pragma solidity

```

```
^
0.4.24
;
contract
BasicToken
{
uint256
totalSupply_;
mapping
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}
functiontotalSupply
() public
view
returns
(uint256
){
return
totalSupply_;
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
){
require
(_to !=
address
(0
));
require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
```

```

balances[_to] =
balances[_to] +
_value;
return
true
;
}
functionbalanceOf
(address
_owner
) public
view
returns
(uint256
) {
return
balances[_owner];
}
}

```

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

[ Show hidden characters

]()

```

pragma solidity
^

```

0.4.24

;

contract

BasicToken

{

uint256

totalSupply\_;

mapping

(address

=>

uint256

) balances;

constructor

(uint256

\_initialSupply

) public

{

totalSupply\_ =

\_initialSupply;

balances[msg

.sender

] =

\_initialSupply;

}

functiontotalSupply

() public

view

returns

```

(uint256
) {
return
totalSupply_;
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
) {
require
(_to !=
address
(0
));
require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[_to] =
balances[_to] +
_value;
return
true
;
}
functionbalanceOf
(address
_owner
) public
view
returns
(uint256
) {
return
balances[_owner];
}
}
pragma solidity
^
0.4.24
;
contract
BasicToken
{
uint256
totalSupply_;
mapping

```

```
(address
=>
uint256
) balances;
constructor
(uint256
_initialSupply
) public
{
totalSupply_ =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
}
functiontotalSupply
() public
view
returns
(uint256
) {
return
totalSupply_;
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
) {
require
(_to !=
address
(0
));
require
(_value <=
balances[msg
.sender
]);
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[_to] =
balances[_to] +
_value;
return
true
;
}
functionbalanceOf
(address
```

```
_owner
) public
view
returns
(uint256
) {
return
balances[_owner];
}
}

pragma solidity
^
0.4.24
;

pragma solidity
^
0.4.24
;

pragma solidity
^
0.4.24
contract
BasicToken
{
contract
BasicToken
{
contract
BasicToken
uint256
totalSupply_;
uint256
totalSupply_;
uint256
mapping
(address
=>
uint256
) balances;
mapping
(address
=>
uint256
) balances;
mapping
address
=>
uint256
constructor
(uint256
_initialSupply
) public
{
constructor
(uint256
_initialSupply
) public
{
constructor
uint256
```

```
_initialSupply
public
totalSupply_ =
_initialSupply;
totalSupply_ =
_initialSupply;
=
balances[msg
.sender
] =
_initialSupply;
balances[msg
.sender
] =
_initialSupply;
msg
sender
=
}
}
functiontotalSupply
() public
view
returns
(uint256
) {
functiontotalSupply
() public
view
returns
(uint256
) {
functiontotalSupply
totalSupply
public
view
returns
uint256
return
totalSupply_;
return
totalSupply_;
return
}
}
functiontransfer
(address
_to
, uint256
_value
) public
returns
(bool
) {
functiontransfer
(address
_to
, uint256
_value
) public
```

```
returns
(bool
){
functiontransfer
transfer
address
_to
uint256
_value
public
returns
bool
require
(_to !=
address
(0
));
require
(_to !=
address
(0
));
require
!=
address
0
require
(_value <=
balances[msg
.sender
]);
require
(_value <=
balances[msg
.sender
]);
require
<=
msg
sender
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
balances[msg
.sender
] =
balances[msg
.sender
] -
_value;
msg
sender
=
msg
sender
-

```



```
balances[_to] =
balances[_to] +
_value;
balances[_to] =
balances[_to] +
_value;
=
+
return
true
;
return
true
;
return
true
}
}
functionbalanceOf
(address
_owner
) public
view
returns
(uint256
){
functionbalanceOf
(address
_owner
) public
view
returns
(uint256
){
functionbalanceOf
balanceOf
address
_owner
public
view
returns
uint256
return
balances[_owner];
return
balances[_owner];
return
}
}
}
}
view raw
[
BasicToken.sol
](https://gist.github.com/ajsantander/dce951a95e7608bc29d7f5deeb6e2ecf#file-basictoken-sol)
hosted with ♥ by GitHub
view raw
[
BasicToken.sol
](https://gist.github.com/ajsantander/dce951a95e7608bc29d7f5deeb6e2ecf#file-basictoken-sol)
```

[GitHub](#)Note: This contract is susceptible to an [overflow attack](#), but we're just keeping it simple here for the purpose at hand.

Note: This contract is susceptible to an [overflow attack](#), but we're just keeping it simple here for the purpose at hand.

[overflow attack](#)#### Compiling the contract

To compile the contract, we'll be using [Remix](#). Go ahead and create a new contract by clicking on the + button on the top left, above the file browser area. Set the filename to BasicToken.sol. Now, paste the above code into the editor section.

[Remix](#)In the right-hand section, go to the Settings

tab and make sure Enable Optimization

is selected

. Also, verify that the selected version of the Solidity compiler is "version:0.4.24+commit.e67f0147.Emscripten.clang

". These two details are very important, otherwise you'll be looking at slightly different bytecode from what will be discussed here.

Settings

make sure Enable Optimization

is selected

Enable Optimization

version:0.4.24+commit.e67f0147.Emscripten.clang

If you go to the Compile

tab and click on the Details

button, you should see a popup with all the stuff that the Solidity compiler generates, one of which is a JSON object named BYTECODE

that has an "object" property, which is the compiled code of the contract. It looks like this:

Compile

Details

BYTECODE

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610c

[view raw](#)

[

BasicToken.evm

](https://gist.github.com/ajsantander/03a4a183756980ef0865825bea96d6f5#file-basictoken-evm)

hosted with ♥ by [GitHub](#)

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610c

[view raw](#)

[

BasicToken.evm

](https://gist.github.com/ajsantander/03a4a183756980ef0865825bea96d6f5#file-basictoken-evm)

hosted with ♥ by [GitHub](#)

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610c

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610c

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610c

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()
 This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()
 [ Show hidden characters

]()
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(
 608060405234801561001057600080fd5b5060405160208061021783398101604090815290516000818155338152600160205291909120556101d1806100466000396000f300608060405260043610610(

[view raw](#)

[
 BasicToken.evm
 ](https://gist.github.com/ajsantander/03a4a183756980ef0865825bea96d6f5#file-basictoken-evm)
 hosted with ❤ by [GitHub](#)
[view raw](#)

[
 BasicToken.evm
 ](https://gist.github.com/ajsantander/03a4a183756980ef0865825bea96d6f5#file-basictoken-evm)
 [GitHub](#)Yup. That’s completely unreadable (at least for a normal human being).

Deploying the contract

Next, go to the Run
 section in Remix. At the top, make sure you’re using the Javascript VM
 . This is basically an embedded Javascript EVM + network, our ideal Ethereum playground. Make sure BasicToken is selected in the ComboBox
 , and enter the number 10000 in the Deploy input box
 . Next, click the Deploy
 button. This should deploy an instance of our BasicToken contract, with an initial supply of 10000 tokens owned by the account currently selected at the top of the account ComboBox
 , which will hold the totality of our token supply.

Run
 Javascript VM
 ComboBox
 Deploy input box
 Deploy
 ComboBox
 Lower in the Run
 tab, in the Deployed Contracts

section, you should see the deployed contract, with fields to interact with its three functions: transfer, balanceOf, and totalSupply. Here, we’ll be able to interact with the instance of the contract we just deployed.

Run
 Deployed Contracts

But before that, let’s take a look at exactly what “deploying” the contract means. At the bottom of the page, in the console area, you should see the log “creation of BasicToken pending…”, followed by a transaction entry with various fields: from, to, value, data, logs, and hash. Click on this entry to expand the transaction’s info. Even though abbreviated, you should see that the data/input of the transaction is the same bytecode we presented above. This transaction is sent to the 0x0 address, and as a result, a new contract instance is created, with its own address and code. We’ll examine this process in detail in the next article.

Disassembling the bytecode

To the right of the transaction’s data, still in the console, click on the Debug
 button. This will activate the Debugger
 tab in Remix’s right-hand area. Let’s take a look at the Instructions
 section. If you scroll down, you should see the following:

Debug  
Debugger  
Instructions

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()  
000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014  
DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1

40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068

RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1

146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST  
157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI  
169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188

DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245



JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO

303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40

356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1

40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444

SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500

SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530

INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560

STOP

561

STOP

562

STOP

563

STOP

564

STOP

565

INVALID

566

LT

[view raw](#)

[

BasicToken.asm

](https://gist.github.com/ajsantander/60bd8d6f88725663f89a67a7c51672c7#file-basictoken-asm)

hosted with ❤ by [GitHub](#)

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

000

PUSH1

80

002

PUSH1

40

004

MSTORE

005

CALLVALUE

006

DUP1

007

ISZERO

008

PUSH2

0010

011

JUMPI

012

PUSH1

00

014

DUP1

015

REVERT

016

JUMPDEST

017

POP

018

PUSH1

40

020

MLOAD

021

PUSH1

20



023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056

PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b

133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1  
146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST  
157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI  
169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178

PUSH2 00f5

181

JUMP

182

JUMPDEST

183

PUSH1

40

185

DUP1

186

MLOAD

187

SWAP2

188

DUP3

189

MSTORE

190

MLOAD

191

SWAP1

192

DUP2

193

SWAP1

194

SUB

195

PUSH1

20

197

ADD

198

SWAP1

199

RETURN

200

JUMPDEST

201

CALLVALUE

202

DUP1

203

ISZERO

204

PUSH2 008e

207

JUMPI

208

PUSH1

00

210

DUP1

211

REVERT

212

JUMPDEST

213

POP

214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP

295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1

347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401

SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1



20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3

487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID

523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP

553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT  
[view raw](#)  
[  
BasicToken.asm  
](https://gist.github.com/ajsantander/60bd8d6f88725663f89a67a7c51672c7#file-basictoken-asm)  
hosted with ♥ by [GitHub](#)  
  
This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.  
[Learn more about bidirectional Unicode characters](#)  
[ Show hidden characters  
]()  
000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014

DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048

[illegible]

00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1  
146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST  
157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI

169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188  
DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO



204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffff  
284  
PUSH1

04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD

319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI

393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427

CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479

SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515

JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545

STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()  
000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007



ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014  
DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE

043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2

[illegible]

CALLVALUE

163

DUP1

164

ISZERO

165

PUSH2

0067

168

JUMPI

169

PUSH1

00

171

DUP1

172

REVERT

173

JUMPDEST

174

POP

175

PUSH2

0070

178

PUSH2 00f5

181

JUMP

182

JUMPDEST

183

PUSH1

40

185

DUP1

186

MLOAD

187

SWAP2

188

DUP3

189

MSTORE

190

MLOAD

191

SWAP1

192

DUP2

193

SWAP1

194

SUB

195

PUSH1

20

197

ADD

198

SWAP1

199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT

258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313

SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffff  
385  
DUP4  
386

AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1



```

00
423
DUP1
424
REVERT
425
JUMPDEST
426
POP
427
CALLER
428
PUSH1
00
430
SWAP1
431
DUP2
432
MSTORE
433
PUSH1
01
435
PUSH1
20
437
DUP2
438
SWAP1
439
MSTORE
440
PUSH1
40
442
DUP1
443
DUP4
444
SHA3
445
DUP1
446
SLOAD
447
DUP6
448
SWAP1
449
SUB
450
SWAP1
451
SSTORE
452
PUSH20 ffffffffffffffffffffffffffffffffff
473
DUP6
474

```

AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510

INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540

STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

000

PUSH1

80

002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014  
DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037

MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074

MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1  
146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST

157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI  
169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188  
DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193



SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250

PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2

308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP

361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415

GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449

SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505

GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535

STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565



INVALID

566

LT

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()

000

PUSH1

80

002

PUSH1

40

004

MSTORE

005

CALLVALUE

006

DUP1

007

ISZERO

008

PUSH2

0010

011

JUMPI

012

PUSH1

00

014

DUP1

015

REVERT

016

JUMPDEST

017

POP

018

PUSH1

40

020

MLOAD

021

PUSH1

20

023

DUP1

024

PUSH2

0217

027

DUP4

028

CODECOPY

029

DUP2

030

ADD

031

PUSH1

40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068

RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1

146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST  
157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI  
169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188

DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245

JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO

303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40

356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1



40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444

SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500

SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530

INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560

STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.

[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters

]()  
000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014  
DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217

027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2

0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD  
121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135

PUSH4 70a08231

140

EQ

141

PUSH2

0082

144

JUMPI

145

DUP1

146

PUSH4 a9059cbb

151

EQ

152

PUSH2 00b0

155

JUMPI

156

JUMPDEST

157

PUSH1

00

159

DUP1

160

REVERT

161

JUMPDEST

162

CALLVALUE

163

DUP1

164

ISZERO

165

PUSH2

0067

168

JUMPI

169

PUSH1

00

171

DUP1

172

REVERT

173

JUMPDEST

174

POP

175

PUSH2

0070

178

PUSH2 00f5

181

JUMP

182

JUMPDEST



183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188  
DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffffffffffff

238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD  
287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40

298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349

PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE

404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1

439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489

POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525

INVALID

526

CALLCODE

527

SWAP13

528

DUP9

529

INVALID

530

INVALID

531

RETURN

532

INVALID

533

STOP

534

INVALID

535

STOP

536

STOP

537

STOP

538

STOP

539

STOP

540

STOP

541

STOP

542

STOP

543

STOP

544

STOP

545

STOP

546

STOP

547

STOP

548

STOP

549

STOP

550

STOP

551

STOP

552

STOP

553

STOP

554

STOP

555



STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.  
[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters  
]()

This file contains bidirectional Unicode text that may be interpreted or compiled differently than what appears below. To review, open the file in an editor that reveals hidden Unicode characters.  
[Learn more about bidirectional Unicode characters](#)  
[Learn more about bidirectional Unicode characters](#)

[ Show hidden characters  
]()

[ Show hidden characters  
]()

000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012  
PUSH1  
00  
014  
DUP1  
015  
REVERT

016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046  
PUSH1  
01  
048  
PUSH1  
20  
050

MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 ffffff  
088  
PUSH29  
0100000000000000000000000000000000000000000000000000000000000000  
118  
PUSH1  
00  
120  
CALLDATALOAD

121  
DIV  
122  
AND  
123  
PUSH4 18160ddd  
128  
DUP2  
129  
EQ  
130  
PUSH2 005b  
133  
JUMPI  
134  
DUP1  
135  
PUSH4 70a08231  
140  
EQ  
141  
PUSH2  
0082  
144  
JUMPI  
145  
DUP1  
146  
PUSH4 a9059cbb  
151  
EQ  
152  
PUSH2 00b0  
155  
JUMPI  
156  
JUMPDEST  
157  
PUSH1  
00  
159  
DUP1  
160  
REVERT  
161  
JUMPDEST  
162  
CALLVALUE  
163  
DUP1  
164  
ISZERO  
165  
PUSH2  
0067  
168  
JUMPI  
169  
PUSH1  
00

171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188  
DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202  
DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207

JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffff  
284  
PUSH1  
04  
286  
CALLDATALOAD

287  
AND  
288  
PUSH1  
24  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
294  
JUMP  
295  
JUMPDEST  
296  
PUSH1  
40  
298  
DUP1  
299  
MLOAD  
300  
SWAP2  
301  
ISZERO  
302  
ISZERO  
303  
DUP3  
304  
MSTORE  
305  
MLOAD  
306  
SWAP1  
307  
DUP2  
308  
SWAP1  
309  
SUB  
310  
PUSH1  
20  
312  
ADD  
313  
SWAP1  
314  
RETURN  
315  
JUMPDEST  
316  
PUSH1  
00  
318  
SLOAD  
319  
SWAP1  
320

JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
392  
JUMPI  
393  
PUSH1  
00



395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST  
426  
POP  
427  
CALLER  
428  
PUSH1

00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1  
478  
SWAP2  
479  
SHA3  
480  
DUP1

481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4  
514  
SWAP1  
515  
JUMPI  
516  
INVALID

517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP  
544  
STOP  
545  
STOP  
546  
STOP

547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT  
000  
PUSH1  
80  
002  
PUSH1  
40  
004  
MSTORE  
005  
CALLVALUE  
006  
DUP1  
007  
ISZERO  
008  
PUSH2  
0010  
011  
JUMPI  
012

PUSH1  
00  
014  
DUP1  
015  
REVERT  
016  
JUMPDEST  
017  
POP  
018  
PUSH1  
40  
020  
MLOAD  
021  
PUSH1  
20  
023  
DUP1  
024  
PUSH2  
0217  
027  
DUP4  
028  
CODECOPY  
029  
DUP2  
030  
ADD  
031  
PUSH1  
40  
033  
SWAP1  
034  
DUP2  
035  
MSTORE  
036  
SWAP1  
037  
MLOAD  
038  
PUSH1  
00  
040  
DUP2  
041  
DUP2  
042  
SSTORE  
043  
CALLER  
044  
DUP2  
045  
MSTORE  
046

PUSH1  
01  
048  
PUSH1  
20  
050  
MSTORE  
051  
SWAP2  
052  
SWAP1  
053  
SWAP2  
054  
SHA3  
055  
SSTORE  
056  
PUSH2 01d1  
059  
DUP1  
060  
PUSH2  
0046  
063  
PUSH1  
00  
065  
CODECOPY  
066  
PUSH1  
00  
068  
RETURN  
069  
STOP  
070  
PUSH1  
80  
072  
PUSH1  
40  
074  
MSTORE  
075  
PUSH1  
04  
077  
CALLDATASIZE  
078  
LT  
079  
PUSH2  
0056  
082  
JUMPI  
083  
PUSH4 fffffff  
088  
PUSH29

0100000000000000000000000000000000000000000000000000000000000000

118

PUSH1

00

120

CALLDATALOAD

121

DIV

122

AND

123

PUSH4 18160ddd

128

DUP2

129

EQ

130

PUSH2 005b

133

JUMPI

134

DUP1

135

PUSH4 70a08231

140

EQ

141

PUSH2

0082

144

JUMPI

145

DUP1

146

PUSH4 a9059cbb

151

EQ

152

PUSH2 00b0

155

JUMPI

156

JUMPDEST

157

PUSH1

00

159

DUP1

160

REVERT

161

JUMPDEST

162

CALLVALUE

163

DUP1

164

ISZERO

165

PUSH2



0067  
168  
JUMPI  
169  
PUSH1  
00  
171  
DUP1  
172  
REVERT  
173  
JUMPDEST  
174  
POP  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
181  
JUMP  
182  
JUMPDEST  
183  
PUSH1  
40  
185  
DUP1  
186  
MLOAD  
187  
SWAP2  
188  
DUP3  
189  
MSTORE  
190  
MLOAD  
191  
SWAP1  
192  
DUP2  
193  
SWAP1  
194  
SUB  
195  
PUSH1  
20  
197  
ADD  
198  
SWAP1  
199  
RETURN  
200  
JUMPDEST  
201  
CALLVALUE  
202

DUP1  
203  
ISZERO  
204  
PUSH2 008e  
207  
JUMPI  
208  
PUSH1  
00  
210  
DUP1  
211  
REVERT  
212  
JUMPDEST  
213  
POP  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
240  
CALLDATALOAD  
241  
AND  
242  
PUSH2 00fb  
245  
JUMP  
246  
JUMPDEST  
247  
CALLVALUE  
248  
DUP1  
249  
ISZERO  
250  
PUSH2 00bc  
253  
JUMPI  
254  
PUSH1  
00  
256  
DUP1  
257  
REVERT  
258  
JUMPDEST  
259  
POP  
260  
PUSH2 00e1  
263

PUSH20 ffffffffffffffffffffffffff

284

PUSH1

04

286

CALLDATALOAD

287

AND

288

PUSH1

24

290

CALLDATALOAD

291

PUSH2

0123

294

JUMP

295

JUMPDEST

296

PUSH1

40

298

DUP1

299

MLOAD

300

SWAP2

301

ISZERO

302

ISZERO

303

DUP3

304

MSTORE

305

MLOAD

306

SWAP1

307

DUP2

308

SWAP1

309

SUB

310

PUSH1

20

312

ADD

313

SWAP1

314

RETURN

315

JUMPDEST

316

PUSH1

00  
318  
SLOAD  
319  
SWAP1  
320  
JUMP  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffff  
343  
AND  
344  
PUSH1  
00  
346  
SWAP1  
347  
DUP2  
348  
MSTORE  
349  
PUSH1  
01  
351  
PUSH1  
20  
353  
MSTORE  
354  
PUSH1  
40  
356  
SWAP1  
357  
SHA3  
358  
SLOAD  
359  
SWAP1  
360  
JUMP  
361  
JUMPDEST  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffff  
385  
DUP4  
386  
AND  
387  
ISZERO  
388  
ISZERO  
389  
PUSH2

0147  
392  
JUMPI  
393  
PUSH1  
00  
395  
DUP1  
396  
REVERT  
397  
JUMPDEST  
398  
CALLER  
399  
PUSH1  
00  
401  
SWAP1  
402  
DUP2  
403  
MSTORE  
404  
PUSH1  
01  
406  
PUSH1  
20  
408  
MSTORE  
409  
PUSH1  
40  
411  
SWAP1  
412  
SHA3  
413  
SLOAD  
414  
DUP3  
415  
GT  
416  
ISZERO  
417  
PUSH2  
0163  
420  
JUMPI  
421  
PUSH1  
00  
423  
DUP1  
424  
REVERT  
425  
JUMPDEST

426  
POP  
427  
CALLER  
428  
PUSH1  
00  
430  
SWAP1  
431  
DUP2  
432  
MSTORE  
433  
PUSH1  
01  
435  
PUSH1  
20  
437  
DUP2  
438  
SWAP1  
439  
MSTORE  
440  
PUSH1  
40  
442  
DUP1  
443  
DUP4  
444  
SHA3  
445  
DUP1  
446  
SLOAD  
447  
DUP6  
448  
SWAP1  
449  
SUB  
450  
SWAP1  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffffffffffff  
473  
DUP6  
474  
AND  
475  
DUP4  
476  
MSTORE  
477  
SWAP1

478  
SWAP2  
479  
SHA3  
480  
DUP1  
481  
SLOAD  
482  
DUP4  
483  
ADD  
484  
SWAP1  
485  
SSTORE  
486  
SWAP3  
487  
SWAP2  
488  
POP  
489  
POP  
490  
JUMP  
491  
STOP  
492  
LOG1  
493  
PUSH6 627a7a723058  
500  
SHA3  
501  
INVALID  
502  
INVALID  
503  
SWAP10  
504  
DELEGATECALL  
505  
GASLIMIT  
506  
SWAP7  
507  
TIMESTAMP  
508  
DUP8  
509  
INVALID  
510  
INVALID  
511  
INVALID  
512  
SWAP4  
513  
LOG4

514  
SWAP1  
515  
JUMPI  
516  
INVALID  
517  
CALLVALUE  
518  
INVALID  
519  
BLOCKHASH  
520  
INVALID  
521  
SWAP2  
522  
INVALID  
523  
INVALID  
524  
INVALID  
525  
INVALID  
526  
CALLCODE  
527  
SWAP13  
528  
DUP9  
529  
INVALID  
530  
INVALID  
531  
RETURN  
532  
INVALID  
533  
STOP  
534  
INVALID  
535  
STOP  
536  
STOP  
537  
STOP  
538  
STOP  
539  
STOP  
540  
STOP  
541  
STOP  
542  
STOP  
543  
STOP



544  
STOP  
545  
STOP  
546  
STOP  
547  
STOP  
548  
STOP  
549  
STOP  
550  
STOP  
551  
STOP  
552  
STOP  
553  
STOP  
554  
STOP  
555  
STOP  
556  
STOP  
557  
STOP  
558  
STOP  
559  
STOP  
560  
STOP  
561  
STOP  
562  
STOP  
563  
STOP  
564  
STOP  
565  
INVALID  
566  
LT  
000  
PUSH1  
80  
000  
PUSH1  
80  
000  
PUSH1  
80  
002  
PUSH1  
40  
002  
PUSH1

40  
002  
PUSH1  
40  
004  
MSTORE  
004  
MSTORE  
004  
MSTORE  
005  
CALLVALUE  
005  
CALLVALUE  
005  
CALLVALUE  
006  
DUP1  
006  
DUP1  
006  
DUP1  
007  
ISZERO  
007  
ISZERO  
007  
ISZERO  
008  
PUSH2  
0010  
008  
PUSH2  
0010  
008  
PUSH2  
0010  
011  
JUMPI  
011  
JUMPI  
011  
JUMPI  
012  
PUSH1  
00  
012  
PUSH1  
00  
012  
PUSH1  
00  
014  
DUP1  
014  
DUP1  
014  
DUP1  
015  
REVERT

015  
REVERT  
015  
REVERT  
016  
JUMPDEST  
016  
JUMPDEST  
016  
JUMPDEST  
017  
POP  
017  
POP  
017  
POP  
018  
PUSH1  
40  
018  
PUSH1  
40  
018  
PUSH1  
40  
020  
MLOAD  
020  
MLOAD  
020  
MLOAD  
021  
PUSH1  
20  
021  
PUSH1  
20  
021  
PUSH1  
20  
023  
DUP1  
023  
DUP1  
023  
DUP1  
024  
PUSH2  
0217  
024  
PUSH2  
0217  
024  
PUSH2  
0217  
027  
DUP4  
027  
DUP4  
027

DUP4  
028  
CODECOPY  
028  
CODECOPY  
028  
CODECOPY  
029  
DUP2  
029  
DUP2  
029  
DUP2  
030  
ADD  
030  
ADD  
030  
ADD  
031  
PUSH1  
40  
031  
PUSH1  
40  
031  
PUSH1  
40  
033  
SWAP1  
033  
SWAP1  
033  
SWAP1  
034  
DUP2  
034  
DUP2  
034  
DUP2  
035  
MSTORE  
035  
MSTORE  
035  
MSTORE  
036  
SWAP1  
036  
SWAP1  
036  
SWAP1  
037  
MLOAD  
037  
MLOAD  
037  
MLOAD  
038  
PUSH1

00  
038  
PUSH1  
00  
038  
PUSH1  
00  
040  
DUP2  
040  
DUP2  
040  
DUP2  
041  
DUP2  
041  
DUP2  
041  
DUP2  
042  
SSTORE  
042  
SSTORE  
042  
SSTORE  
043  
CALLER  
043  
CALLER  
043  
CALLER  
044  
DUP2  
044  
DUP2  
044  
DUP2  
045  
MSTORE  
045  
MSTORE  
045  
MSTORE  
046  
PUSH1  
01  
046  
PUSH1  
01  
046  
PUSH1  
01  
048  
PUSH1  
20  
048  
PUSH1  
20  
048  
PUSH1

20  
050  
MSTORE  
050  
MSTORE  
050  
MSTORE  
051  
SWAP2  
051  
SWAP2  
051  
SWAP2  
052  
SWAP1  
052  
SWAP1  
052  
SWAP1  
053  
SWAP2  
053  
SWAP2  
053  
SWAP2  
054  
SHA3  
054  
SHA3  
054  
SHA3  
055  
SSTORE  
055  
SSTORE  
055  
SSTORE  
056  
PUSH2 01d1  
056  
PUSH2 01d1  
056  
PUSH2 01d1  
059  
DUP1  
059  
DUP1  
059  
DUP1  
060  
PUSH2  
0046  
060  
PUSH2  
0046  
060  
PUSH2  
0046  
063  
PUSH1

00  
063  
PUSH1  
00  
063  
PUSH1  
00  
065  
CODECOPY  
065  
CODECOPY  
065  
CODECOPY  
066  
PUSH1  
00  
066  
PUSH1  
00  
066  
PUSH1  
00  
068  
RETURN  
068  
RETURN  
068  
RETURN  
069  
STOP  
069  
STOP  
069  
STOP  
070  
PUSH1  
80  
070  
PUSH1  
80  
070  
PUSH1  
80  
072  
PUSH1  
40  
072  
PUSH1  
40  
072  
PUSH1  
40  
074  
MSTORE  
074  
MSTORE  
074  
MSTORE  
075  
PUSH1

[illegible]



120  
CALLDATALOAD  
120  
CALLDATALOAD  
121  
DIV  
121  
DIV  
121  
DIV  
122  
AND  
122  
AND  
122  
AND  
123  
PUSH4 18160ddd  
123  
PUSH4 18160ddd  
123  
PUSH4 18160ddd  
128  
DUP2  
128  
DUP2  
128  
DUP2  
129  
EQ  
129  
EQ  
129  
EQ  
130  
PUSH2 005b  
130  
PUSH2 005b  
130  
PUSH2 005b  
133  
JUMPI  
133  
JUMPI  
133  
JUMPI  
134  
DUP1  
134  
DUP1  
134  
DUP1  
135  
PUSH4 70a08231  
135  
PUSH4 70a08231  
135  
PUSH4 70a08231  
140  
EQ

140  
EQ  
140  
EQ  
141  
PUSH2  
0082  
141  
PUSH2  
0082  
141  
PUSH2  
0082  
144  
JUMPI  
144  
JUMPI  
144  
JUMPI  
145  
DUP1  
145  
DUP1  
145  
DUP1  
146  
PUSH4 a9059cbb  
146  
PUSH4 a9059cbb  
146  
PUSH4 a9059cbb  
151  
EQ  
151  
EQ  
151  
EQ  
152  
PUSH2 00b0  
152  
PUSH2 00b0  
152  
PUSH2 00b0  
155  
JUMPI  
155  
JUMPI  
155  
JUMPI  
156  
JUMPDEST  
156  
JUMPDEST  
156  
JUMPDEST  
157  
PUSH1  
00  
157  
PUSH1

00  
157  
PUSH1  
00  
159  
DUP1  
159  
DUP1  
159  
DUP1  
160  
REVERT  
160  
REVERT  
160  
REVERT  
161  
JUMPDEST  
161  
JUMPDEST  
161  
JUMPDEST  
162  
CALLVALUE  
162  
CALLVALUE  
162  
CALLVALUE  
163  
DUP1  
163  
DUP1  
163  
DUP1  
164  
ISZERO  
164  
ISZERO  
164  
ISZERO  
165  
PUSH2  
0067  
165  
PUSH2  
0067  
165  
PUSH2  
0067  
168  
JUMPI  
168  
JUMPI  
168  
JUMPI  
169  
PUSH1  
00  
169  
PUSH1

00  
169  
PUSH1  
00  
171  
DUP1  
171  
DUP1  
171  
DUP1  
172  
REVERT  
172  
REVERT  
172  
REVERT  
173  
JUMPDEST  
173  
JUMPDEST  
173  
JUMPDEST  
174  
POP  
174  
POP  
174  
POP  
175  
PUSH2  
0070  
175  
PUSH2  
0070  
175  
PUSH2  
0070  
178  
PUSH2 00f5  
178  
PUSH2 00f5  
178  
PUSH2 00f5  
181  
JUMP  
181  
JUMP  
181  
JUMP  
182  
JUMPDEST  
182  
JUMPDEST  
182  
JUMPDEST  
183  
PUSH1  
40  
183  
PUSH1

40  
183  
PUSH1  
40  
185  
DUP1  
185  
DUP1  
185  
DUP1  
186  
MLOAD  
186  
MLOAD  
186  
MLOAD  
187  
SWAP2  
187  
SWAP2  
187  
SWAP2  
188  
DUP3  
188  
DUP3  
188  
DUP3  
189  
MSTORE  
189  
MSTORE  
189  
MSTORE  
190  
MLOAD  
190  
MLOAD  
190  
MLOAD  
191  
SWAP1  
191  
SWAP1  
191  
SWAP1  
192  
DUP2  
192  
DUP2  
192  
DUP2  
193  
SWAP1  
193  
SWAP1  
193  
SWAP1  
194  
SUB

194  
SUB  
194  
SUB  
195  
PUSH1  
20  
195  
PUSH1  
20  
195  
PUSH1  
20  
197  
ADD  
197  
ADD  
197  
ADD  
198  
SWAP1  
198  
SWAP1  
198  
SWAP1  
199  
RETURN  
199  
RETURN  
199  
RETURN  
200  
JUMPDEST  
200  
JUMPDEST  
200  
JUMPDEST  
201  
CALLVALUE  
201  
CALLVALUE  
201  
CALLVALUE  
202  
DUP1  
202  
DUP1  
202  
DUP1  
203  
ISZERO  
203  
ISZERO  
203  
ISZERO  
204  
PUSH2 008e  
204  
PUSH2 008e  
204

PUSH2 008e  
207  
JUMPI  
207  
JUMPI  
207  
JUMPI  
208  
PUSH1  
00  
208  
PUSH1  
00  
208  
PUSH1  
00  
210  
DUP1  
210  
DUP1  
210  
DUP1  
211  
REVERT  
211  
REVERT  
211  
REVERT  
212  
JUMPDEST  
212  
JUMPDEST  
212  
JUMPDEST  
213  
POP  
213  
POP  
213  
POP  
214  
PUSH2  
0070  
214  
PUSH2  
0070  
214  
PUSH2  
0070  
217  
PUSH20 ffffffffffffffffffffffffff  
217  
PUSH20 ffffffffffffffffffffffffff  
217  
PUSH20 ffffffffffffffffffffffffff  
238  
PUSH1  
04  
238  
PUSH1

04  
238  
PUSH1  
04  
240  
CALLDATALOAD  
240  
CALLDATALOAD  
240  
CALLDATALOAD  
241  
AND  
241  
AND  
241  
AND  
242  
PUSH2 00fb  
242  
PUSH2 00fb  
242  
PUSH2 00fb  
245  
JUMP  
245  
JUMP  
245  
JUMP  
246  
JUMPDEST  
246  
JUMPDEST  
246  
JUMPDEST  
247  
CALLVALUE  
247  
CALLVALUE  
247  
CALLVALUE  
248  
DUP1  
248  
DUP1  
248  
DUP1  
249  
ISZERO  
249  
ISZERO  
249  
ISZERO  
250  
PUSH2 00bc  
250  
PUSH2 00bc  
250  
PUSH2 00bc  
253  
JUMPI



253  
JUMPI  
253  
JUMPI  
254  
PUSH1  
00  
254  
PUSH1  
00  
254  
PUSH1  
00  
256  
DUP1  
256  
DUP1  
256  
DUP1  
257  
REVERT  
257  
REVERT  
257  
REVERT  
258  
JUMPDEST  
258  
JUMPDEST  
258  
JUMPDEST  
259  
POP  
259  
POP  
259  
POP  
260  
PUSH2 00e1  
260  
PUSH2 00e1  
260  
PUSH2 00e1  
263  
PUSH20 ffffffffffffffffffffffffff  
263  
PUSH20 ffffffffffffffffffffffffff  
263  
PUSH20 ffffffffffffffffffffffffff  
284  
PUSH1  
04  
284  
PUSH1  
04  
284  
PUSH1  
04  
286  
CALLDATALOAD

286  
CALLDATALOAD  
286  
CALLDATALOAD  
287  
AND  
287  
AND  
287  
AND  
288  
PUSH1  
24  
288  
PUSH1  
24  
288  
PUSH1  
24  
290  
CALLDATALOAD  
290  
CALLDATALOAD  
290  
CALLDATALOAD  
291  
PUSH2  
0123  
291  
PUSH2  
0123  
291  
PUSH2  
0123  
294  
JUMP  
294  
JUMP  
294  
JUMP  
295  
JUMPDEST  
295  
JUMPDEST  
295  
JUMPDEST  
296  
PUSH1  
40  
296  
PUSH1  
40  
296  
PUSH1  
40  
298  
DUP1  
298  
DUP1  
298

DUP1  
299  
MLOAD  
299  
MLOAD  
299  
MLOAD  
300  
SWAP2  
300  
SWAP2  
300  
SWAP2  
301  
ISZERO  
301  
ISZERO  
301  
ISZERO  
302  
ISZERO  
302  
ISZERO  
302  
ISZERO  
303  
DUP3  
303  
DUP3  
303  
DUP3  
304  
MSTORE  
304  
MSTORE  
304  
MSTORE  
305  
MLOAD  
305  
MLOAD  
305  
MLOAD  
306  
SWAP1  
306  
SWAP1  
306  
SWAP1  
307  
DUP2  
307  
DUP2  
307  
DUP2  
308  
SWAP1  
308  
SWAP1  
308

SWAP1  
309  
SUB  
309  
SUB  
309  
SUB  
310  
PUSH1  
20  
310  
PUSH1  
20  
310  
PUSH1  
20  
312  
ADD  
312  
ADD  
312  
ADD  
313  
SWAP1  
313  
SWAP1  
313  
SWAP1  
314  
RETURN  
314  
RETURN  
314  
RETURN  
315  
JUMPDEST  
315  
JUMPDEST  
315  
JUMPDEST  
316  
PUSH1  
00  
316  
PUSH1  
00  
316  
PUSH1  
00  
318  
SLOAD  
318  
SLOAD  
318  
SLOAD  
319  
SWAP1  
319  
SWAP1  
319

SWAP1  
320  
JUMP  
320  
JUMP  
320  
JUMP  
321  
JUMPDEST  
321  
JUMPDEST  
321  
JUMPDEST  
322  
PUSH20 ffffffffffffffffffffffffff  
322  
PUSH20 ffffffffffffffffffffffffff  
322  
PUSH20 ffffffffffffffffffffffffff  
343  
AND  
343  
AND  
343  
AND  
344  
PUSH1  
00  
344  
PUSH1  
00  
344  
PUSH1  
00  
346  
SWAP1  
346  
SWAP1  
346  
SWAP1  
347  
DUP2  
347  
DUP2  
347  
DUP2  
348  
MSTORE  
348  
MSTORE  
348  
MSTORE  
349  
PUSH1  
01  
349  
PUSH1  
01  
349  
PUSH1

01  
351  
PUSH1  
20  
351  
PUSH1  
20  
351  
PUSH1  
20  
353  
MSTORE  
353  
MSTORE  
353  
MSTORE  
354  
PUSH1  
40  
354  
PUSH1  
40  
354  
PUSH1  
40  
356  
SWAP1  
356  
SWAP1  
356  
SWAP1  
357  
SHA3  
357  
SHA3  
357  
SHA3  
358  
SLOAD  
358  
SLOAD  
358  
SLOAD  
359  
SWAP1  
359  
SWAP1  
359  
SWAP1  
360  
JUMP  
360  
JUMP  
360  
JUMP  
361  
JUMPDEST  
361  
JUMPDEST  
361

JUMPDEST  
362  
PUSH1  
00  
362  
PUSH1  
00  
362  
PUSH1  
00  
364  
PUSH20 ffffffffffffffffffffffffffffff  
364  
PUSH20 ffffffffffffffffffffffffffffff  
364  
PUSH20 ffffffffffffffffffffffffffffff  
385  
DUP4  
385  
DUP4  
385  
DUP4  
386  
AND  
386  
AND  
386  
AND  
387  
ISZERO  
387  
ISZERO  
387  
ISZERO  
388  
ISZERO  
388  
ISZERO  
388  
ISZERO  
389  
PUSH2  
0147  
389  
PUSH2  
0147  
389  
PUSH2  
0147  
392  
JUMPI  
392  
JUMPI  
392  
JUMPI  
393  
PUSH1  
00  
393  
PUSH1

00  
393  
PUSH1  
00  
395  
DUP1  
395  
DUP1  
395  
DUP1  
396  
REVERT  
396  
REVERT  
396  
REVERT  
397  
JUMPDEST  
397  
JUMPDEST  
397  
JUMPDEST  
398  
CALLER  
398  
CALLER  
398  
CALLER  
399  
PUSH1  
00  
399  
PUSH1  
00  
399  
PUSH1  
00  
401  
SWAP1  
401  
SWAP1  
401  
SWAP1  
402  
DUP2  
402  
DUP2  
402  
DUP2  
403  
MSTORE  
403  
MSTORE  
403  
MSTORE  
404  
PUSH1  
01  
404  
PUSH1



01  
404  
PUSH1  
01  
406  
PUSH1  
20  
406  
PUSH1  
20  
406  
PUSH1  
20  
408  
MSTORE  
408  
MSTORE  
408  
MSTORE  
409  
PUSH1  
40  
409  
PUSH1  
40  
409  
PUSH1  
40  
411  
SWAP1  
411  
SWAP1  
411  
SWAP1  
412  
SHA3  
412  
SHA3  
412  
SHA3  
413  
SLOAD  
413  
SLOAD  
413  
SLOAD  
414  
DUP3  
414  
DUP3  
414  
DUP3  
415  
GT  
415  
GT  
415  
GT  
416  
ISZERO

416  
ISZERO  
416  
ISZERO  
417  
PUSH2  
0163  
417  
PUSH2  
0163  
417  
PUSH2  
0163  
420  
JUMPI  
420  
JUMPI  
420  
JUMPI  
421  
PUSH1  
00  
421  
PUSH1  
00  
421  
PUSH1  
00  
423  
DUP1  
423  
DUP1  
423  
DUP1  
424  
REVERT  
424  
REVERT  
424  
REVERT  
425  
JUMPDEST  
425  
JUMPDEST  
425  
JUMPDEST  
426  
POP  
426  
POP  
426  
POP  
427  
CALLER  
427  
CALLER  
427  
CALLER  
428  
PUSH1

00  
428  
PUSH1  
00  
428  
PUSH1  
00  
430  
SWAP1  
430  
SWAP1  
430  
SWAP1  
431  
DUP2  
431  
DUP2  
431  
DUP2  
432  
MSTORE  
432  
MSTORE  
432  
MSTORE  
433  
PUSH1  
01  
433  
PUSH1  
01  
433  
PUSH1  
01  
435  
PUSH1  
20  
435  
PUSH1  
20  
435  
PUSH1  
20  
437  
DUP2  
437  
DUP2  
437  
DUP2  
438  
SWAP1  
438  
SWAP1  
438  
SWAP1  
439  
MSTORE  
439  
MSTORE  
439

MSTORE  
440  
PUSH1  
40  
440  
PUSH1  
40  
440  
PUSH1  
40  
442  
DUP1  
442  
DUP1  
442  
DUP1  
443  
DUP4  
443  
DUP4  
443  
DUP4  
444  
SHA3  
444  
SHA3  
444  
SHA3  
445  
DUP1  
445  
DUP1  
445  
DUP1  
446  
SLOAD  
446  
SLOAD  
446  
SLOAD  
447  
DUP6  
447  
DUP6  
447  
DUP6  
448  
SWAP1  
448  
SWAP1  
448  
SWAP1  
449  
SUB  
449  
SUB  
449  
SUB  
450  
SWAP1

450  
SWAP1  
450  
SWAP1  
451  
SSTORE  
451  
SSTORE  
451  
SSTORE  
452  
PUSH20 ffffffffffffffffffffffffff  
452  
PUSH20 ffffffffffffffffffffffffff  
452  
PUSH20 ffffffffffffffffffffffffff  
473  
DUP6  
473  
DUP6  
473  
DUP6  
474  
AND  
474  
AND  
474  
AND  
475  
DUP4  
475  
DUP4  
475  
DUP4  
476  
MSTORE  
476  
MSTORE  
476  
MSTORE  
477  
SWAP1  
477  
SWAP1  
477  
SWAP1  
478  
SWAP2  
478  
SWAP2  
478  
SWAP2  
479  
SHA3  
479  
SHA3  
479  
SHA3  
480  
DUP1

480  
DUP1  
480  
DUP1  
481  
SLOAD  
481  
SLOAD  
481  
SLOAD  
482  
DUP4  
482  
DUP4  
482  
DUP4  
483  
ADD  
483  
ADD  
483  
ADD  
484  
SWAP1  
484  
SWAP1  
484  
SWAP1  
485  
SSTORE  
485  
SSTORE  
485  
SSTORE  
486  
SWAP3  
486  
SWAP3  
486  
SWAP3  
487  
SWAP2  
487  
SWAP2  
487  
SWAP2  
488  
POP  
488  
POP  
488  
POP  
489  
POP  
489  
POP  
489  
POP  
490  
JUMP

490  
JUMP  
490  
JUMP  
491  
STOP  
491  
STOP  
491  
STOP  
492  
LOG1  
492  
LOG1  
492  
LOG1  
493  
PUSH6 627a7a723058  
493  
PUSH6 627a7a723058  
493  
PUSH6 627a7a723058  
500  
SHA3  
500  
SHA3  
500  
SHA3  
501  
INVALID  
501  
INVALID  
501  
INVALID  
502  
INVALID  
502  
INVALID  
502  
INVALID  
503  
SWAP10  
503  
SWAP10  
503  
SWAP10  
504  
DELEGATECALL  
504  
DELEGATECALL  
504  
DELEGATECALL  
505  
GASLIMIT  
505  
GASLIMIT  
505  
GASLIMIT  
506  
SWAP7

506  
SWAP7  
506  
SWAP7  
507  
TIMESTAMP  
507  
TIMESTAMP  
507  
TIMESTAMP  
508  
DUP8  
508  
DUP8  
508  
DUP8  
509  
INVALID  
509  
INVALID  
509  
INVALID  
510  
INVALID  
510  
INVALID  
510  
INVALID  
510  
INVALID  
511  
INVALID  
511  
INVALID  
511  
INVALID  
512  
SWAP4  
512  
SWAP4  
512  
SWAP4  
513  
LOG4  
513  
LOG4  
513  
LOG4  
514  
SWAP1  
514  
SWAP1  
514  
SWAP1  
515  
JUMPI  
515  
JUMPI  
515  
JUMPI  
516  
INVALID



516  
INVALID  
516  
INVALID  
517  
CALLVALUE  
517  
CALLVALUE  
517  
CALLVALUE  
518  
INVALID  
518  
INVALID  
518  
INVALID  
519  
BLOCKHASH  
519  
BLOCKHASH  
519  
BLOCKHASH  
520  
INVALID  
520  
INVALID  
520  
INVALID  
521  
SWAP2  
521  
SWAP2  
521  
SWAP2  
522  
INVALID  
522  
INVALID  
522  
INVALID  
523  
INVALID  
523  
INVALID  
523  
INVALID  
524  
INVALID  
524  
INVALID  
524  
INVALID  
525  
INVALID  
525  
INVALID  
525  
INVALID  
526  
CALLCODE

526  
CALLCODE  
526  
CALLCODE  
527  
SWAP13  
527  
SWAP13  
527  
SWAP13  
528  
DUP9  
528  
DUP9  
528  
DUP9  
529  
INVALID  
529  
INVALID  
529  
INVALID  
530  
INVALID  
530  
INVALID  
530  
INVALID  
531  
RETURN  
531  
RETURN  
531  
RETURN  
532  
INVALID  
532  
INVALID  
532  
INVALID  
533  
STOP  
533  
STOP  
533  
STOP  
534  
INVALID  
534  
INVALID  
534  
INVALID  
535  
STOP  
535  
STOP  
535  
STOP  
536  
STOP

536  
STOP  
536  
STOP  
537  
STOP  
537  
STOP  
537  
STOP  
538  
STOP  
538  
STOP  
538  
STOP  
539  
STOP  
539  
STOP  
539  
STOP  
540  
STOP  
540  
STOP  
540  
STOP  
541  
STOP  
541  
STOP  
541  
STOP  
542  
STOP  
542  
STOP  
542  
STOP  
543  
STOP  
543  
STOP  
543  
STOP  
544  
STOP  
544  
STOP  
544  
STOP  
545  
STOP  
545  
STOP  
545  
STOP  
546  
STOP

546  
STOP  
546  
STOP  
547  
STOP  
547  
STOP  
547  
STOP  
548  
STOP  
548  
STOP  
548  
STOP  
549  
STOP  
549  
STOP  
549  
STOP  
550  
STOP  
550  
STOP  
550  
STOP  
551  
STOP  
551  
STOP  
551  
STOP  
552  
STOP  
552  
STOP  
552  
STOP  
553  
STOP  
553  
STOP  
553  
STOP  
554  
STOP  
554  
STOP  
554  
STOP  
555  
STOP  
555  
STOP  
555  
STOP  
556  
STOP

556  
STOP  
556  
STOP  
557  
STOP  
557  
STOP  
557  
STOP  
558  
STOP  
558  
STOP  
558  
STOP  
559  
STOP  
559  
STOP  
559  
STOP  
560  
STOP  
560  
STOP  
560  
STOP  
561  
STOP  
561  
STOP  
561  
STOP  
562  
STOP  
562  
STOP  
562  
STOP  
563  
STOP  
563  
STOP  
563  
STOP  
564  
STOP  
564  
STOP  
564  
STOP  
565  
INVALID  
565  
INVALID  
565  
INVALID  
566  
LT

566

LT

566

LT

[view raw](#)

[

BasicToken.asm

](<https://gist.github.com/ajsantander/60bd8d6f88725663f89a67a7c51672c7#file-basictoken-asm>)

hosted with ❤ by [GitHub](#)

[view raw](#)

[

BasicToken.asm

](<https://gist.github.com/ajsantander/60bd8d6f88725663f89a67a7c51672c7#file-basictoken-asm>)

[GitHub](#)To make sure that you're following the same set of opcodes described in this series, please compare what you see in Remix with [thbytecode in this gist](#).

[bytecode in this gist](#)This is the disassembled bytecode of the contract. Disassembly sounds rather intimidating, but it's quite simple, really. If you scan the raw bytecode by bytes (two characters at a time), the EVM identifies specific opcodes that it associates to particular actions. For example:

0x60 => PUSH 0x01 => ADD 0x02 => MUL 0x00 => STOP ...

The disassembled code is still very low-level and difficult to read, but as you will see, we can start making sense out of it.

## Opcodes

Before we get started on our ambitious endeavour of completely deconstructing the bytecode, you're going to need a basic tool set for understanding individual opcodes such as PUSH

, ADD

, SWAP

, DUP

, etc. An opcode, in the end, can only push or consume items from the EVM's stack, memory, or storage belonging to the contract. That's it.

PUSH

ADD

SWAP

DUP

To see all the available opcodes that the EVM can process, check out [this handy gist from Pyethereum showing a list of the opcodes](#). To understand what each one does and how it works, [Solidity's assembly documentation](#) is a great reference. Even though it's not a one-on-one relationship with the raw opcodes, it's pretty close (it's actually Yul, an intermediate language between Solidity and EVM bytecode). Finally, if you can speak scientist, there's always the [Ethereum Yellow Paper](#) to fall back on.

[this handy gist from Pyethereum showing a list of the opcodes](#)[Solidity's assembly documentation](#)[Ethereum Yellow Paper](#)There's no point in reading these resources from start to finish right now; just keep them around for reference. We'll be using them as we go along.

## Instructions

Each line in the disassembled code above is an instruction for the EVM to execute. Each instruction contains an opcode. For example, let's take one of those instructions, instruction 88, which pushes the number 4 to the stack. This particular disassembler interprets instructions as follows:

88 PUSH1 0x04 | | |  
| | Hex value for push. | Opcode. Instruction number.

Even though the disassembled code brings us one step closer to understanding what's going on, it's still quite intimidating. We're going to need a strategy for deconstructing the whole thing, which has 596 instructions!

## The Strategy

Problems that appear to be overwhelming at first usually succumb to the all-powerful, all-mighty "divide-and-conquer" strategy, and this problem is no exception to the rule. We'll identify split points in the disassembled code and reduce it bit by bit, until we end up with small, digestible chunks, which we'll walk through step by step in Remix's debugger. In the following diagram, we can see the first split we can make on the disassembled code, which we'll analyze completely in the next article.

You can find the end result of the entire deconstruction in the [deconstruction diagram](#). Don't worry if you don't understand the diagram at first. You're not supposed to. This series will go through it step by step. Keep it around so you can keep track of the big picture as we go along.

[deconstruction diagram](#)The series is divided into the following set of articles. If you're up for the challenge, get started with the actual deconstruction in [Part II](#). See you there!

[Part II](#)1. Deconstructing a Solidity Contract—Part I: Introduction ✓

1. [Deconstructing a Solidity Contract—Part II: Creation vs. Runtime](#)
2. [Deconstructing a Solidity Contract—Part III: The Function Selector](#)
3. [Deconstructing a Solidity Contract—Part IV: Function Wrappers](#)
4. [Deconstructing a Solidity Contract—Part V: Function Bodies](#)
5. [Deconstructing a Solidity Contract—Part VI: The Metadata Hash](#)

Deconstructing a Solidity Contract—Part I: Introduction ✓

[Deconstructing a Solidity Contract—Part II: Creation vs. Runtime](#)

[Deconstructing a Solidity Contract—Part II: Creation vs. Runtime](#)[Deconstructing a Solidity Contract—Part III: The Function Selector](#)

[Deconstructing a Solidity Contract—Part III: The Function Selector](#)[Deconstructing a Solidity Contract—Part IV: Function Wrappers](#)

[Deconstructing a Solidity Contract—Part IV: Function Wrappers](#)[Deconstructing a Solidity Contract—Part V: Function Bodies](#)

[Deconstructing a Solidity Contract—Part V: Function Bodies](#)[Deconstructing a Solidity Contract—Part VI: The Metadata Hash](#)

[Deconstructing a Solidity Contract—Part VI: The Metadata Hash](#)