

Panic

Code in Cairo 1.0 may panic - which means it may fail with an unrecoverable error - meaning it is impossible to catch and handle. When the program panics, using the [linear type system](#) all living variables on the stack would be dropped or otherwise destructed, which makes sure the run remains provable and valid.

panic function

The basic function that all panic stems from is the `panic` function. It is defined as: `extern fn panic(data: Array) -> never;` The `panic` function takes a single argument, which is a `felt252` array. This array is the data that is passed as the reason the run panicked. The `panic` function never returns, and is marked as such with the [never type](#).

nopanic notation

Functions may be marked with the `nopanic` notation. This means that the function will never panic. This can be useful for writing code that may never fail. Only `nopanic` functions may be called from an `nopanic` function.

nopanic and traits

If a trait function is marked with `nopanic`, all implementations of that trait must also be marked with `nopanic`, as the trait function may be called from an `nopanic` function. An example for such a function is `Destruct` trait `destruct` function, which is `nopanic` as it is called during panic handling, see [linear type system](#) for more info. If a trait function is not marked with `nopanic`, all implementations of that trait may be marked with `nopanic` or not. An example for such a function is `Add` trait `add` function, which is `nopanic` for `felt252` addition, but isn't so for integer addition.

panic_with macro

A function returning an `Option` or `Result` may be marked with the `panic_with` macro. This macro takes two arguments, which is the data that is passed as the panic reason as well as the name for a wrapping function. If the function returns `None` or `Err`, `panic` function will be called with the given data.

[panic_with('got none value', unwrap)]

`fn identity(value: Option) -> Option { a }` Some `fn unwrap(value: Option) -> u128` that internally may panic may be created.

[9.4 Inference Memory model](#) §