
Matt Fertakos, worked alone

Q1:



Q2: The elevation histogram shows that very low elevation sites are not frequent in the dataset, but that changes for sampling sites in the middle of the range of elevations, which is where the frequency of data peaks. Sampling sites at the highest elevations are then not as frequent. The data is not spread evenly across sampling sites at varying elevations (x-axis), which can be seen in the overrepresentation of sampling from sites in the middle range of possible elevations.

Q3: % slope (aka rise/run x 100)

Q4: The histogram of slopes at sample sites show most slopes were at a moderate-level of steepness. Very few sites were very steep, and few were flat. The data in this histogram is not evenly spread across the x axis, as most study sites were moderately steep while the other two

extremes so a lot less frequency. There is not a good mixture of flat and steep slopes for this reason as well.

Q5: Aspect is the direction a surface faces in degrees on a compass. The directions on a compass range from 0°C to 360°C, which is reflected in the x-axis of the histogram.

Q6: Aspect measurement at sampling sites are evenly distributed across the range of possible aspect values (0-360°C, x-axis). This means that there were about the same number of sampling sites across all compass directions (except a significant decrease for north west facing sites). This decrease may only be due to only 10 degrees actually existing (350-360) on the last bar.

Q7: included in Q1 figure

Q8:

- a. Elevation: There is no notable association between elevation and basal area based on the linear model fit to the scatter plot. The linear model is almost flat, meaning there is no trend in basal area as elevation increases. This means the relationship is linear. As a result, my linear model is a good fit because the points are mostly evenly distributed around the line.
- b. Slope: There is no notable association between slope and basal area based on the linear model fit to the scatter plot. The linear model is almost flat, meaning there is likely no trend in basal area as slope increases. This means the relationship is linear. As a result, my linear model is a good fit because the points are mostly evenly distributed around the line.
- c. Aspect: There is no notable association between aspect and basal area based on the linear model fit to the scatter plot. The linear model is almost flat, meaning there is no trend in basal area as aspect changes. This means the relationship is linear. As a result, my linear model is a good fit because the points are mostly evenly distributed around the line.

^{*}note: I used the abline() and Im() functions to help me create an accurate linear model that fit the data