



DSAN 5300: Statistical Learning

April 30, 2024

<https://github.com/anly512/5300-project-group-6>

Why Americans Travel

Marion Bauman
Georgetown University

Aaron Schwall
Georgetown University

Varun Patel
Georgetown University

Yuhan Cui
Georgetown University

Abstract

INSERT ABSTRACT HERE

Keywords: key, words.

1. Introduction

Americans are in constant transit, utilizing the national interstate and highway system to travel various distances. Whether commuting to work, taking vacations, visiting friends and family, transporting goods and services, or engaging in commerce, people are constantly moving. Understanding U.S. travel patterns provides essential insights into a wide range of fields including environmental protection resource allocation, urban planning, and economic trends. This research aims to understand the motivation behind American travel based on trip specifics. Specifically, we seek to predict the purpose of trips in order to understand the connection between travel details and purpose for travel.

1.1. Relevant Research

A wide variety of industries and stakeholders are interested in understanding travel habits and the usage of American transportation networks.

1.2.

2. Methods

2.1. Data


As a federally funded agency, the Department of Transportation’s Federal Highway Administration seeks to understand how Americans are using the national highway system. Since 1969, the FHA has regularly conducted the National Highway Travel Survey (NHTS) in order to collect detailed data on the travel habits of Americans and their usage of federal transit networks (?). From January 2022 through January 2023, the FHA conducted the 2022 NHTS, receiving responses from 7,XXX households (?). Survey data includes in-depth information regarding each household member’s travel habits across the past 30 days, detailing individual demographic information; household-level demographic information; purpose, location, duration, and mode of transportation for recent travel; and vehicle information (?).

For our research, we chose to utilize the individual demographic information, called the **person** data, along with the trip specific data, called the **trip** data. These two data sources contained XX predictors that were unique for each observation. We selected these table because 1) XX predictors was more than sufficient for modeling, and 2) the household and vehicle level data was shared across different observation, creating potential obfuscation in modeling. The final joined data set of **person** and **trip** data contained XXXX observations and XX features, including one target variable.


2.2. Preprocessing

To prepare the data for modeling, we conducting a thorough cleansing process that included creating human-readable variable names and removing missing or incomplete observations. The final data set was a joined combination between person-level data and trip-level data. After joining, all unique identifier variables and flag variables were removed from the data.

Next, a correlation analysis was conducted to prevent autocorrelation or multicollinearity between variables. An analysis revealed that three variables had correlations over 0.2 with the target variable and were somewhat related in content to the target variable (>0.2). In order to build a more robust model, these three variables, **why_trip**, **trip_purpose_old_schema**, and **reason_for_travel_to** were removed.



Our target variable had five classes for categorizing the purpose of trips. We assessed the balance of the classes in order to ensure our final model would be unbiased. Seven observations with no data for the target variables were omitted.



An analysis of the target variable support shows that the classes are fairly balanced. While there is a distinction between the class sizes, each class has a significantly large sample size to create a fairly unbiased model. Modeling will be assess using balanced metrics in order to verify that final results remain unbiased by class imbalance.

For all modeling, numerical predictors were scaled and centered to normalize predictive influence. Categorical predictors were one-hot encoded, generating binary nomial predictors for each class level.

2.3. Statistical Modeling

In order to predict trip purpose using NHTS data, we trained and assessed five different statistical learning model architectures. We aimed to establish a based

3. Results

What are the results?

4. Conclusion

Conclusion here