

Lehrstuhl für Informatik 4

Verteilte Systeme und Betriebssysteme



Toller Student

Über das Verhältnis zwischen Bachelorarbeit und resultierender Note

Bachelorarbeit im Fach Informatik

14. April 2015

Please cite as:

Toller Student, "Über das Verhältnis zwischen Bachelorarbeit und resultierender Note," Bachelor's Thesis,
Friedrich–Alexander University Erlangen–Nuremberg, Dept. of Computer Science, April 2015.



Über das Verhältnis zwischen Bachelorarbeit und resultierender Note

Bachelorarbeit im Fach Informatik

vorgelegt von

Toller Student

geb. am 1. Dezember 1985
in Hier

angefertigt am

**Lehrstuhl für Informatik 4
Verteilte Systeme und Betriebssysteme**

**Department Informatik
Friedrich-Alexander-Universität Erlangen-Nürnberg**

Betreuer: **Dipl.-Inf. Marianne Mustermann
Max Mustermann, M.Sc.**

Betreuender Hochschullehrer: **Prof. Dr.-Ing. habil. Wolfgang Schröder-Preikschat**

Beginn der Arbeit: **1. Februar 2014**
Abgabe der Arbeit: **1. August 2014**

Erklärung

Ich versichere, dass ich die Arbeit ohne fremde Hilfe und ohne Benutzung anderer als der angegebenen Quellen angefertigt habe und dass die Arbeit in gleicher oder ähnlicher Form noch keiner anderen Prüfungsbehörde vorgelegen hat und von dieser als Teil einer Prüfungsleistung angenommen wurde. Alle Ausführungen, die wörtlich oder sinngemäß übernommen wurden, sind als solche gekennzeichnet.

Declaration

I declare that the work is entirely my own and was produced with no assistance from third parties. I certify that the work has not been submitted in the same or any similar form for assessment to any other examining body and all references, direct and indirect, are indicated as such and have been cited accordingly.

(Toller Student)

Erlangen, 14. April 2015

Abstract

about 1/2 page:

- (1) Motivation (Why do we care?)
- (2) Problem statement (What problem are we trying to solve?)
- (3) Approach (How did we go about it)
- (4) Results (What's the answer?)
- (5) Conclusion (What are the implications of the answer?)

Kurzfassung

Gleicher Text in Deutsch

Inhaltsverzeichnis

Abstract	iv
Kurzfassung	v
1 Introduction	1
1.1 Sample Section	1
1.1.1 Cross References	1
1.1.2 Figures	1
1.1.3 Subfigures	1
1.1.4 Tables	2
1.1.5 Math	2
1.1.6 Units	3
1.1.7 Algorithms	3
1.1.8 Program Code	3
1.1.9 References	4
1.1.10 Acronyms	4
1.1.11 TODOs and FIXMEs	4
2 Fundamentals	5
3 Architecture	6
4 Analysis	7
5 Conclusion	8
Verzeichnisse	9
Abkürzungsverzeichnis	9
Abbildungsverzeichnis	10
Tabellenverzeichnis	11
Listingverzeichnis	12
Literatur	13

Kapitel 1

Introduction

general motivation for your work, context and goals: 1-2 pages

- **Context:** make sure to link where your work fits in
- **Problem:** gap in knowledge, too expensive, too slow, a deficiency, superseded technology
- **Strategy:** the way you will address the problem

1.1 Sample Section

The following samples explain how to insert cross-references, figures and tables, how to set math, algorithms and program code, how to add references, and how to use acronyms.

1.1.1 Cross References

Use the `\label` and `\cref` commands for cross references, e.g. to Abschnitt 1.1.1.

1.1.2 Figures

Abbildung 1.1 shows the distribution of the nodes in the sample setup at time $t = 0$, as well as the initial coverage with a sensing radius of 30 m and the communication graph for a communication range of 50 m.

1.1.3 Subfigures

Abbildungen 1.2a bis 1.2b show the distribution of the nodes in the sample setup at time $t = 0$, as well as the initial coverage with a sensing radius of 30 m and the communication graph for a communication range of 50 m.




Abbildung 1.1 – Coverage and connectivity for a sample replication at time $t = 0$




Abbildung 1.2 – Subfigures showing coverage and connectivity for a sample replication at time $t = 0$

1.1.4 Tables

Tabelle 1.1 gives an overview of the discussed application classes.

1.1.5 Math

Simple inlined equations: $\zeta(t) = \min(\zeta_{**}(t))$. The same in a numbered equation, i.e. Gleichung (1.1):

$$\zeta(t) = \min(\zeta_{**}(t)) \quad (1.1)$$

Equations covering multiple lines should be aligned. Note that the numbering is added automatically, independent of whether the equation is actually referenced or not:

$$sd_{max} = \max((t_{i+1} - t_i) : \zeta(t_i) < 1, i \in [0, |T| - 1]) \quad (1.2)$$

$$\psi_{sd}(t) = \begin{cases} \frac{\Delta t_{sd}}{sd_{max}} & sd_{max} > 0 \\ 1 & sd_{max} = 0 \end{cases} \quad (1.3)$$

$$\zeta_{sd}(t) = \frac{\psi_{sd} - cl_{sd}}{c_{sd} - cl_{sd}} \quad (1.4)$$

Class	application examples	lifetime aspects
Critical, coverage	Forest fire detection, flood detection, nuclear/chemical/biological attack detection, battlefield surveillance, intrusion detection	$c_{ca}/c_{ct}/c_{cb}, c_{ln}, c_{la}, c_{lo}$
Critical, no coverage	Monitoring human physiological data, military monitoring of friendly forces, machine monitoring	$c_{cc}, c_{ln}, c_{la}, c_{lo}$
Noncritical, coverage	Agriculture, smart buildings, habitat monitoring (sensors monitor the inhabitants in a region)	$c_{ac}/c_{tc}/c_{bc}, c_{cc}, c_{sd}$
Noncritical, no coverage	Home automation, habitat monitoring (sensors are attached to animals and monitor their health and social contacts)	c_{cc}, c_{sd}

Tabelle 1.1 – Sensor network applications

1.1.6 Units

Units should be set using the \SI command: the measurements show that the car was accelerating at 5 m/s^2 until it reached its final speed of 100 km/h. Longer unitless numbers or ranges can be typeset using the \num and \numrange commands, respectively: The number 12 345 678 lies in the range of 10 000 000 . . . 20 000 000. Tabelle 1.2 gives an example of how to typeset numbers and units in tables.

1.1.7 Algorithms

Based on the periodically transmitted hello messages, the joining node gets information about its physical neighbors and their adjacent nodes. Algorithmus 1.1 depicts the handling of hello messages.

1.1.8 Program Code

Program code should be omitted, but if absolutely necessary, it should be set as seen in Listing 1.1.

factor		value	unit
M	vehicle mass	1.3250×10^3	kg
g	gravitational constant	9.81	m/s^2
ϑ	road grade	0	°
α		1.1100	g/s
δ		1.9800×10^{-6}	$\text{g s}^2/\text{m}^3$

Tabelle 1.2 – EMIT factors for a category 9 vehicle

Require: Locally stored state of all neighbors in set N

Ensure: Maintain neighbor set N and set virtual address

```

1: Receive neighbor information from node  $N_i$ 
2: if  $N_i \notin N$  then
3:    $N \leftarrow N_i$ 
4: else
5:   Update  $N_i \in N$ 
6: end if
7: if  $P == -1$  AND  $(\text{Time}() - \text{OldTime}) > T_{ps}$  then
8:    $\text{OldTime} \leftarrow \text{Time}()$ 
9:    $\text{SetMyPosition}()$ 
10: end if

```

Algorithmus 1.1 – Handle hello messages

```

1  APPLICATION("printU", 192, arg)
2  {
3      // Set Priority
4      NutThreadSetPriority(16);
5      // main() loop
6      for (;;) {
7          putchar('U');
8          NutSleep(125);
9      }
10 }

```

Listing 1.1 – Sample application

1.1.9 References

To further evaluate the applicability of our definition, we analyzed sensor network applications as surveyed in [1, 2, 4]. Concerning the importance of different lifetime criteria, most of the application scenarios can be grouped into two main classes with two sub-classes each [3].

1.1.10 Acronyms

Acronyms should be explained when first used. Latex helps, e.g. Mobile Ad Hoc Networks (MANETs) have been frequently used as examples for the development of Wireless Sensor Network (WSN) applications.

1.1.11 TODOs and FIXMEs

You can use the the `\TODO` command to add short “sticky notes” to your document.

This is what a TODO looks like

This will also trigger generation of a list-of-TODOs at the end of the document. The same goes for the `\FIXME` command.

This is what a FIX-
ME looks like

Kapitel 2

Fundamentals

Fundamentals / environment and related work: 1/3

- comment on employed hardware and software
- describe methods and techniques that build the basis of your work
- review related work(!)

Kapitel 3

Architecture

Developed architecture / system design / implementation: 1/3

- start with a theoretical approach
- describe the developed system/algorithm/method from a high-level point of view
- go ahead in presenting your developments in more detail

Kapitel 4

Analysis

Measurement results / analysis / discussion: 1/3

- whatever you have done, you must comment it, compare it to other systems, evaluate it
- usually, adequate graphs help to show the benefits of your approach
- caution: each result/graph must be discussed! what's the reason for this peak or why have you observed this effect

Kapitel 5

Conclusion

Conclusion: 1 page

- summarize again what your paper did, but now emphasize more the results, and comparisons
- write conclusions that can be drawn from the results found and the discussion presented in the paper
- future work (be very brief, explain what, but not much how)

Abkürzungsverzeichnis

WSN Wireless Sensor Network

MANET Mobile Ad Hoc Network

Abbildungsverzeichnis

1.1 Coverage and connectivity for a sample replication at time $t = 0$ 2

1.2 Subfigures showing coverage and connectivity for a sample replication at time $t = 0$ 2

Tabellenverzeichnis

1.1	Sensor network applications	3
1.2	EMIT factors for a category 9 vehicle	3



Listingverzeichnis

1.1	Sample application	4
-----	------------------------------	---

Literatur

- [1] Ian F. Akyildiz u. a. “A Survey on Sensor Networks”. In: *IEEE Communications Magazine* 40.8 (2002), S. 102–116.
- [2] Th. Arampatzis, J. Lygeros und S. Manesis. “A Survey of Applications of Wireless Sensors and Wireless Sensor Networks”. In: *13th Mediterranean Conference on Control and Automation*. Limassol, Cyprus, 2005, S. 719–724. ISBN: 0-7803-8937-9. DOI: 10.1109/.2005.1467103.
- [3] Isabel Dietrich und Falko Dressler. “On the Lifetime of Wireless Sensor Networks”. In: *ACM Transactions on Sensor Networks (TOSN)* 5.1 (2009), S. 1–39. DOI: <http://doi.acm.org/10.1145/1464420.1464425>.
- [4] I. Khemapech, I. Duncan und A. Miller. “A Survey of Wireless Sensor Networks Technology”. In: *6th Annual PostGraduate Symposium on the Convergence of Telecommunications, Networking and Broadcasting*. Hrsg. von M. Merabti und R. Pereira. Liverpool, UK, 2005.

Offene Punkte

 This is what a TODO looks like	4
 This is what a FIXME looks like	4