

Cambridge Judge Business School

Job Talk • MIT Sloan • December 2016

Economies of Scale and Scope in Hospitals: An Empirical Study of Volume Spillovers

Michael Freeman

Dec 8, 2016

Joint work with

Nicos Savva, London Business School

Stefan Scholtes, Cambridge Judge Business School



**UNIVERSITY OF
CAMBRIDGE**
Judge Business School



Existing and ongoing research

Patient routing and flow

- Gatekeepers at Work: An Empirical Analysis of a Maternity Unit, *Management Science (Forthcoming)*.
- Gatekeeping Under Uncertainty: An Empirical Study of Referral Errors in the Emergency Department, *Working paper*.

Hospital service redesign

- Economies of Scale and Scope in Hospitals: An Empirical Study of Volume Spillovers, *Management Science (Under Revision)*.
- Fat-Tails in Patient Costs: Evidence and Implications for Tariff-Based Compensation Systems, *Work-in-progress*.

Cambridge University Hospital – 2016




Hospitals follow a path of growth




1964


Main
hospital
building



1983



2007



2016

Is this the most productive way of delivering care?



To answer we need to know whether hospitals are subject to economies of **scale** and/or **scope**...

Economies of scale and scope

Economies of **scale**

- Production costs **reduce** with increased volume of the **focal** activity
 - Theory: e.g. *Debreu (1959); Lancaster (1968); Mansfield (1970)*
 - Empirics: *Banks (Saunders & Walker 1994); electric power (Christensen & Greene 1976); etc.*

Economies of **scope**

- Production costs **reduce** with increased volume of **other** activities
 - Theory: *Teece (1980); Panzar & Willig (1981)*
 - Empirics: *Advertising (Silk & Berndt 1993); cross-industry (Villalonga 2004); drug R&D (Henderson & Cockburn 1993); etc.*

Diseconomies of **scope** (benefits of operational focus)

- Production costs **increase** with increased volume of **other** activities
 - Theory: *Skinner (1974); Heskett (1986)*
 - Empirics: *Airlines (Tsikriktsis 2007); automobile assembly (Fisher & Ittner 1999); manufacturing plants (Brush & Karnani 1996; Scholar 2002); etc.*

Economies of scale and scope in healthcare

Given the importance of economies of scale and scope [*in healthcare*] it is perhaps surprising that **so little is known about their extent and importance**. A systematic literature survey as part of this study revealed very little evidence (either positive or negative) about the issue. Many of the existing studies **focus on the “whole hospital”** rather than particular services and even those studies are often very **limited by poor data and methodologies**.

— “*Economies of scale and scope in healthcare markets*,” *Monitor* (2012).

The fully integrated general hospital



The fully integrated general hospital accommodates:

- Multiple **types** of urgency, e.g. **Emergencies** and **Electives**
- Multiple **service-lines**, e.g. *Orthopedics, Cardiology, Neurology,...*

The fully integrated general hospital



Benefits of the integrated model

Asset amortization

(e.g. Moore 1959; Panzar & Willig 1981)

Variation buffers

(e.g. Schuster et al. 2011; Freeman et al. 2016)

Better meet customer needs

(e.g. Bagozzi 1986; Cravens & Woodruff 1986)

The fully integrated general hospital accommodates:

- Multiple **types** of urgency, e.g. **Emergencies** and **Electives**
- Multiple **service-lines**, e.g. *Orthopedics, Cardiology, Neurology,...*

But, there are doubts...

I'd come from the hospital that day. In medicine, too, we are trying to deliver a range of services to millions of people at a reasonable cost and with a consistent level of quality. Unlike the Cheesecake Factory, we haven't figured out how. Our costs are soaring, the service is typically mediocre, and the quality is unreliable.



By Atul Gawande


“We cannot sit on our laurels and expect that we will be able to continue to deliver services in the same way that we have in the past. If we do not adapt our services to our patients’ needs, they will suffer.”

— *Dr Keith McNeil, Chief Executive, Cambridge University Hospital*

“some of the most managerially intractable institutions in the annals of capitalism”

— *Christensen et al., The Innovator’s Prescription (2009, p.75)*

An alternative to the integrated model?



Memorial Sloan-Kettering
Cancer Center



**Massachusetts
Eye and Ear**

The specialist hospital



Shouldice Hospital

The specialist hospital treats a subset of patients, e.g. with:

- Specific **types** of urgency, e.g. **Emergencies** or **Electives**
- In specific **service-lines**, e.g. *Orthopedics* or *Cardiology* or *Neurology*...

The specialist hospital



Shouldice Hospital

Benefits of the focused model

Organizational simplicity

(e.g. Argote 1982; Birtan 1988)

Learning and experience

(e.g. Pisano et al. 2001; KC & Staats 2012)

Development of specialized expertise

(e.g. Hopp & Lovejoy 2012; Argote 2013)

The specialist hospital treats a subset of patients, e.g. with:

- Specific **types** of urgency, e.g. **Emergencies** or **Electives**
- In specific **service-lines**, e.g. *Orthopedics* or *Cardiology* or *Neurology*...

Which model is better?

Integrated model



Focused model



Does the increased volume achieved in the integrated model from pooling across patient **types** and/or **service-lines** outweigh the reduction in focus?

Research questions

Integrated model



Focused model



Do costs reduce with increased volume of patients:

[scale] of the same type and from the same service-line?

[type-scope] of the other type and from the same service-line?

[service-scope] of the same type and from the other service-lines?

[other-scope] of the other type and from the other service-lines?

Do effects depend on whether the focal patient type is **emergency** or **elective**?

Data

Condition level **cost** and inpatient **activity** data:

- ↳ For the **9** financial years from 2006/07 to 2014/15
 - ↳ For **130** acute hospital trusts operated by the NHS in England
 - ↳ Corresponding to **~105 million** inpatient admissions

Cost and volume data are reported in each year by each hospital,
broken down into one of

~2000 HRGs (treatment/conditions groups)

HRGs: Healthcare Resource Groups


Patients within an HRG are clinically similar and require a relatively homogeneous bundle of resources for their treatment (*Fetter 1991*)

HA11A	Major Hip Procedures for Trauma, Category 2, with Major CC
HA11B	Major Hip Procedures for Trauma, Category 2, with Intermediate CC
HA11C	Major Hip Procedures for Trauma, Category 2, without CC
HA12B	Major Hip Procedures for Trauma, Category 1, with CC
HA12C	Major Hip Procedures for Trauma, Category 1, without CC
HA13A	Intermediate Hip Procedures for Trauma, with Major CC
HA13B	Intermediate Hip Procedures for Trauma, with Intermediate CC
HA13C	Intermediate Hip Procedures for Trauma, without CC

HRG assignment: Automated process, with each patient episode assigned to a unique HRG using information from discharge notes: (*DH 2013*)

- ICD-10 medical diagnosis codes
- OPCS procedure codes
- Contextual information, e.g. patient age and gender
- Any complications or comorbidities


Main data set



Each hospital in each year submits data to government, aggregated to the HRG level, containing:

- The **volume** of patients treated from each HRG
- The average **cost** of treating patients within each HRG
- The average length of stay (LOS) of these patients
- Reported separately for **electives** and **emergencies**

Main data set




Each hospital in each year submits data to government, aggregated to the HRG level, containing:

- The **volume** of patients treated from each HRG
- The average **cost** of treating patients within each HRG
- The average length of stay (LOS) of these patients
- Reported separately for **electives** and **emergencies**

Our data set

~7.2 million observations

Main data set





Each hospital in each year submits data to government, aggregated to the HRG level, containing:

- The **volume** of patients treated from each HRG
- The average **cost** of treating patients within each HRG
- The average length of stay (LOS) of these patients
- Reported separately for **electives** and **emergencies**


Our data set

~7.2 million observations

Aggregate HRG-level data to the service-line level



Aggregate HRG-level data to the service-line level



Service-lines: HRG chapters

14 service-lines

- Nervous System
- Eyes and Periorbita
- Mouth, Head, Neck and Ears
- Respiratory System
- Cardiac Surgery and Primary Cardiac Conditions
- Digestive System
- Hepatobiliary and Pancreatic System
- Musculoskeletal System
- Skin, Breasts and Burns
- Endocrine and Metabolic System
- Urinary Tract and Male Reproductive System
- Female Reproductive System
- Diseases of Childhood and Neonates
- Vascular System

- HRG chapters correspond to major body systems or medical specialties

Unit of analysis

In each of the **130** hospitals h

↳ in each of the **9** years t

↳ in each of the **14** service-lines s :

- **Volume** of elective inpatient admissions
- Average **cost** of treating those electives
- Average **length-of-stay** of those electives

**15,339
observations**

- **Volume** of emergency inpatient admissions
- Average **cost** of treating those emergencies
- Average **length-of-stay** of those emergencies

**15,354
observations**

Methods

We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - Within service-line case-mix adjustment
 - Across service-line normalization
- Independent variables: **Volumes**
 - Four effects: scale, type-scope, service-scope, other-scope
 - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)

Methods

We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - Within service-line case-mix adjustment
 - Across service-line normalization
- Independent variables: **Volumes**
 - Four effects: scale, type-scope, service-scope, other-scope
 - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)



Case-mix adjust costs to avoid estimation bias

- Costs confounded by case-mix variation across hospitals
- Granularity of data set (HRG-level) enables case-mix adjustment
 - ↳ Calculate cost of treating the same “average **elective**” and “average **emergency**” patient within a specialty s at each hospital h and year t

Emergency costs, cardiac conditions



after case-mix adjustment and
w/ hospital fixed effects



Methods


We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - ✓ - Within service-line case-mix adjustment
 - Across service-line normalization
- Independent variables: **Volumes**
 - Four effects: scale, type-scope, service-scope, other-scope
 - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)


Normalizing costs reduces across service-line heterogeneity

- Average cost per patient higher in some service lines than others
 - ↳ Normalize costs by dividing by the average cost from the corresponding service-line

Average cost per patient
by specialty, electives



Costs relative to service-line
specific average



Methods

We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - ✓ - Within service-line case-mix adjustment
 - ✓ - Across service-line normalization
- Independent variables: **Volumes**
 - Four effects: scale, type-scope, service-scope, other-scope
 - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)

Volume measures



Data


Volume of
emergency
and
elective
patients in each
service-line s

Legend:


FS = Focal
service-line

OS = Other
service-lines


Volume measures



Volume measures



Volume measures



Base model

$$\begin{aligned} EmergCost_{hst} = & \alpha_0 + \alpha_1 VolEmergFS_{hst} + \alpha_2 VolElectFS_{hst} + \\ & \alpha_3 VolEmergOS_{hst} + \alpha_4 VolElectOS_{hst} + \vec{\alpha}_5 Controls_{hst} + \delta_{hst} \end{aligned}$$

$$\begin{aligned} ElectCost_{hst} = & \beta_0 + \beta_1 VolElectFS_{hst} + \beta_2 VolEmergFS_{hst} + \\ & \beta_3 VolElectOS_{hst} + \beta_4 VolEmergOS_{hst} + \vec{\beta}_5 Controls_{hst} + \epsilon_{hst} \end{aligned}$$

where $\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$ and $\epsilon_{hst} \sim \mathcal{N}(0, \sigma_\epsilon^2)$

Legend:
FS = Focal service-line
OS = Other service-lines

Base model

[scale] $EmergCost_{hst} = \alpha_0 + \alpha_1 VolEmergFS_{hst} + \alpha_2 VolElectFS_{hst} +$	[type-scope] $\alpha_3 VolEmergOS_{hst} + \alpha_4 VolElectOS_{hst} + \vec{\alpha}_5 Controls_{hst} + \delta_{hst}$
--	---

[service-scope]	[other-scope]
------------------------	----------------------

[scale] $ElectCost_{hst} = \beta_0 + \beta_1 VolElectFS_{hst} + \beta_2 VolEmergFS_{hst} +$	[type-scope] $\beta_3 VolElectOS_{hst} + \beta_4 VolEmergOS_{hst} + \vec{\beta}_5 Controls_{hst} + \epsilon_{hst}$
---	--

[service-scope]	[other-scope]
------------------------	----------------------

where $\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$ and $\epsilon_{hst} \sim \mathcal{N}(0, \sigma_\epsilon^2)$

Legend:

FS = Focal service-line

OS = Other service-lines


Methods

We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - ✓ - Within service-line case-mix adjustment
 - ✓ - Across service-line normalization
- Independent variables: **Volumes**
 - ✓ - Four effects: scale, type-scope, service-scope, other-scope
 - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)


Longitudinal versus cross-sectional effects

- For each of the four volume measures, observe 9 observations per hospital




Longitudinal versus cross-sectional effects

- For each of the four volume measures, observe 9 observations per hospital




Longitudinal versus cross-sectional effects

- For each of the four volume measures, observe 9 observations per hospital



Longitudinal versus cross-sectional effects


- For each of the four volume measures, observe 9 observations per hospital



Volume decomposition

- Volume in hospital h , specialty s , year t : $VolEmergFS_{hst}$
- Volume in hospital h , specialty s : $\mu(VolEmergFS)_{hs}$

Longitudinal volume (Emergency orthopedics)




$$VolEmergFS_{hst} - \mu(VolEmergFS)_{hs}$$

- Captures change in utilization

Volume decomposition

- Volume in hospital h , specialty s , year t : $VolEmergFS_{hst}$
- Volume in hospital h , specialty s : $\mu(VolEmergFS)_{hs}$


Longitudinal volume
(Emergency orthopedics)



$$VolEmergFS_{hst} - \mu(VolEmergFS)_{hs}$$

- Captures change in utilization

Cross-sectional volume
(Emergency orthopedics)




$$\mu(VolEmergFS)_{hs}$$

- Captures structural variation

Volume decomposition

- Volume in hospital h , specialty s , year t : $VolEmergFS_{hst}$
- Volume in hospital h , specialty s : $\mu(VolEmergFS)_{hs}$


Longitudinal volume
(Emergency orthopedics)



$$VolEmergFS_{hst} - \mu(VolEmergFS)_{hs}$$

- Captures change in utilization

Cross-sectional volume
(Emergency orthopedics)



$$\mu(VolEmergFS)_{hs}$$

- Captures structural variation

Main effect of interest

Methods

We use

- Dependent variable: **Costs** – **emergency** and **elective**
 - ✓ - Within service-line case-mix adjustment
 - ✓ - Across service-line normalization
- Independent variables: **Volumes**
 - ✓ - Four effects: scale, type-scope, service-scope, other-scope
 - ✓ - Within-between volume decomposition (*Mundlak 1978*)
- Econometric model
 - Multi-level (hierarchical) model (*Gelman & Hill 2007*)

Multi-level (hierarchical) model

$$\begin{aligned}
 EmergCost_{hst} = & \alpha_{hs} + (Hosp)_h + (Service)_s + (Yr)_t + (HospYr)_{ht} + (ServiceYr)_{st} + \\
 & \gamma_1 VolEmergFS_{hst}^{Lgt} + \gamma_2 VolElectFS_{hst}^{Lgt} + \\
 & \gamma_3 VolEmergOS_{hst}^{Lgt} + \gamma_4 VolElectOS_{hst}^{Lgt} + \\
 & \vec{\alpha}_5 Controls_{hst} + \delta_{hst}
 \end{aligned}$$

[scale]

[type-scope]

where $\alpha_{hs} = \alpha_0 + \alpha_1 VolEmergFS_{hs}^{Cross} + \alpha_2 VolElectFS_{hs}^{Cross} +$
 $\alpha_3 VolEmergOS_{hs}^{Cross} + \alpha_4 VolElectOS_{hs}^{Cross} + \nu_{hs}$

[service-scope]

[other-scope]

with $\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$
 $\nu_{hs} \sim \mathcal{N}(0, \sigma_\nu^2)$

Legend:

FS = Focal service-line

OS = Other service-lines

Multi-level (hierarchical) model

$$\begin{aligned}
 EmergCost_{hst} = & \alpha_{hs} + (Hosp)_h + (Service)_s + (Yr)_t + (HospYr)_{ht} + (ServiceYr)_{st} + \\
 & \gamma_1 VolEmergFS_{hst}^{Lgt} + \gamma_2 VolElectFS_{hst}^{Lgt} + \\
 & \gamma_3 VolEmergOS_{hst}^{Lgt} + \gamma_4 VolElectOS_{hst}^{Lgt} + \\
 & \vec{\alpha}_5 Controls_{hst} + \delta_{hst}
 \end{aligned}
 \quad [\text{controls}]$$

where

$$\begin{aligned}
 \alpha_{hs} = & \alpha_0 + \alpha_1 VolEmergFS_{hs}^{Cross} + \alpha_2 VolElectFS_{hs}^{Cross} + \\
 & \alpha_3 VolEmergOS_{hs}^{Cross} + \alpha_4 VolElectOS_{hs}^{Cross} + \nu_{hs}
 \end{aligned}$$

with

$$\begin{aligned}
 \delta_{hst} & \sim \mathcal{N}(0, \sigma_\delta^2) \\
 \nu_{hs} & \sim \mathcal{N}(0, \sigma_\nu^2)
 \end{aligned}$$

[scale]

[type-scope]

[service-scope]

[other-scope]

Legend:

FS = Focal service-line

OS = Other service-lines

Multi-level (hierarchical) model

[random intercept]

$$EmergCost_{hst} = \alpha_{hs} + (Hosp)_h + (Service)_s + (Yr)_t + (HospYr)_{ht} + (ServiceYr)_{st} + \gamma_1 VolEmergFS_{hst}^{Lgt} + \gamma_2 VolElectFS_{hst}^{Lgt} + \gamma_3 VolEmergOS_{hst}^{Lgt} + \gamma_4 VolElectOS_{hst}^{Lgt} + \vec{\alpha}_5 Controls_{hst} + \delta_{hst}$$

[controls]

[scale]

where

$$\alpha_{hs} = \alpha_0 + \alpha_1 VolEmergFS_{hs}^{Cross} + \alpha_2 VolElectFS_{hs}^{Cross} + \alpha_3 VolEmergOS_{hs}^{Cross} + \alpha_4 VolElectOS_{hs}^{Cross} + \nu_{hs}$$

[type-scope]

with

$$\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$$

$$\nu_{hs} \sim \mathcal{N}(0, \sigma_\nu^2)$$

[service-scope]

[other-scope]

[controls]

Legend:

FS = Focal service-line

OS = Other service-lines

Multi-level (hierarchical) model

[random intercept]

$$EmergCost_{hst} = \alpha_{hs} + (Hosp)_h + (Service)_s + (Yr)_t + (HospYr)_{ht} + (ServiceYr)_{st} + \gamma_1 VolEmergFS_{hst}^{Lgt} + \gamma_2 VolElectFS_{hst}^{Lgt} + \gamma_3 VolEmergOS_{hst}^{Lgt} + \gamma_4 VolElectOS_{hst}^{Lgt} + \vec{\alpha}_5 Controls_{hst} + \delta_{hst}$$

[controls]

[scale]

[type-scope]

where

$$\alpha_{hs} = \alpha_0 + \alpha_1 VolEmergFS_{hs}^{Cross} + \alpha_2 VolElectFS_{hs}^{Cross} + \alpha_3 VolEmergOS_{hs}^{Cross} + \alpha_4 VolElectOS_{hs}^{Cross} + \nu_{hs}$$

[service-scope]

[other-scope]

with

$$\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$$

$$\nu_{hs} \sim \mathcal{N}(0, \sigma_\nu^2)$$

**Models correlation in cost over time
within the same hospital-service-line**

Legend:

FS = Focal service-line

OS = Other service-lines

Multi-level (hierarchical) model

[random intercept]

$$EmergCost_{hst} = \alpha_{hs} + (Hosp)_h + (Service)_s + (Yr)_t + (HospYr)_{ht} + (ServiceYr)_{st} + \gamma_1 VolEmergFS_{hst}^{Lgt} + \gamma_2 VolElectFS_{hst}^{Lgt} + \gamma_3 VolEmergOS_{hst}^{Lgt} + \gamma_4 VolElectOS_{hst}^{Lgt} + \vec{\alpha}_5 Controls_{hst} + \delta_{hst}$$

[controls]

[scale]

[type-scope]

where

$$\alpha_{hs} = \alpha_0 + \alpha_1 VolEmergFS_{hs}^{Cross} + \alpha_2 VolElectFS_{hs}^{Cross} + \alpha_3 VolEmergOS_{hs}^{Cross} + \alpha_4 VolElectOS_{hs}^{Cross} + \nu_{hs}$$

[service-scope]

[other-scope]

with

$$\delta_{hst} \sim \mathcal{N}(0, \sigma_\delta^2)$$

$$\nu_{hs} \sim \mathcal{N}(0, \sigma_\nu^2)$$

**Models correlation in cost over time
within the same hospital-service-line**

Legend:

FS = Focal service-line

OS = Other service-lines

- Adjustment: take $\ln()$ of the cost and volume effects to reduce skewness

Recap: research questions

Integrated model



Focused model



Do costs reduce with increased volume of patients:

[scale] of the same type and from the same service-line?

[type-scope] of the other type and from the same service-line?

[service-scope] of the same type and from the other service-lines?

[other-scope] of the other type and from the other service-lines?

Do effects depend on whether the focal patient type is **emergency** or **elective**?

Results: coefficient estimates

Log-log model interpretation:

- every doubling in the volume of patients from the corresponding row results in an ~x% change in costs / length-of-stay

	Costs		LOS	
	Elective	Emergency	Elective	Emergency
Elect. vol. (focal SL)	−0.057*** (0.009)	0.020*** (0.004)	−0.022*** (0.004)	0.006* (0.003)
Emerg. vol. (focal SL)	0.007 (0.014)	−0.121*** (0.011)	0.021*** (0.006)	−0.081*** (0.008)
Elect. vol. (other SLs)	0.043 (0.030)	0.135*** (0.028)	−0.005 (0.014)	0.069** (0.026)
Emerg. vol. (other SLs)	−0.008 (0.034)	−0.099** (0.031)	0.015 (0.015)	−0.052† (0.028)

Results: economies of scale

[scale]

Marginal effects at the mean:

- a 1,000 patient increase in the number of patient visits p.a. to the “average” hospital results in an ~x% change in costs / length-of-stay

	Costs		Length-of-stay		“average” hospital
	Elective	Emergency	Elective	Emergency	
Cross-sectional effects					
Elect. vol. (focal SL)	−0.022***	0.008***	−0.008***	0.002*	2,640 p.a.
Emerg. vol. (focal SL)	0.002	−0.040***	0.007***	−0.027***	2,990 p.a.
Elect. vol. (other SLs)	0.001	0.004***	−0.000	0.002**	38,210 p.a.
Emerg. vol. (other SLs)	−0.000	−0.002**	0.000	−0.001†	51,540 p.a.
Model fit					
Observations	15,339	15,354	15,339	15,354	
Conditional R^2	0.513	0.623	0.463	0.739	

† $p < 0.10$; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

Results: economies of scope

[type-scope]

Marginal effects at the mean:

- a 1,000 patient increase in the number of patient visits p.a. to the “average” hospital results in an ~x% change in costs / length-of-stay

	Costs		Length-of-stay		“average” hospital
	Elective	Emergency	Elective	Emergency	
Cross-sectional effects					
Elect. vol. (focal SL)	−0.022***	0.008***	−0.008***	0.002*	2,640 p.a.
Emerg. vol. (focal SL)	0.002	−0.040***	0.007***	−0.027***	2,990 p.a.
Elect. vol. (other SLs)	0.001	0.004***	−0.000	0.002**	38,210 p.a.
Emerg. vol. (other SLs)	−0.000	−0.002**	0.000	−0.001†	51,540 p.a.
Model fit					
Observations	15,339	15,354	15,339	15,354	
Conditional R^2	0.513	0.623	0.463	0.739	

† $p < 0.10$; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

Results: economies of scope

[service-scope]

Marginal effects at the mean:

- a 1,000 patient increase in the number of patient visits p.a. to the “average” hospital results in an ~x% change in costs / length-of-stay

	Costs		Length-of-stay		“average” hospital
	Elective	Emergency	Elective	Emergency	
Cross-sectional effects					
Elect. vol. (focal SL)	−0.022***	0.008***	−0.008***	0.002*	2,640 p.a.
Emerg. vol. (focal SL)	0.002	−0.040***	0.007***	−0.027***	2,990 p.a.
Elect. vol. (other SLs)	0.001	0.004***	−0.000	0.002**	38,210 p.a.
Emerg. vol. (other SLs)	−0.000	−0.002**	0.000	−0.001†	51,540 p.a.
Model fit					
Observations	15,339	15,354	15,339	15,354	
Conditional R^2	0.513	0.623	0.463	0.739	

† $p < 0.10$; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

Results: economies of scope

[other-scope]

Marginal effects at the mean:

- a 1,000 patient increase in the number of patient visits p.a. to the “average” hospital results in an ~x% change in costs / length-of-stay

	Costs		Length-of-stay		“average” hospital
	Elective	Emergency	Elective	Emergency	
Cross-sectional effects					
Elect. vol. (focal SL)	−0.022***	0.008***	−0.008***	0.002*	2,640 p.a.
Emerg. vol. (focal SL)	0.002	−0.040***	0.007***	−0.027***	2,990 p.a.
Elect. vol. (other SLs)	0.001	0.004***	−0.000	0.002**	38,210 p.a.
Emerg. vol. (other SLs)	−0.000	−0.002**	0.000	−0.001†	51,540 p.a.
Model fit					
Observations	15,339	15,354	15,339	15,354	
Conditional R^2	0.513	0.623	0.463	0.739	

† $p < 0.10$; * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

Endogeneity concerns

- **Reverse causality:** more productive hospitals may be referred a higher volume of patients (or patients may self select)
 - Health services in the UK are free at the point of care ⇒ little incentive
 - Little evidence that patients or physicians exercise such choice, or even account for quality (Gaynor et al. 2004; Gowrisankaran et al. 2006)
 - *Recent survey: only half of patients in UK offered choice of hospital, 70% chose nearest provider (Dixon et al. 2010)*
 - Re-run analysis on geographically isolated hospitals (for which travel to another provider more inconvenient for patients): no reduction in effect size on this subsample
- **Endogenous service-line formation:** hospitals may choose to offer a subset of elective services, selecting only the most profitable.
 - If this were the case, lower volume hospitals would be more productive (we find the opposite)
 - Re-run analysis on only hospitals that treat >90% of HRGs, no change in results
- *Little concern for endogeneity associated with emergency volume effects, since emergency activity is largely exogenous*

Other robustness checks

- Cost accounting issues: repeated analysis using length of stay data
- Autocorrelated errors: no evidence
- Non-linear volume effects: no evidence (*log-log* formulation already captures diminishing returns to scale/scope)
- Influence of cost outliers: cap extreme costs and re-estimate, consistent
- Rare conditions: re-estimate for set of most common conditions, consistent
- Outliers/Limited service: re-estimate for high volume hospitals (e.g. >.25 median)

Implications

- › Pooling electives and emergencies increases cost of emergencies

Implications

- ▶ Pooling electives and emergencies increases cost of emergencies



- ▶ Pooling service-lines within emergencies reduces costs of emergencies




Implications

- ▶ Pooling electives and emergencies increases cost of emergencies



- ▶ Pooling service-lines within emergencies reduces costs of emergencies




- ▶ No evidence that pooling service-lines within electives has an effect on cost of emergencies
- ▶ Costs reduces from operating focused elective hospitals at high volume

Implications

- ▶ Pooling electives and emergencies increases cost of emergencies



- ▶ Pooling service-lines within emergencies reduces costs of emergencies



- ▶ No evidence that pooling service-lines within electives has an effect on cost of emergencies
- ▶ Costs reduces from operating focused elective hospitals at high volume

Summary

Find support for new hospital business model that separates activity into:

Integrated emergency hospitals



- High volume;
- High complexity, customized;
- Multi-specialty;
- Mainly emergency care

Specialist hospitals for elective care



- High volume;
- Standardizable;
- Specialty-specific;
- Mainly elective care

Summary

Find support for new hospital business model that separates activity into:

Integrated emergency hospitals



- High volume;
- High complexity, customized;
- Multi-specialty;
- Mainly emergency care

Specialist hospitals for elective care




- High volume;
- Standardizable;
- Specialty-specific;
- Mainly elective care

- Evidence suggests there may also be quality benefits (*e.g. Kuntz et al. 2016*)



Counterfactual: Potential cost savings

- ▶ If pairs of hospitals in London split elective service-lines then:
 - Cost reduction of ~4%, saving **£300m+** over sample period
 - Limits need for new capacity



Counterfactual: Potential cost savings

- ▶ If pairs of hospitals in London split elective service-lines then:
 - Cost reduction of ~4%, saving **£300m+** over sample period
 - Limits need for new capacity
- ▶ Establishing one “focused” specialist hospital for each service-line:
 - Cost reduction of ~15%, saving nearly **£1.2bn** over sample period
 - Plus cost savings for the leftover emergency activity in other hospitals



Thank you!

Questions?

Appendix

Full results

	Costs		LOS	
	Elective	Emergency	Elective	Emergency
Within-effects				
Elect. vol. (focal SL)	-0.117*** (0.007)	0.007 (0.004)	-0.062*** (0.003)	0.001 (0.003)
Emerg. vol. (focal SL)	-0.011 (0.012)	-0.162*** (0.008)	0.010† (0.006)	-0.083*** (0.005)
Elect. vol. (other SLs)	-0.129*** (0.031)	0.070* (0.029)	-0.039* (0.016)	0.114*** (0.027)
Emerg. vol. (other SLs)	0.049 (0.032)	-0.162*** (0.031)	0.027† (0.016)	-0.117*** (0.029)
Between-effects				
Elect. vol. (focal SL)	-0.057*** (0.009)	0.020*** (0.004)	-0.022*** (0.004)	0.006* (0.003)
Emerg. vol. (focal SL)	0.007 (0.014)	-0.121*** (0.011)	0.021*** (0.006)	-0.081*** (0.008)
Elect. vol. (other SLs)	0.043 (0.030)	0.135*** (0.028)	-0.005 (0.014)	0.069** (0.026)
Emerg. vol. (other SLs)	-0.008 (0.034)	-0.099** (0.031)	0.015 (0.015)	-0.052† (0.028)
Control structure				
Year	Y	Y	Y	Y
Service line	Y	Y	Y	Y
Hospital	0.072	0.076	0.031	0.073
Hospital:Service line	0.153	0.094	0.065	0.070
Hospital:Year	0.034	0.016	0.020	0.011
Service line:Year	0.080	0.088	0.041	0.092
Residual std. error	0.206	0.138	0.105	0.087
Model fit				
Observations	15,339	15,354	15,339	15,354
Marginal R^2	0.096	0.179	0.107	0.100
Conditional R^2	0.513	0.623	0.463	0.739
Bayesian inf. crit.	481.0	-11,166.4	-20,650.8	-23,870.5

Appendix

Case-mix adjustment

Example of data aggregation process



Emergency Wrist fracture



Num. patients = 2
Avg. cost = £1000
Avg. stay = 3 nights




Emergency Hip fracture



Num. patients = 2
Avg. cost = £5000
Avg. stay = 6 nights

Example of data aggregation process



Within service-line case-mix confounding




Hospital A



Num. patients = **2**
Avg. cost = £1000



Num. patients = **2**
Avg. cost = £5000



Num. patients = **4**
Avg. cost = **£3000**

Within service-line case-mix confounding




Hospital A



Num. patients = 2
Avg. cost = £1000



Num. patients = 2
Avg. cost = £5000



Num. patients = 4
Avg. cost = £3000




Hospital B



Num. patients = 1
Avg. cost = £1000



Num. patients = 3
Avg. cost = £5000



Num. patients = 4
Avg. cost = £4000

Within service-line case-mix confounding







Hospital A



Num. patients = 2
Avg. cost = £1000



Hospital B



Num. patients = 4
Avg. cost = £3000



Num. patients = 4
Avg. cost = £4000

Cost of treating an “average” patient




Hospital A



Avg. num. patients = **1.5**
Avg. cost = £1000



Avg. num. patients = **2.5**
Avg. cost = £5000



Num. patients = 4
Avg. cost = **£3500**




Hospital B



Avg. num. patients = **1.5**
Avg. cost = £1000



Avg. num. patients = **2.5**
Avg. cost = £5000



Num. patients = 4
Avg. cost = **£3500**

Cost of treating an “average” patient




Hospital A



Avg. num. patients = **1.5**
Avg. cost = £1000



Avg. num. patients = **2.5**
Avg. cost = £5000



Num. patients = 4
Avg. cost = **£3500**




Hospital B



Avg. num. patients = **1.5**
Avg. cost = £1000



Avg. num. patients = **2.5**
Avg. cost = £5000



Num. patients = 4
Avg. cost = **£3500**

Appendix

Multi-level modeling

Why a MLM?

MLM estimator

$$y_{it} = \alpha_i + \beta(x_{it} - \bar{x}_i) + \epsilon_{it} \quad \text{where} \quad \alpha_i = \alpha_0 + \gamma\bar{x}_i + \nu_i \quad \text{and} \quad \nu_i \sim \mathcal{N}(0, \sigma_\nu^2)$$

longitudinal effect

cross-sectional effect

Fixed effects estimator

$$\begin{aligned} y_{it} &= \alpha_i + \beta x_{it} + \epsilon_{it} \\ (y_{it} - \bar{y}_i) &= \beta(x_{it} - \bar{x}_i) + \epsilon_{it} \\ y_{it} &= \bar{y}_i + \beta(x_{it} - \bar{x}_i) + \epsilon_{it} \end{aligned}$$

longitudinal effect

Random effects estimator

$$\begin{aligned} y_{it} &= \alpha_i + \beta x_{it} + \epsilon_{it} \\ \text{where } \alpha_i &= \alpha_0 + \nu_i \\ \text{and } \nu_i &\sim \mathcal{N}(0, \sigma_\nu^2) \end{aligned}$$

longitudinal & cross-sectional effect