# HW 9

#### Max Horowitz-Gelb

#### 3/27/17

# $\mathbf{Q}\mathbf{1}$

 $\mathbf{a}$ 

Let  $T_0=0$  represent the time at 8 AM. Then the probability that no people show up from 8 to 10 AM is equal to

$$P(T_1 - T_0 > 2) = 1 - F_{exp(3)}(2) = 0.00248$$

b

 $T_n$  is a Poisson process with rate 3 so by definition,  $T_1 - T_0 \sim exp(3)$ 

## $\mathbf{Q2}$

a

Let  $T_n$  be a Poisson process of cars passing through. Then let  $T_0 = 0$  be the last time a car passed before the dear crosses the road. Then let  $\alpha \geq 0$  be the time at which the dear crosses the road. Then the probability that a car hits the dear is equivalent to

$$P(T_k - \alpha < 1/12)$$

where  $T_k = min\{T_n : T_n > \alpha\}$  Because of the memoryless of the exponential distribution this is equal to,

$$\sum_{i>0} p(k=i) F_{exp(6)}(1/12) = F_{exp(6)}(1/12) \sum_{i>0} p(k=i) = F_{exp(6)}(1/12) = 0.39347$$

#### b

If the deer only needs 2 seconds to cross the road then the problem is the same and the probability of getting hit is,

$$F_{exp(6)}(1/30) = 0.18127$$

### Q3

If A is the total number of muons in the day, then A is a sum of 3 Poisson random variables  $X_1, X_2, X_3$ , representing different the different signal rates throughout the day. We then have that

$$X_1 \sim 8Poisson(240), \qquad X_2 \sim 9Poisson(360), \qquad X_3 \sim 7Poisson(420)$$

Then since a sum of Poissons is Poisson,

$$A \sim Poisson(8100)$$

And therefore,

$$Var(A) = 8100$$

### Q4

Let  $Y_1,...Y_N$  be a set of iid random variables representing the amount of money withdrawn from each customer, each with mean 30 and variance 400. Then let N be a Poisson random variable with rate 80 representing the number of customers over the span of 8 hours. Finally let  $S = \sum_{i=1}^N Y_i$  be the total amount of money withdrawn Then since  $|E[Y_i]| = 30 < \infty$  and  $E[N] = 80 < \infty$ 

$$E[S] = E[N] \cdot E[Y_i] = 80 * 30 = 2400$$

and since N is Poisson with finite rate then,

$$Var(S) = 80 * E[Y_i^2] = 80 * (Var(Y_i) + E[Y_i]^2) = 80 * (400 + 900) = 104000$$
  
$$Stdev(S) = 104000^{0.5} = 322.49031$$

#### $Q_5$

Let  $X_1,...X_N \in \{E, \bar{E}\}$  be a set of independent random variables representing whether each person is enthusiastic or not where N is a Poisson random variable with mean 60.

Then let  $N_E=|\{X_i:X_i=E\}|$  and  $N_{\bar{E}}=|\{X_i:X_i=\bar{E}\}|$ . Then since  $X_1,...X_N$  are iid, then  $N_E\sim Poisson(40)$  and  $N_{\bar{E}}\sim Poisson(20)$ 

Then let  $Y_{E,1},...Y_{E,N_E}$  be the random variables of work done by enthusiastic workers and let  $S_E=Y_{E,1}+...+Y_{E,N_E}$ .

Then since  $Y_{E,i}$ ,  $N_E$  have finite mean and variance.

$$E[S_E] = E[N_E] \cdot E[Y_{E,i}] = 40 * 10 = 400$$
  
 $Var[S_E] = E[N_E] * E[Y_{W,i}^2] = 40 * (25 + 100) = 5625$ 

Then let  $Y_{\bar{E},1},...,Y_{\bar{E},N_{\bar{E}}}$  be the random variables of work done by lazy workers and let  $S_{\bar{E}}=Y_{\bar{E},1}+...+Y_{\bar{E},N_{\bar{E}}}$ .

Then since  $Y_{\bar{E},i}, N_{\bar{E}}$  have finite mean and variance.

$$\begin{split} E[S_{\bar{E}}] &= E[N_{\bar{E}}] \cdot E[Y_{\bar{E},i}] = 20 * 3 = 60 \\ Var[S_{\bar{E}}] &= E[N_{\bar{E}}] * E[Y_{\bar{E},i}^2] = 20(4+9) = 260 \end{split}$$

Then let  $S=S_E+S_{\bar E}$  be the total number of cans picked up. Then since  $S_E\bot S_{\bar E}$ 

$$E[S] = E[S_E] + E[S_{\bar{E}}] = 400 + 60 = 460$$

$$Var(S) = Var(S_{\bar{E}}) + Var(S_{\bar{E}}) = 5625 + 260 = 5885$$
  
 $Stdev(S) = 76.71375$ 

#### Q6

Let  $N_T(t), N_S(t)$  be the number of trout and salmon caught after time t respectively. Since the probability of each catch being a trout or a salmon is independent of other catches, then  $N_T(t)$  and  $N_S(t)$  are two independent Poisson process, with

$$N_T(t) \sim Poisson(0.6*2*t), \qquad N_S(t) \sim Poisson(0.4*2*t)$$
 So,

$$P(N_T(2.5) = 2, N_S(2.5)) = f_{Poisson(3)}(2) * f_{Poisson(2)}(1) = 0.06064$$

#### $\mathbf{Q7}$

a

Since whether she writes a speeding or a DWI ticket is independent of all other tickets. We can represent the tickets she writes by two independent Poisson processes. Let  $N_S(t), N_D(t)$  be two independent Poisson processes of the number of speeding and DWI tickets written after time t respectively. Then

$$N_S(t) \sim Poisson((2/3)*6*t)$$
  $N_D(t) \sim Poisson((1/3)*6*t)$ 

Then let  $S_S(t) = 100 * N_S(t)$  be the total revenue made from speeding tickets after time t.

Then,

$$E[S_S(1)] = 100 * E[N_S(1)] = 100 * 4 = 400$$

and,

$$Var(S_S(1)) = 100^2 * Var(N_S(1)) = 100^2 4 = 40000$$

Then let  $S_D(t) = 400 * N_D(t)$  be the the total revenue made from DWI tickets after time t,

Then,

$$E[S_D(1)] = 400 * E[N_D(t)] = 400 * 2 = 800$$

and,

$$Var(S_D(1)) = 400^2 Var(N_D(t)) = 400^2 * 2 = 320000$$

Then let  $S(t) = S_D(t) + S_S(t)$  be the total revenue made after time t. Then since  $S_D(t) \perp S_S(t)$ ,

$$E[S(1)] = E[S_D(1)] + E[S_S(1)] = 400 + 800 = 1200$$

and,

$$Var(S(1)) = Var(S_D(1)) + Var(S_S(1)) = 40000 + 320000 = 360000$$
  
 $Stdev(S(1)) = 600$ 

b