000			
001	Evaluating F	Representation Learning with Refero	ence Games
002			
003			
004			
005		<b>Anonymous ACL submission</b>	
006			
007			
008			
009			
010			
011			
012	Abstra	act	
013	TODO		
014	1000		
015	A Appendices		
016			
017			
017			
019			
)20 )21			
)22			
023			
023			
025			
026			
027			
)28 )29			
030			
031 032			
033			
033			
034			
036			
037			
037			
039			
040			
040			
042			
042			
043			
045			
046			
047			
048			
049			
-			

Model	100%	50%	25%	10%	5%	1%
RNN	86.08	83.60	81.72	77.57	75.35	60.59
RNN+	$\bf 86.55$	84.29	82.02	79.26	73.45	56.48
GloVe	83.81	82.78	81.87	79.45	77.03	56.74
Word2Vec	83.81	82.13	81.78	79.43	71.23	56.33
SkipThought	82.39	79.15	79.00	75.44	69.76	56.75
InferSent	85.95	83.19	82.75	75.93	74.03	57.16
BERT	83.21	80.94	78.74	73.99	66.54	54.31
GPT (OpenAI)	82.86	79.62	75.93	69.33	66.24	48.74
GPT2	84.22	80.85	79.30	75.44	63.22	53.64
CTRL	83.62	82.52	81.48	78.42	76.43	63.29
Transformer-XL	83.21	80.98	78.59	75.91	72.33	54.61
XLNet	80.98	79.24	78.07	73.80	67.04	57.08
XLM	80.01	76.54	72.83	70.86	60.20	50.72
DistilBERT	83.49	81.93	81.01	75.16	71.83	57.48
RoBERTa	83.68	80.03	79.04	69.74	63.87	52.45

Table 1: Evaluation of several language representations on the Colors in Context dataset. We vary the amount of training data used in transfer learning from 100% (30k examples) to 1% (300 examples).

Model	100%	50%	25%	10%
RNN	39.17	38.89	37.72	35.57
RNN+	42.78	40.28	38.06	36.11
GloVe	39.72	38.06	35.83	31.94
Word2Vec	36.67	36.11	35.28	32.78
SkipThought	40.56	35.28	33.06	33.33
InferSent	37.78	35.83	33.61	31.39
BERT	36.11	34.72	34.44	32.22
GPT (OpenAI)	40.83	34.72	34.44	33.89
GPT2	37.22	36.11	36.11	30.28
CTRL	41.94	33.06	31.67	30.28
Transformer-XL	36.39	35.00	32.78	32.50
XLNet	43.33	36.67	35.28	34.17
XLM	38.61	36.94	36.38	29.72
DistilBERT	38.61	37.22	33.89	32.50
RoBERTa	39.44	38.89	34.44	33.61

Table 2: Evaluation of several language representations on the ColorGrids in Context dataset. We vary the amount of training data used in transfer learning from 100% (2.3k examples) to 10% (230 examples).

Model	Text	100%	50%	25%	10%	5%	1%
Vanilla	RNN						
Vanilla	GloVe						
Vanilla	Word2Vec						
Vanilla	SkipThought						
Vanilla	InferSent						
Vanilla	BERT						
Vanilla	GPT (OpenAI)						
Vanilla	GPT2						
Vanilla	CTRL						
Vanilla	Transformer-XL						
Vanilla	XLNet						
Vanilla	XLM						
Vanilla	DistilBERT						
Vanilla	RoBERTa						
VGG19	RNN						
VGG19	GloVe						
VGG19	Word2Vec						
VGG19	SkipThought						
VGG19	InferSent						
VGG19	BERT						
VGG19	GPT (OpenAI)						
VGG19	GPT2						
VGG19	CTRL						
VGG19	Transformer-XL						
VGG19	XLNet						
VGG19	XLM						
VGG19	DistilBERT						
VGG19	RoBERTa						
ResNet34	RNN						
ResNet34	GloVe						
ResNet34	Word2Vec						
ResNet34	SkipThought						
ResNet34	InferSent						
ResNet34	BERT						
ResNet34	GPT (OpenAI)						
ResNet34	GPT2						
ResNet34	CTRL						
ResNet34	Transformer-XL						
ResNet34	XLNet						
ResNet34	XLM						
ResNet34	DistilBERT						
ResNet34	RoBERTa						

Table 3: Evaluation (Part 1 of 2) of several multimodal representations on the Chairs in Context dataset.

Model	Text	100%	50%	25%	10%	5%	1%
IR (ImageNet)	RNN				_		
IR (ImageNet)	GloVe						
IR (ImageNet)	Word2Vec						
IR (ImageNet)	SkipThought						
IR (ImageNet)	InferSent						
IR (ImageNet)	BERT						
IR (ImageNet)	GPT (OpenAI)						
IR (ImageNet)	GPT2						
IR (ImageNet)	CTRL						
IR (ImageNet)	Transformer-XL						
IR (ImageNet)	XLNet						
IR (ImageNet)	XLM						
IR (ImageNet)	DistilBERT						
IR (ImageNet)	RoBERTa						
LA (ImageNet)	RNN						
LA (ImageNet)	GloVe						
LA (ImageNet)	Word2Vec						
LA (ImageNet)	SkipThought						
LA (ImageNet)	InferSent						
LA (ImageNet)	BERT						
LA (ImageNet)	GPT (OpenAI)						
LA (ImageNet)	GPT2						
LA (ImageNet)	CTRL						
LA (ImageNet)	Transformer-XL						
LA (ImageNet)	XLNet						
LA (ImageNet)	XLM						
LA (ImageNet)	DistilBERT						
LA (ImageNet)	RoBERTa						
VAE (COCO)	RNN						
VAE (COCO)	GloVe						
VAE (COCO)	Word2Vec						
VAE (COCO)	SkipThought						
VAE (COCO)	InferSent						
VAE (COCO)	BERT						
VAE (COCO)	GPT (OpenAI)						
VAE (COCO)	GPT2						
VAE (COCO)	CTRL						
VAE (COCO)	Transformer-XL						
VAE (COCO)	XLNet						
VAE (COCO)	XLM						
VAE (COCO)	DistilBERT						
VAE (COCO)	RoBERTa						
IR (COCO)	IR (COCO)						
VAEVAE (COCO)	VAEVAE (COCO)						
VAEVAE (COCO)	VAEVAE (COCO) VAEGAN (COCO)						

Table 4: Evaluation (Part 2 of 2) of several multimodal representations on the Chairs in Context dataset.