
## (A) Bayes factor in favour of alternative moderate evidence against the null

'	nouerale	eviderice	ayallısı il	ie Hull	
2.00 STs	0.29	0.16	0.1	0.07	0.07
	0.35	0.19	0.13	0.09	0.08
	0.43	0.22	0.14	0.1	0.09
	0.49	0.25	0.17	0.12	0.1
	0.52	0.28	0.2	0.13	0.12
	0.56	0.32	0.23	0.16	0.13
	0.68	0.38	0.25	0.17	0.16
	0.7	0.43	0.28	0.21	0.18
	0.81	0.49	0.31	0.24	0.21
	0.9	0.53	0.37	0.27	0.23
1.50 STs -	0.99	0.62	0.4	0.3	0.25
	1.04	0.7	0.46	0.34	0.28
	1.17	0.74	0.5	0.4	0.31
	1.29	0.81	0.55	0.43	0.35
	1.41	0.9	0.64	0.49	0.4
	1.48	1.01	0.67	0.53	0.44
	1.6	1.11	0.76	0.57	0.48
	1.69	1.19	0.85	0.66	0.53
	1.9	1.28	0.95	0.73	0.58
	1.99	1.48	1	0.82	0.65
1.00 STs -	2.3	1.58	1.14	0.9	0.71
	2.35	1.67	1.24	0.97	0.8
	2.57	1.82	1.32	1.07	0.87
	2.57	2.02	1.45	1.23	0.96
	2.86	2.19	1.58	1.33	1.07
	3.07	2.39	1.74	1.44	1.2
	3.17	2.57	1.92	1.59	1.31
	3.47	2.81	2.09	1.77	1.4
	3.68	3.07	2.28	1.94	1.55
	3.96	3.17	2.63	2.14	1.71
0.50 STs =	4.32	3.63	2.75	2.3	1.93
	4.36	3.8	3.05	2.49	2.1
	4.61	4.1	3.35	2.73	2.28
	4.92	4.44	3.54	2.93	2.43
	5.13	4.72	3.77	3.14	2.57
	5.35	4.97	3.97	3.35	2.77
	5.22	5.3	4.21	3.6	2.92
	5.63	5.16	4.37	3.7	3.01
	5.53	5.45	4.45	3.72	3.16
0.05 STs	5.55	5.35	4.52	3.86	3.23
	1	1.5	2	2.5	3

prior standard deviation



BF

10 < strong for H1 3 < moderate for H1 1 = inconclusive 0.33 > moderate for H0 0.1 > strong for H0 0.03 > very strong for H0