Micro HW7

Michael B. Nattinger*

October 16, 2020

1 Question 1

1.1 Part A

Let u be linear, so for some $c,d \in \mathbb{R}$, u(m) = cm + d. Then, U(a) = pu(w+2a) + (1-p)u(w-a) = p(c(w+2a)+d) + (1-p)(c(w-a)+d) = pcw+2pca+cw-ca+d-pcw+pca-pd = (3p-1)ca+cw+d-pd. $a = \arg\max_{0 \le a \le w} (3p-1)ca+cw+d-pd$ = $\arg\max_{0 \le a \le w} (3p-1)ca$. If $3p-1>0 \Rightarrow p>\frac{1}{3}$ then the objective function is maximized when a is maximized, so a=w. If $3p-1<0 \Rightarrow p<\frac{1}{3}$ then the objective function is maximized when a is minimized, so a=0.

1.2 Part B

 $\frac{\partial U}{\partial a}(0) = 2pu'(w) - (1-p)u'(w) > 0$ because u'(x) is positive as u is strictly increasing, and 2p > 1 - p as $p > \frac{1}{3}$.

1.3 Part C

Let $a, b \in (0, w)$ and let $t \in (0, 1)$. By the strict concavity of u, since u'' < 0, U(ta + (1-t)b) = pu(w + 2(ta + (1-t)b)) + (1-p)u(w - (ta + (1-t)b)) = pu(t(w + 2a) + (1-t)(w + 2b)) + (1-p)u(t(w-a) + (1-t)(w-b)) > p(tu(w + 2a) + (1-t)u(w + 2b)) + (1-p)(tu(w-a) + (1-t)u(w + 2b)) = tU(a) + (1-t)U(b) so U is concave.

1.4 Part D

If u'(0) is infinite, $\frac{\partial U}{\partial a}(w)=2pu'(3w)-(1-p)u'(0)=-\infty$ so investing all of your wealth is not optimal. If u'(0) is not infinite then $\frac{\partial U}{\partial a}(w)=2pu'(3w)-(1-p)u'(0)\geq 0\Rightarrow p(2u'(3w)+u'(0))\geq u'(0)\Rightarrow p\geq \frac{u'(0)}{2u'(3w)+u'(0)}$ so if $p\geq \bar p=\frac{u'(0)}{2u'(3w)+u'(0)}=\bar p$ then it is optimal to invest all of your wealth.

^{*}I worked on this assignment with my study group: Alex von Hafften, Andrew Smith, Ryan Mather, and Tyler Welch. I have also discussed problem(s) with Emily Case, Sarah Bass, and Danny Edgel.

1.5 Part E

 $\operatorname*{arg\,max}_{0 \leq a \leq w} p(1 - e^{-c(w + 2a)}) + (1 - p)(1 - e^{-c(w - a)}) = \operatorname*{arg\,max}_{0 \leq a \leq w} p - pe^{-cw}e^{-2ca} + (1 - p) - (1 - p)e^{-cw}e^{ca} = \operatorname*{arg\,max}_{0 \leq a \leq w} - pe^{-cw}e^{-2ca} - (1 - p)e^{-cw}e^{ca} = \operatorname*{arg\,max}_{0 \leq a \leq w} e^{-cw}(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} e^{-cw}(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_{0 \leq a \leq w} \log(-pe^{-2ca} - (1 - p)e^{-cw}e^{-a}) = \operatorname*{arg\,max}_$

1.6 Part F

Let A(x) be decreasing. Then,

$$\frac{d}{dw}U'(a) = 2pu''(w+2a) - (1-p)u''(w-a) = -2pu'(w+2a)A(w+2a) + (1-p)u'(w-a)A(w-a).$$

At the optimum, $U'(x^*(w)) = 0 \Rightarrow 2pu'(w+2a) = (1-p)u'(w-a)$ so,

$$\frac{d}{dw}U'(a)|_{a=a^*(w)} = (1-p)u'(w+2a^*)(-A(w+2a^*) + A(w-a^*)).$$

Since u'(x) > 0 and A is decreasing $\Rightarrow (-A(w+2a^*) + A(w-a^*)) > 0$ so $\frac{d}{dw}U'(a)|_{a=a^*(w)} > 0$ so our marginal utility from a is strictly increasing in w, so a^* is strictly increasing in w.

1.7 Part G

$$\begin{split} \arg\max_{0 \leq t \leq 1} pu(w(1+2t)) + (1-p)u(w(1-t)) &= \arg\max_{0 \leq t \leq 1} pu(w(1+2t)) + (1-p)u(w(1-t)) \\ &= \arg\max_{0 \leq t \leq 1} p\frac{1}{1-\rho}(w(1+2t))^{1-\rho} + (1-p)\frac{1}{1-\rho}(w(1-t))^{1-\rho} = \arg\max_{0 \leq t \leq 1} w^{1-\rho}(p\frac{1}{1-\rho}(1+2t)^{1-\rho}) \\ &= \arg\max_{0 \leq t \leq 1} log(w^{1-\rho}) + log(p\frac{1}{1-\rho}(1+2t)^{1-\rho}) + (1-p)\frac{1}{1-\rho}(1-t)^{1-\rho}) \\ &= \arg\max_{0 \leq t \leq 1} log(p\frac{1}{1-\rho}(1+2t)^{1-\rho}) + (1-p)\frac{1}{1-\rho}(1-t)^{1-\rho}) \text{ which does not depend on } \\ w \end{split}$$

1.8 Part H

Let R(x) be increasing.

$$\frac{d}{dw}U'(a) = 2pu''(w+2a) - (1-p)u''(w-a) = -2p\frac{u'(w+2a)}{w+2a}R(w+2a) + (1-p)\frac{u'(w-a)}{w-a}R(w-a)
= -(1-p)\frac{u'(w-a)}{w+2a}R(w+2a) + (1-p)\frac{u'(w-a)}{w-a}R(w-a)
= (1-p)u'(w-a)\left(-\frac{R(w+2a)}{w+2a} + \frac{R(w-a)}{w-a}\right).$$