Part 8— Evaluation

Design

Task analysis
Human capabilities
Conceptual models
Design heuristics

Evaluate

Today: user centered and Heuristic evaluation

Implement

Prototyping

Introduction

Evaluations assess design and implementation

Formative evaluation during development (cook tastes the soup)

Summative evaluation at completion of project (guests taste the soup)

Ideally, evaluation should be considered at all stages in the design life cycle

- That's practically difficult but formal methods (such as expert-based methods – coming on later slides) can and should be used
- Later, we'll talk about how to plan and conduct actual user evaluations

Introduction

Since evaluation should be considered at all life cycle stages, there is a link between:

- evaluation & design techniques
- evaluation & prototyping techniques
- evaluation & implementation techniques
- Etc.

Goals of Evaluation

- Assess extent of system performance and functionality (the tasks that users are interested in)
- Assess effect of the user interface on the user
 - (the user's experience of the interaction e.g., easy to learn, easy to use, satisfaction etc., and the usability attributes e.g., learnability, speed of operation, robustness, recoverability, adaptability)
- Identify specific problems (e.g., errors, confusion, unexpected results)

[the above goals are of course interrelated...]

Evaluation Techniques

Evaluation techniques can be categorized as follows:

- Expert-based
- Model-based
- User-based (user-centered evaluation)

Expert-based Evaluation Techniques

Expert-based evaluation techniques are also referred to as **expert analysis techniques**

Evaluation through expert analysis is done because:

- It can be expensive to regularly carry out user tests at all life cycle stages
- Moreover, it can be difficult to get an accurate assessment based on incomplete designs and prototypes

Expert-based Evaluation Techniques

Expert analysis characteristics:

- Designer or HCI expert assesses a design based on known/standard cognitive principles, design principles or empirical results
- Expert analysis methods can be used at any stage in the life cycle
- Expert analysis methods are relatively cheap
- Expert analysis methods, however, do not assess the actual use of the system

Examples of expert analysis methods:

- Heuristic Evaluation (HE)
- Cognitive Walkthrough (CW)

Heuristic Evaluation

- ☐ Heuristic Evaluation (HE) was proposed by Nielsen and Molich
- □ In HE, experts scrutinize the interface and its elements against established usability heuristics (the traditional and modified Heuristics)
- ☐ The experts should have some background knowledge or experience in HCI design and usability evaluation

Heuristic Evaluation – the process

- ❖3 to 5 experts are considered to be sufficient to detect most of the usability problems
- ❖The enlisted experts are provided with the proper roles (and sometimes scenarios to use) to support them when interacting with the system/prototype under evaluation
- They then evaluate the system/prototype individually
 - ❖This is to ensure an independent and unbiased evaluation by each expert
- They assess the user interface as a whole and also the individual user interface elements
- The assessment is performed with reference to a set of established usability principles
- When all the experts are through with the assessment, they come together and compare and appropriately aggregate their findings

Cognitive Walkthrough

- Cognitive Walkthrough (CW) was proposed by Polson et al.
- CW evaluates design on how well the design supports user in learning the task to be performed [primarily through exploration i.e. hands on]
- CW is usually performed by expert in cognitive psychology
- The expert 'walks through' the design [i.e. steps through each step of some known/representative task] to identify potential problems

Cognitive Walkthrough - requirements

Four requirements in order to perform the CW:

- specification or prototype of the system
- description of the task the user is to perform
- complete, written list of actions constituting the task
- description of the user (including the level of experience and knowledge)

Cognitive Walkthrough – the process

With the foregoing information, the evaluator steps through each of the actions trying to answer the following 4 questions:

- is the effect of the action the same as the user's goal at that point? [what the action will do/action's effect should be what the user intends/user's goal.]
- will users see that the action is available [when they want it]visibility at that time?
- once users have found the correct action [as in the foregoing], will they know/recognize it is the one they need? [effective representation of the action, clear representation.]
- after the action is taken, will users understand the feedback they get? [effective confirmation that the action has been taken.]

Cognitive Walkthrough – the process


Forms are used to guide analysis e.g.

- cover form [for the four requirements above, date, time, evaluators of the CW],
- answer form [for answering the four questions above],
- usability problem report [for describing any negative answers/problems, severity of the problem e.g. frequency of occurrence and seriousness of the problem, date, time, evaluators]

Reading Assignment: Model-Based Evaluation

For instance: Dialog models (such as State Transition Networks) can be used to evaluate dialog problems in a user interface e.g. unreachable states, circular dialogs, etc.

Note: Model-based evaluation is sometimes classified under expert-based evaluation techniques



User-Based Evaluation


User-based evaluation basically is evaluation through user participation i.e. evaluation that involves the people for whom the system is intended; the users

User-based evaluation techniques include:

- experimental methods
- observational methods
- query techniques (e.g., questionnaires and interviews)
- physiological monitoring methods (e.g., eye tracking, measuring skin conductance, measuring heart rate)

User-based methods can be conducted in the laboratory and/or in the field

Usability Laboratory



User-Based Evaluation

Laboratory

Advantages:

- Specialist equipment available
- Uninterrupted environment

Disadvantages:

- Lack of context (not in their natural environment)
- Difficult to observe several users cooperating

Appropriate:

- If system usage location is dangerous, remote or impractical
- For very constrained single-user tasks [to allow controlled manipulation of use]
 - military systems, airplane systems

User-Based Evaluation

Field or Working Environment

Advantages:

- Natural environment
- Context retained (though observation may alter it)
- Longitudinal studies possible

Disadvantages:

 Field challenges e.g., distractions, interruptions, movements, danger, noise

Appropriate:

- Where context is crucial [especially for longitudinal studies]
 - Customer management system to manage customer preferences

User-Based Evaluation Techniques

User-based evaluation techniques include:

- experimental methods
- observational methods
- query techniques
- physiological monitoring methods

Experimental Methods

Experimental methods are also called controlled experiments

Controlled experiments are:

- considered to be the most rigorous of empirical methods
- capable of providing empirical evidence to support a particular claim or hypothesis

Note:

- Empirical research, is a way of gaining knowledge by means of direct and indirect observation or experience.
- Empirical evidence, also known as sensory experience, is the knowledge received by means of the senses, particularly by observation and experimentation

Experimental Methods

What makes up the Experiment?

- Participants
 - Should match the expected users as closely as possible e.g., age, education, general computing experience, domain knowledge, etc.
 - Sample size of the participants should be large enough to be considered representative of the population
- Variables (two types: independent and dependent)
- Hypothesis (The testable statement to accept or reject according to the results)

Experimental Methods

Example:

We want to find out whether users perform faster when using a graphical user interface than when using a command-line interface

Independent variable (IV): interaction mode (with two levels: graphical vs. command-line)

Dependent variable (DV): task completion time

Hypothesis: Users perform faster (DV) when using a graphical user interface (IV level one) than when using a command-line interface (IV level two)

Null hypothesis: There is no difference in performance (DV) when using a graphical user interface (IV level one) or when using a command-line interface (IV level two)

There are two conditions: Graphical (G) and Command-line (C)

Observational methods include:

- think aloud
- cooperative evaluation
- protocol analysis,
- post-task walkthroughs

Think aloud

User is observed performing task

User is asked to describe what s/he is doing and why, what s/he thinks is happening, etc.

Advantages:

- Simplicity requires little expertise
- Can provide useful insight
- Can show how system is actually used

Disadvantages:

- Subjective [really depends on the user]
- Selective [out of many things, the user may choose what to describe]
- Act of describing may alter task performance

Protocol Analysis

- Paper and pencil: cheap, limited to writing speed
- Audio: good for think aloud, difficult to record sufficient information to identify exact actions in later analysis, difficult to match with other protocols ('synchronization')
- Video: accurate and realistic, needs special equipment, obtrusive
- Computer logging: automatic and unobtrusive, large amounts of data difficult to analyze
- User notebooks: coarse and subjective, useful insights, good for longitudinal studies

Note:

- Mixed use in practice
- Audio/video transcription difficult and requires skill
- Some automatic support tools available e.g., EVA (Experimental Video Annotator),
 Observer Pro (from Noldus), Workplace project (Xerox PARC), etc.

Post-task Walkthrough

- Transcript played back to participant for comment i.e. user reacts on action after the event
- Used to fill in intention i.e. reasons for actions performed and alternatives considered
- It also is necessary where think aloud is not possible

Advantages:

- Analyst has time to focus on relevant incidents
- Avoids excessive interruption of task

Disadvantages:

- Lack of freshness
- May be post-hoc interpretation of events

Query Techniques

Query techniques

- Questionnaires
- interviews

Cooperative Evaluation

Reading Assignment:

Describe this evaluation method

Physiological Monitoring Methods

Physiological Monitoring Methods such as eye tracking, measuring skin conductance, measuring heart rate etc.

Example: Eye-tracking

- •Head or desk mounted equipment tracks the position of the eye
- Eye movement reflects the amount of cognitive processing a display requires
- Measurements include: fixations, scan paths, etc. For instance:
 - number of fixations
 - duration of fixation
 - scan paths: moving straight to a target with a short fixation at the target is optimal

Physiological Monitoring Methods

Physiological Measurements

Emotional response linked to physical changes

These may help determine a user's reaction to a user interface

Measurements include: heart, sweat, muscle, brain. For instance:

- heart activity: e.g. blood pressure, volume and pulse.
- activity of sweat glands: Galvanic Skin Response (GSR)
- electrical activity in muscle: electromyogram (EMG)
- electrical activity in brain: electroencephalogram (EEG)

There is some difficulty in interpreting these physiological responses; more research is needed

Choosing an Evaluation Method

Factors that can influence the choice

when in process : design vs. implementation

style of evaluation: laboratory vs. field

how objective : subjective vs. objective

• type of measures : qualitative vs. quantitative

level of information: high level vs. low level

• level of interference: obtrusive vs. unobtrusive

• resources available: time, subjects, equipment, expertise

Reading Assignment

In user-centered design, what are mental models?

• What is a designer mental model and a user mental model?

In HCI, what is a Loop of Interaction?

• What are the main aspects in loop of interaction?

Why is it crucial to include error messages during the design of user interfaces?

Why is the correct use of color important in user interface design?

What are the characteristics of a poorly designed website?