



fixing source dimension k = 3ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 1.00 1.25 1.50 1.75 2.00 2.25 2.50 2.75 3.00 r (transfer dimension)

fixing source dimension k = 4ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 2.0 2.5 3.0 1.0 1.5 3.5 4.0 r (transfer dimension)

fixing source dimension k = 5ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 2.0 4.0 1.0 1.5 2.5 3.0 3.5 4.5 5.0 r (transfer dimension)

fixing source dimension k = 6ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 r (transfer dimension)

fixing source dimension k = 7ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 2 r (transfer dimension)

fixing source dimension k = 8ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 r (transfer dimension)

fixing source dimension k = 9ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 2 r (transfer dimension)

fixing source dimension k = 10ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 10 r (transfer dimension)

fixing source dimension k = 11ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 10 r (transfer dimension)

fixing source dimension k = 12ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 10 12 r (transfer dimension)

fixing source dimension k = 13ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 10 12 r (transfer dimension)

fixing source dimension k = 14ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 10 12 14 r (transfer dimension)

fixing source dimension k = 15ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 12 10 14 r (transfer dimension)

fixing source dimension k = 16ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 10 14 12 16 r (transfer dimension)

fixing source dimension k = 17ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 10 16 12 14 r (transfer dimension)

fixing source dimension k = 18ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 5.0 10.0 15.0 2.5 7.5 12.5 17.5 r (transfer dimension)