




fixing transfer dimension $r = 1$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 2$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 3$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 4$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 5$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 6$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 7$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 8$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 9$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 10$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 11$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 12$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 13$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 14$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 15$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 16$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 17$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 18$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)

