




fixing transfer dimension  $r = 1$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 2$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 3$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 4$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 5$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 6$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension  $r = 7$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 8$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)







fixing transfer dimension  $r = 9$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 10$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 11$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 12$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 13$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 14$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension  $r = 15$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension  $r = 16$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)





fixing transfer dimension  $r = 17$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension  $r = 18$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)

