



fixing transfer dimension $r = 1$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 2$


ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 3$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 4$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 5$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 6$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 7$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing transfer dimension $r = 8$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 9$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing transfer dimension $r = 10$
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)

