fixing transfer dimension r = 1ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 -0.775 0.750 0.725 0.700 2.5 5.0 10.0 7.5 12.5 15.0 17.5 k (source dimension)

fixing transfer dimension r = 2ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 8 10 12 14 16 18 k (source dimension)

fixing transfer dimension r = 3ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 bearson correlation 0.800 0.775 0.750 0.725 0.700 6 10 12 16 14 18 k (source dimension)

fixing transfer dimension r = 4ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 bearson correlation 0.800 0.775 0.750 0.725 0.700 6 8 10 16 12 14 18 k (source dimension)

fixing transfer dimension r = 5ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 bearson correlation 0.800 0.775 0.750 0.725 0.700 8 10 12 16 14 18 k (source dimension)

fixing transfer dimension r = 6ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 bearson correlation 0.800 0.775 0.750 0.725 0.700 6 8 10 12 16 14 18 k (source dimension)


fixing transfer dimension r = 7ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 train test 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 8 16 10 12 14 18 k (source dimension)


fixing transfer dimension r = 8ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 test 10 16 12 14 18 k (source dimension)

fixing transfer dimension r = 9ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 16 10 12 14 18 k (source dimension)

fixing transfer dimension r = 10ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 0.700 16 10 11 12 13 14 15 17 18 k (source dimension)

fixing transfer dimension r = 11ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 train 0.700 test 13 11 12 14 15 16 17 18 k (source dimension)





fixing transfer dimension r = 14ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 train 0.700 test 15.5 16.0 14.0 14.5 15.0 16.5 17.0 17.5 18.0 k (source dimension)

fixing transfer dimension r = 15ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value 0.875 0.850 0.825 oearson correlation 0.800 0.775 0.750 0.725 train 0.700 test 15.5 16.0 16.5 17.0 18.0 15.0 17.5 k (source dimension)

