



fixing source dimension  $k = 1$

ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 2$


ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing source dimension  $k = 3$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 4$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 5$


ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 6$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing source dimension  $k = 7$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 8$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)






fixing source dimension  $k = 9$


ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 10$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 11$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 12$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 13$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 14$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing source dimension  $k = 15$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)




fixing source dimension  $k = 16$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)





fixing source dimension  $k = 17$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)



fixing source dimension  $k = 18$   
ea. datapoint averages 10 seeds, ea. w/ 10 model restarts (kept max value)

