# 16S amplicon protocol

### **PCR** specifications

Target Region and Size: V4 region (~292 bp)

Template Concentration:  $30~\mathrm{ng}/~\mathrm{L}$ 

Enzyme and Master mix: TaKaRa LA Taq (Cat. No. RR002A)

#### **Primers**

ID	Primer sequence	Length	
V4_515F	TCGTCGGCAGCGTCAGATO	GTGTATAAGA <b>62</b> ACAGGTGYCAGCMGCCG	CGGTA
V4_806R	GTCTCGTGGGCTCGGAGA	TGTGTATAAG <b>M</b> GACAGGGACTACNVGGG	гwтст

#### **PCR Mixture**

Reagents	Concentration	1 reaction (25 L)
DNA Template	30 ng	1 L
10X LA PCR Buffer	1X	2.5 L
MgCl2	$2.5~\mathrm{mM}$	2.5 L
dNTPs	$0.1~\mathrm{mM}$	1 L
Forward Primer	0.4  pmol	1 L
Reverse Primer	0.4  pmol	1 L
Nuclease Free Water	-	15.9 L
Takara LA Taq	$0.5~\mathrm{U}$	0.1 L
Total	-	25 L

## **PCR Conditions**

Step	Temperature	Time	Cycle
1	95 °C	3 minutes	1
2	$95^{\circ}\text{C} \rightarrow 55^{\circ}\text{C} \rightarrow 72^{\circ}\text{C}$	$30 \sec \rightarrow 30 \sec \rightarrow 30 \sec$	25
3	72 °C	5 minutes	1
4	20 °C	$\infty$	-