

## Report 2

Prof. Dr. Jacinto Nascimento  
Prof. Dr. Nuno Nunes

Francisco Maria Calisto

Date: 14/03/2018

## 1 Problem Statement

The hereby **Report 2** will state a first essay for literature knowledge that might support our research. We evaluate several research work. Works from (i) **Classifier Predictors**; and (ii) **Precise Selection Techniques**. The following sections will explain each work.

## 2 Investigation/Research

In this section we describe our investigation and research over the proposal readings. Investigation throughout the examination of the reading facts, novel possibilities and results. Also, addressing the research reasoned conclusions of those readings.

### 2.1 Classifier Predictors

Many learning-based algorithms are able to solve problems that previously seemed completely impossible. They can look at an image and describe what they depict in a sentence, or even turn medical diagnosis into a much more accurate by giving doctor's a second opinion. Amazing new results keep appearing every single week. However, an important thing that we need to solve is that if we deploy these Neural Networks (NN) in a production environment, we would want to know if we are relying on a good or bad decision. The narrative is very simple: if we do not trust a classifier, we will not use it. And perhaps the best way of earning the trust of a human would be if the Artificial Intelligence (AI) could explain how it came to a given decision.

Strictly speaking, a NN can explain it to us, while showing us hundreds of thousands of neuron activations that are completely unusable for any sort of intuitive reasoning. That said, what is even more difficult to solve is that this explanation happens in a way that we can interpret. An earlier approach has use decision trees that described what the learner looks at and how it uses this information to arrive to a conclusion. The work presented with the title *Why Should I Trust You? Explaining the Predictions of Any Classifier* from Ribeiro et al. [4] new work is quite different. For instance, imagine that a NN would look at all the information we know about a patient and tell us that this patient likely has the flu. Also, in the meantime, it could tell us the fact that the patient has a headache and sneezes a lot contributed to the conclusion that he has the flu, but, the lack of fatigue is notable evidence against it. Our doctor could take this information and instead of blindly relying on the output, could make a more informed decision.

Other related works [3, 2] are describing an automated methodology for the analysis of un-registered medical imaging views in order to estimate the patient's risk of developing cancer. The main innovation behind this methodology lies in the use of Deep Learning (DP) models for the problem of jointly classifying unregistered medical imaging views and respective segmentation maps of lesions. This is a holistic methodology that can classify medical imaging exams, containing several modality of views and the segmentation maps, as opposed to the classification of individual lesions, which is the dominant approach in the field. The authors also demonstrate that the proposed system is capable of using the segmentation maps generated by automated detection systems, and still producing accurate results.

A big additional selling point is that these techniques are model agnostic, which means that it can be applied to other learning algorithms that are able to perform medical classification. For example, complementing medical imaging with medical text (e.g. patient’s clinical history). It is also a possibility that an AI is only right by chance, and if this is the case, we should definitely know about that. And here, in this example, with the additional explanation, it is rather easy to find out that we have a bad model that looks at some modality of the medical image and acknowledge if it is a severe lesion or not.

The tests indicate that humans make significantly better decisions when they lean on explanations that are extracted by these techniques. Therefore, the work done by these authors is important to our work and might be analysed by us. It is also an introduction to the Human-In-The-Loop (HITL) topic, reflecting the latent of a Clinician-In-The-Loop (CITL) approach in our work. Consequently the topic must be analysed, also. The source code of this project is [available](#) and should be of our interest to follow it as an example of a potential tool.

## 2.2 Precise Selection Techniques

A work done by Benko et al. [1], called *Precise Selection Techniques for Multi-Touch Screens*, addresses a set of techniques, which leverage the development of multitouch sensitive displays, helping users to select very small targets. This work seems interesting to our work, since the techniques hereby presented can be applied to our system, facilitating the interaction of the radiologists with it. Our idea based on this work, is to bring the presented techniques to support our radiologist’s annotations over both: (i) the thresholds of the masses; and (ii) the micro-calcifications.

In this work, the authors are presenting five techniques that can be used by us. The techniques are listed by us as follows.

List of the five techniques proposed to our work:

1. Offset;
2. Midpoint;
3. Stretch;
4. X-Menu;
5. Slider;

These techniques are facilitating pixel-accurate targeting while adjusting display ratio of the control with a secondary interactive input. The authors could also contribute to our work by a ”clicking” technique, the Simulated Pressure (SimPress), which reduces motion errors during clicking and allow us to simulate a hover state on medical devices unable to sense proximity. They implemented their techniques on a prototype that offers computer vision-based tracking. The vision-based tracker can also be useful to us. In their formal user study, the authors tested the performance of most promising techniques against a baseline (Offset), on target sizes and input noise levels. All chosen techniques outperformed the control technique in terms of error rate reduction and were preferred by participants.

Their study results show that their *Selections* techniques are presenting viable solutions for increasing precision and accuracy in a small target selection task. Overall, these techniques provide a palette of interactions and applications for our medical imaging field from which the radiologist may chose depending on the application.

### 3 Final Evaluation

Human-Computer Interaction (HCI) and User-Centered Design (UCD) are both fastest growing field in Computer Science (CS), and Health Informatics (HI) is amongst the greatest application challenges, providing future benefits in improved medical diagnosis, disease analyses, and health development. However, successful HCI and UCD for HI needs a concerted effort, fostering integrative research between experts ranging from diverse disciplines from User Research (UR) to Information Visualization (InfoVis).

Recommendation systems are an example for applications providing predictors, however, they have not yet been used extensively in HI and medical scenarios. This is due to the specifics of conservative criteria in medical scenarios and the multitude of drastically differing clinician groups and the enormous context complexity of the medical domain. Both, are risk perceptions towards quantitative and qualitative medical data as well as trust in accurate systems play a specific and central role, particularly in the clinical context. These aspects dominate acceptance of such systems. By using a Clinician-In-The-Loop (CITL) approach where several difficulties could be mitigated by combining both human expertise with computer efficiency. The work regarding **Classifier Predictors** from Ribeiro et al. [4] showed us this point of view, explaining the application of NNs over HI.

## References

- [1] Hrvoje Benko, Andrew D Wilson, and Patrick Baudisch. Precise selection techniques for multi-touch screens. In *Proceedings of the SIGCHI conference on Human Factors in computing systems*, pages 1263–1272. ACM, 2006.
- [2] Gustavo Carneiro, Jacinto Nascimento, and Andrew P Bradley. Automated analysis of unregistered multi-view mammograms with deep learning. *IEEE transactions on medical imaging*, 36(11):2355–2365, 2017.
- [3] Maryellen L Giger, Nico Karssemeijer, and Julia A Schnabel. Breast image analysis for risk assessment, detection, diagnosis, and treatment of cancer. *Annual review of biomedical engineering*, 15:327–357, 2013.
- [4] Marco Tulio Ribeiro, Sameer Singh, and Carlos Guestrin. Why should i trust you?: Explaining the predictions of any classifier. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 1135–1144. ACM, 2016.