# Linear Algebra

### Bill Chung

December 28, 2021

library(far)
library(MASS)
library(pracma)
library(expm)

### Welcome

### House keeping

- Please be on time and turn your camera on
- Please free to ask questions any time.

### Introduction

- Tells us your name
- Your goal in this study session
- Fun fact about yourself!

### Required books

- Linear Algebra and its application by David C.Lay 4th edition
- I wonder by Sam: Linear Algebra for Data Scientist (soon to be published!)

### Recommended books

- Linear and Nonlinear Programming by Stephen G. Nash and Ariela Sofer
- The fundamental theorem of linear algebra, Strang, Gilbert

### Dancing with Wu Li Masters

• Young man, in mathmatics, you don't understand things. You just get used to them by John Von Neumann from Dancing with Wu Li Masters

Who is John Von Neumann?

- Leonoid Kantorovich (1912 1986): A new method of solving some classes of extrmal problems (1937)
- George B. Dantzig (1914 2005) : SIMPLEX (1947)
- Jerzy Neyman (1894 1982) : Confidence Interval, P-value
- John Von Neumann: The duality theorem (1947)

## Schedule

Week	Topic	Key concepts
1	Attributes and method of vector and matrix	see notes below
2	Slight detour to probabilities: Joint, conditional, marginal and Bayes formula. Markov chain, eigenvalue, eigenvectors	Linear combinations
3	What is rref(A) and what does it tell you about your matrix?	Basis, subspace, space, span, projection, inverse
4	Fundamental four subspaces of matrix. Given a vector, can you find out where it lives?	Shall we span?
5	Projection, projection, projection	linear combination, change of basis
6	Findings vector multiplication that looks like projection	projection, orthogonal matrix, spanning Space
7	Change of basis and solving systems of equations	matrix decomposition
8	It does not matter how slowly you move as long as you are making progress	eignevalue, eigenvector, Markov chain
9	Eignedecomposition	eigenvalue, eigenvector, eigenspace, nullspace
10	Markov chain	irreducible, reduccible, ergodic, regular, absorbing MC. What type of matrix do you have?
11	Meeting matrix again	PSD, PD, ID, NSD, ND, Condition number, symmetric matrix, gram matrix, diagonailzable matrix
12	Singular value decomposition	SVD and PCA
13	SIMPLEX method and	The Martians
14	The duality theorem	and Basis can a function! (What? really? FFT, EEMD)

# Background

### Notation

$$\mathbb{A} \cdot \vec{x} = \vec{b}$$

 $\vec{v}$ 

 $\mathbb{A}$ 

#### vectors

#### Attribute

- Size of a vector
- Direction that it can move
- Direction that it can see
- Norm
- Subspace where it lives
- Space where it lives

### Method

- Span
- linear combination
- transpose
- dot product
- projection

### Space

• Contains  $\infty$  number of subspaces

### Subspace

- Created by spanning a vector or set of vectors
- Always contains  $\vec{0}$  and closed under addition and multiplication
- basis
- Has orthogonal complement subspace (they are like best friends)

### matrix

### Attribute

- Dimension of matrix
- Column Space,  $C(\mathbb{A})$ , Left Nullspace,  $N(\mathbb{A}^T)$
- Row Space,  $R(\mathbb{A})$ , Nullspace,  $N(\mathbb{A})$

- Input space (related to domain)
- Output space (related to codomain and Range)
- basis
- eigenvalue, eignevector
- singular value, singular vector
- condition number
- Rank
- PD, PSD, ID, ND, NSD
- Rank-nullity theorem
- inverse (not every square matrix has it..)
- Gram matrix

#### method

- transpose
- inverse
- decomposition
  - singular value decomposition
  - eigen decomposition
- projection
- $\operatorname{rref}(\mathbb{A})$

### Solving systems of equations

- Homogeneous equations
- Homogeneous equations
- Augmented matrix

### How to create matrix and vector in R

```
a1 <- matrix(c(3,0,-1,-5,2,4),nrow=1,byrow=T)
print(a1)
        [,1] [,2] [,3] [,4] [,5] [,6]
## [1,]
          3 0 -1 -5
a2 <- matrix(c(3,0,-1,5,2,4),nrow=1,byrow=T)
A <- rbind(a1,a2)
print(A)
        [,1] [,2] [,3] [,4] [,5] [,6]
##
## [1,]
          3
               0 -1
                        -5
                              2
## [2,]
          3
               0 -1
                         5
Rank(A)
```

```
dim(A)
## [1] 2 6
          [,1] [,2] [,3] [,4] [,5] [,6]
             3 0 -1 -5
3 0 -1 5
## [1,]
                                      2
## [2,]
x \leftarrow c(1,2,3,4,5,6)
## [1] 1 2 3 4 5 6
b<- x/Norm(x)
Norm(b)
## [1] 1
A%*%x
##
          [,1]
## [1,]
            14
## [2,]
            54
select columns 1, 3 and 6 and put them into \mathbb{B}
select columns 2, 4 and 5 and put them into \mathbb N
B \leftarrow A[,c(1,3,6)]
В
       [,1] [,2] [,3]
##
## [1,] 3 -1 4
## [2,]
          3 -1
                                            \mathbb{B} \cdot \vec{x}_B + \mathbb{N} \cdot \vec{x}_N = \mathbb{A} \cdot \vec{x}
Creating sample vector
```

```
#randomly selects number
a <- sample(-5:5, replace=TRUE, 12)
#find out number of elements in the vector
length(a)</pre>
```

## [1] 12

```
A <- matrix(a, ncol = 4, byrow= TRUE)
        [,1] [,2] [,3] [,4]
## [1,]
         -1
## [2,]
           0
## [3,]
A <- matrix(sample(-5:5, replace=TRUE, 12), ncol = 4, byrow= TRUE)
        [,1] [,2] [,3] [,4]
## [1,]
## [2,]
          -1
                  -2
b <- matrix(sample(-5:5, replace=TRUE, 3), ncol = 1, byrow= TRUE)
H <- cbind(A,b)</pre>
rref(H)
        [,1] [,2] [,3]
                             [,4]
                     0 -1.5254237 0.6101695
               0
          1
## [2,]
           0
                     0 0.6779661 -1.2711864
                1
## [3,]
                0 1 0.1186441 -0.8474576
```

### C and P

$${}_{n}P_{r} = \frac{n!}{(n-r)!}$$
$${}_{n}C_{r} = \frac{n!}{r!(n-r)!}$$

Another way to express combination

$$\binom{N}{r} = \frac{n!}{(n-r)!r!}$$

# Recommended Chapters and reading from David Lay

### CH1

- CH1.1 example 1, 2,3
- 1.1 Exercise 11,12,13,14
- page 27, linear combinations
- page 30, definition
- CH1.3(page32) 13-6
- page 35, definition, page 36, theorem
- page 39, Theorem 5
- CH1.4 Exercise 5,6,7,8,11,12
- CH1.5 example 1, 2 (this is related to nullspace) example 3 (this is an example of hyperplane)

- CH1.5 Exercise 1,2,3,4
- Ch1.7 page 56 (definition). example 1, page 57 (the yellow box) example 2, 3,5
- page 64, example 1, page 65 (definition)
- page 93, theorem 1, page 95, definition, page 95 example 3, example 4
- page 98, theorem 2 page 99 theorem 3
- page 103, inverse of matrix definition, page 105, theorem 6
- page 112, theorem 8 (when A is invertible..then we know the following)
- page 114, numerical notes

#### CH2.8

- Subspaces of Rn
- page 146, 147, 148 definitions and theorem 12
- example 6 (important), example 7,
- CH2.9, page 154 and 155, definition, example 3 (page 155)
- page 156 Theorem 14 and 15 (and more about rank and invertible matrix)
- CH2.9 Exercise 9 to 12

### CH3, determinant (skip)

### CH4

- p190 Definition of vector space, p193, subspaces
- CH4.2, page 198 definition, example 1, theorem 2,
- page 200, example 3, page 201 column space
- page 203 and 204, Kernel and Range of a Linear transformation (table and definition)
- CH4.2 exercise 37,38,39
- CH 4.3 page 208, theorem 4, page 209 definition
- CH 4.3 Exercise 13,14
- CH 4.4. Coordinate systems (theorem 7 and definition), page 218 example 4
- CH 4.5 theorem 9, exercise 13,14,15,16,17 and 18
- CH 4.6 Rank page 231, theorem 13, example 2, page 233, def and theorem 14 (super important)
- page 235 more about information that a nonsigular matrix provides
- CH 4.6 Exercise 1 to 6. 19 and 20
- page 240, change of basis theorem 15 (will talk about if we get to talk about eigendecomposition)
- page 253. Section 4.9 example 1-5 (again will talk about this if we talk about eigenvalue analysis)
- page 265, okay this is chapter about eigenvalues and eigenvectors.

### CH 5.1 to 5.6

### CH6 6.1 to 6.6 (this is OLS!)