

Chapter 1

Introduction

The RAKIP Markup Language (RakML) is an XML-based format for the description of model metadata.

...

Chapter 2

Technical specification

2.1 Primitive data types

The primitive data types used in RAKIP-ML are taken from the XML Schema 1.0 including: **string**, **boolean**, **int** and **date**.

2.2 General structure

Every RAKIP model involves four main metadata components: general information, scope, data background and model math. A RAKIP-ML document has one model with these components.

2.3 Common types

2.3.1 Assay

Element	Type	Min. Occurrences	Max. Occurrences
Name	string	1	1
Description	string	0	1
MoisturePercentage	string	0	1
FatPercentage	string	0	1
DetectionLimit	string	0	1
QuantificationLimit	string	0	1
LeftCensoredData	string	0	1
ContaminationRange	string	0	1
UncertaintyValue	string	0	1

Name A name given to the assay.

Description General description of the assay. Corresponds to the Protocol REF in ISA.

MoisturePercentage Percentage of moisture in the original sample.

FatPercentage Percentage of fat in the original sample.

DetectionLimit Limit of detection reported in the unit specified by the variable “Hazard Unit”.

QuantificationLimit Limit of quantification reported in the unit specified by the variable “Hazard Unit”.

LeftCensoredData Percentage of measures equal to LOQ and/or LOD.

ContaminationRange Range of result of the analytical measure reported in the unit specified by the variable “Hazard unit”.

UncertaintyValue Indicate the expanded uncertainty (usually 95% confidence interval) value associated with the measurement expressed in the unit reported in the field “Hazard unit”.

Listing 2.1: Example of Assay

```
<Name>Bradford protein assay</Name>
<Description>spectroscopic analytical procedure used to measure
the concentration of protein in a solution. It is subjective,
i.e., dependent on the amino acid composition of the
measured protein.
</Description>
<DetectionLimit>30–300</DetectionLimit>
<QuantificationLimit>5000 – 8000</QuantificationLimit>
<ContaminationRange>500–4000</ContaminationRange>
```

2.3.2 Contact

Element	Type	Min. Occurrences	Max. Occurrences
Title	string	0	1
FamilyName	string	0	1
GivenName	string	0	1
Email	string	1	1
Telephone	string	0	1
StreetAddress	string	0	1
Country	string	0	1
City	string	0	1
ZipCode	string	0	1
Region	string	0	1
TimeZone	string	0	1
Gender	string	0	1
Note	string	0	1
Organization	string	0	1

Listing 2.2: Example of Contact

```
<Title>Dr.</Title>
<FamilyName>Romanov</FamilyName>
<GivenName>Natalia</GivenName>
```

<Email>black_widow@marvel.com</Email>
 <Telephone>030 12345</Telephone>
 <StreetAddress>Nahmitzer Damm 40</StreetAddress>
 <Country>Russian Federation</Country>
 <City>Berlin</City>
 <Region>Berlin–Brandenburg</Region>
 <Organization>SHIELD</Organization>

2.3.3 Exposure

Element	Type	Min. Occurrences	Max. Occurrences
Type	string	1	1
UncertaintyEstimation	string	0	1
MethodologicalTreatmentOfLeftCensoredData	string	0	*
LevelOfContaminationAfterLeftCensoredDataTreatment	string	0	*
Scenario	string	0	*

Type Type of the exposure

UncertaintyEstimation Analysis to estimate uncertainty

MethodologicalTreatmentOfLeftCensoredData describe the mathematical method to replace left-censored data: recommendation of WHO (2013), distribution or others

LevelOfContaminationAfterLeftCensoredDataTreatment describe the range of of the level of contamination after left censored data treatment

Scenario describe the different scenario of exposure assessment

2.3.4 Hazard

Element	Type	Min. Occurrences	Max. Occurrences
Type	string	0	1
Name	string	1	1
Description	string	0	1
Unit	string	0	1
AdverseEffect	string	0	1
SourceOfContamination	string	0	1
BenchmarkDose	string	0	1
MaximumResidueLimit	string	0	1
NoObservedAdverseAffectLevel	string	0	1
AcceptableOperatorExposureLevel	string	0	1
AcuteReferenceDose	string	0	1
AcceptableDailyIntake	string	0	1
IndSum	string	0	1

Type General classification of the hazard for which the model or data applies.

Name Name of the hazard for which the model or data applies.

Description Description of the hazard for which the model or data applies.

Unit Unit of the hazard for which the model or data applies.

AdverseEffect Morbidity, mortality, origin.

SourceOfContamination Source of contamination, origin.

BenchmarkDose A dose or concentration that produces a predetermined change in response rate of an adverse effect (called the benchmark response or BMR) compared to background.

MaximumResidueLimit International regulations and permissible maximum residue levels in food and drinking water.

NoObservedAdverseEffectLevel Level of exposure of an organism, found by experiment or observation, at which there is no biologically or statistically significant increase in the frequency or severity of any adverse effects in the exposed population when compared to its appropriate control.

LowestObservedAdverseEffectLevel Lowest concentration or amount of a substance found by experiment or observation that causes an adverse alteration of morphology, function, capacity, growth, development, or lifespan of a target organism distinguished from normal organisms of the same species under defined conditions of exposure.

AcceptableOperatorExposureLevel Maximum amount of active substance to which the operator may be exposed without any adverse health effects. The AOEL is expressed as milligrams of the chemical per kilogram body weight of the operator.

AcuteReferenceDose An estimate (with uncertainty spanning perhaps an order of magnitude) of a daily oral exposure for an acute duration (24 hours or less) to the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a lifetime.

AcceptableDailyIntake Measure of amount of a specific substance in food or in drinking water that can be ingested (orally) on a daily basis over a lifetime without an appreciable health risk.

IndSum Define if the parameter reported is an individual residue/analyte, a summed residue definition or part of a sum a summed residue definition.

Listing 2.3: Example of Hazard

```
<Type>Organic contaminants</Type>
<Name>Norovirus (Norwalk-like virus)</Name>
<Description>norovirus is described as nasty and hard to get rid
of</Description>
```

```

<Unit>CFU</Unit>
<AdverseEffect>morbidity</AdverseEffect>
<SourceOfContamination>sewage</SourceOfContamination>
<MaximumResidueLimit>0.01 mg/kg</MaximumResidueLimit>
<NoObservedAdverseAffectLevel>10 mg</NoObservedAdverseAffectLevel>
<LowestObservedAdverseAffectLevel>40 mg</LowestObservedAdverseAffectLevel>
<AcceptableOperatorExposureLevel>50 mg</AcceptableOperatorExposureLevel>
<AcuteReferenceDose>80 mg</AcuteReferenceDose>
<AcceptableDailyIntake>20 mg</AcceptableDailyIntake>

```

2.3.5 Laboratory

Element	Type	Min. Occurrences	Max. Occurrences
Accreditation	string	0	1
Name	string	0	1
Country	string	0	1

Accreditation The laboratory accreditation to ISO/IEC 17025.

Name Laboratory code (National laboratory code if available) or Laboratory name

Country Country where the laboratory is placed. (ISO 3166-1-alpha-2).

Listing 2.4: Example of Laboratory

```

<Accreditation>Accredited</Accreditation>
<Name>National High Magnetic Field Laboratory</Name>
<Country>United States</Country>

```

2.3.6 ModelCategory

Element	Type	Min. Occurrences	Max. Occurrences
ModelClass	string	1	1
ModelSubClass	string	0	1
ModelClassComment	string	0	1
BasicProcess	string	0	1

ModelClass Type of model used to build-up the risk assessment structure.

ModelSubClass Sub-classification of the model given the Model Class

BasicProcess Defines the impact of the specific process on the hazard

Listing 2.5: Example of ModelCategory

```

<ModelClass>Dose-response model</ModelClass>
<ModelClassComment>This Model Class is very special</ModelClassComment>

```

2.3.7 ModelEquation

Element	Type	Min. Occurrences	Max. Occurrences
Name	string	1	1
Class	string	0	1
ModelEquation	string	1	1
Reference	string	1	1
ModelHypothesis	string	0	*

Name A name given to the model equation

Class Information on that helps to categorize model equations

ModelEquation The pointer to the file that holds the software code (e.g. R-script)

Reference Information on the source, where the equation has been extracted from - if available

2.3.8 Parameter

Element	Type	Min. Occurrences	Max. Occurrences
Id	string	1	1
Classification	string	1	1
Name	string	1	1
Description	string	0	1
Unit	string	1	1
UnitCategory	string	0	1
DataType	string	0	1
Source	string	0	1
Subject	string	0	1
Distribution	string	0	1
Value	string	0	1
Reference	Reference	0	*
VariabilitySubject	string	0	1
MinValue	string	0	1
MaxValue	string	0	1
Error	string	0	1

Id An unambiguous and sequential ID given to the parameter. To be compatible with SBML, only letters from A to Z, numbers and “_” are accepted for ID creation.

Classification General classification of the parameter (e.g. Input, Constant, Output...).

Name A name given to the parameter.

Description General description of the parameter.

Unit Unit of the parameter.

UnitCategory General classification of the parameter unit.

DataType Information on the data format of the parameter, e.g. if it is a categorical variable, int, double, array of size x,y,z.

Source Information on the type of knowledge used to define the parameter value.

Subject Scope of the parameter, e.g. if it refers to an animal, a batch of animals, a batch of products, a carcass, a carcass skin etc.

Distribution Information on the distribution describing the parameter (e.g. variability, uncertainty, point estimate...) .

Value Numerical value of the parameter. A default value is mandatory (needs to be provided) for each of the the “Input parameters”. If the parameter value is provided in a file, the path of the file needs to be provided.

Reference Information on the source, where the value of the parameter has been extracted from - if available. The format should use that used in other “Reference” metadata. Preferably DOI.

VariabilitySubject Information “per what” the variability is described. It can be variability between broiler in a flock, variability between all meat packages sold in Denmark, variability between days, etc.

MinValue Numerical value of the minimum limit of the parameter that determines the range of applicability for which the model applies

MaxValue Numerical value of the maximum limit of the parameter that determines the range of applicability for which the model applies

Error Error of the parameter value.

Listing 2.6: Example of Parameter

```
<Id>Dose_matrix</Id>
<Classification>input</Classification>
<Name>Dose_matrix</Name>
<Description>matrix with GEC NoV for each serving (rows=servings;
    columns = number of different employee-teams that prepare food)
</Description>
<Unit>Others</Unit>
<UnitCategory>Other</UnitCategory>
<DataType>matrixOfNumbers</DataType>
<Source>Article</Source>
<Subject>Animal</Subject>
<Distribution>Bernoulli 1</Distribution>
<Value>as.matrix(read.table(file = \"Dose_matrix.csv\",sep=\",\",
```



```

    header = TRUE, row.names=1))</Value>
<VariabilitySubject>days</VariabilitySubject>
<MinValue>10000.0</MinValue>
<MaxValue>0.0</MaxValue>
<Error>0.5</Error>

```

2.3.9 PopulationGroup

Element	Type	Min. Occurrences	Max. Occurrences
Name	string	1	1
TargetPopulation	string	0	1
PopulationSpan	string	0	*
PopulationDescription	string	0	*
PopulationAge	string	0	*
PopulationGender	string	0	1
BMI	string	0	*
SpecialDietGroups	string	0	*
PatternConsumption	string	0	*
Region	string	0	*
Country	string	0	*
PopulationRiskFactor	string	0	*
Season	string	0	*

Name Name of the population for which the model or data applies

TargetPopulation population of individual that we are interested in describing and making statistical inferences about

PopulationSpan Temporal information on the exposure duration

PopulationDescription Description of the population for which the model applies (demographic and socio-economic characteristics for example). Background information that are needed in the data analysis phase: size of household, education level, employment status, professional category, ethnicity, etc.

PopulationAge describe the range of age or group of age

PopulationGender describe the percentage of gender

BMI describe the range of BMI or class of BMI or BMI mean

SpecialDietGroups sub-population with special diets (vegetarians, diabetics, group following special ethnic diets)

PatternConsumption describe the consumption of different food items: frequency, portion size

Region Spatial information (area) on which the population group of the model or data applies

Country Country on which the population group of the model or data applies

PopulationRiskFactor population risk factor that may influence the outcomes of the study, confounder should be included

Season distribution of surveyed people according to the season (influence consumption pattern)

Listing 2.7: Example of PopulationGroup

```
<Name>human consumer, no age specification</Name>
<TargetPopulation>seniors</TargetPopulation>
<PopulationDescription>80% are considered susceptible to infection</PopulationDescription>
<PopulationGender>50% male</PopulationGender>
<BMI>18.5 – 24.9</BMI>
<SpecialDietGroups>love cake</SpecialDietGroups>
<Region>Madrid</Region>
<Country>Spain</Country>
<PopulationRiskFactor>low physical activity</PopulationRiskFactor>
<Season>spring</Season>
```

2.3.10 QualityMeasures

Element	Type	Min. Ocurrences	Max. Ocurrences
SSE	double	0	1
MSE	double	0	1
RMSE	double	0	1
RSquared	double	0	1
AIC	double	0	1
BIC	double	0	1

Listing 2.8: Example of QualityMeasures

```
<SSE>0.0</SSE>
<MSE>0.2</MSE>
<RMSE>0.3</RMSE>
<RSquared>0.9</RSquared>
<AIC>0.0</AIC>
<BIC>1.0</BIC>
```

ABST	CHAP	DICT	GEN	MANSCPT	PCOMM	VIDEO
ADVS	CHART	EBOOK	GOVDOC	MAP	RPRT	
AGGR	CLSWK	ECHAP	GRANT	MGZN	SER	
ANCIENT	COMP	EDBOOK	HEAR	MPCT	SLIDE	
ART	CONF	EDJOUR	ICOMM	MULTI	SOUND	
BILL	CPAPER	ELECT	INPR	MUSIC	STAND	
BLOG	CTLG	ENCYC	JOUR	NEW	STAT	
BOOK	DATA	EQUA	JFULL	PAMP	THES	
CASE	DBASE	FIGURE	LEGAL	PAT	UNPB	

Table 2.1: Publication types

2.3.11 Reference

Element	Type	Min. Occurrences	Max. Occurrences
IsReferenceDescription	boolean	1	1
Type	string	0	1
Date	string	0	1
Pmid	string	0	1
Doi	string	0	1
AuthorList	string	0	1
Title	string	1	1
Abstract	string	0	1
Journal	string	0	1
R Volume	int	0	1
Issue	int	0	1
Status	string	0	1
Website	string	0	1
Comment	string	0	1

IsReferenceDescription Indicates whether the publication serves as the reference description for the model.

Type Type of the publication. Takes a value from the reserved words listed at [2.1](#).

Year Temporal information on the publication date.

Pmid The PubMed ID related to this publication.

Doi The DOI related to this publication.

AuthorList Name and surname of the authors who contributed to this publication.

Title Title of the publication in which the model or the data has been described.

Abstract Abstract of the publication in which the model or the data has been described.

Journal Publication journal.

Volume Publication volume.

Issue Publication issue.

Status Publication status.

Website Publication website.

Comment Publication comment.

Listing 2.9: Example of Reference

```
<IsReferenceDescription>true</IsReferenceDescription>
<Type>PAMP</Type>
<Date>3805-07-02</Date>
<Doi>10.1111/risa.12758</Doi>
<AuthorList>Jack Bauer, Kiefer Sutherland</AuthorList>
<Title>Quantitative Risk Assessment of Norovirus Transmission in Food Establishments:
    Evaluating the Impact of Intervention Strategies and Food Employee Behavior on
    the Risk Associated with Norovirus in Foods.
</Title>
<Abstract>
    This research looks at the work of Margaret C. Anderson, the editor of the
    Little Review. The review published first works by Sherwood Anderson, James
    Joyce, Wyndham Lewis, and Ezra Pound. This research draws upon mostly primary
    sources including memoirs, published letters, and a complete collection of the
    Little Review. Most prior research on Anderson focuses on her connection to the
    famous writers and personalities that she published and associated with. This
    focus undermines her role as the dominant creative force behind one of the most
    influential little magazines published in the 20th Century. This case example
    shows how little magazine publishing is arguably a literary art.
</Abstract>
<Status>Accepted</Status>
<Website>https://nature.com</Website>
<Comment>publisher demands edits</Comment>
```

2.3.12 SpatialInformation

Element	Type	Min. Ocurrances	Max. Ocurrances
Region	string	0	1
Country	string	0	1

Region Spatial information (area) on which the model or data applies.

Country Country on which the model or data applies.

Listing 2.10: Example of SpatialInformation

```
<Region>Bayern</Region>
<Country>Germany</Country>
```

2.3.13 Study

Element	Type	Min. Occurrences	Max. Occurrences
Identifier	string	0	1
Title	string	1	1
Description	string	0	1
DesignType	string	0	1
AssayMeasurementType	string	0	1
AssayTechnologyType	string	0	1
AssayTechnologyPlatform	string	0	1
AccreditationProcedureForTheAssayTechnology	string	0	1
ProtocolName	string	0	1
ProtocolType	string	0	1
ProtocolDescription	string	0	1
ProtocolURI	string	0	1
ProtocolParametersName	string	0	1
ProtocolComponentsName	string	0	1
ProtocolComponentsType	string	0	1

Identifier A user defined identifier for the study

Title A title for the Study.

Description A brief description of the study aims.

DesignType The type of study design being employed.

AssayMeasurementType The measurement being observed in this assay.

AssayTechnologyType The technology being employed to observe this measurement.

AssayTechnologyPlatform The technology platform used.

AccreditationProcedureForTheAssayTechnology Accreditation procedure for the analytical method used.

ProtocolName The name of the protocol, e.g.Extraction Protocol.

ProtocolType The type of the protocol, preferably coming from an Ontology, e.g. Extraction Protocol.

ProtocolDescription A description of the Protocol.

ProtocolURI A URI to link out to a publication, web page, etc. describing the protocol.

ProtocolParametersName The parameters used when executing this protocol.

ProtocolComponentsType The components used when carrying out this protocol.

Listing 2.11: Example of Study

```
<Identifier>Study_Generic_Sheet.1</Identifier>
<Title>Quantitative Risk Assessment of Norovirus Transmission in Food
Establishments: Evaluating the Impact of Intervention Strategies
and Food Employee Behavior on the Risk Associated with Norovirus
in Foods.
</Title>
<Description>This Study will show, whether the FSK Lab will correctly
read and run a generic and fully annotated model.
</Description>
<DesignType>Trial and Error</DesignType>
<AssayMeasurementType>It works or it doesn't</AssayMeasurementType>
<AssayTechnologyType>Anatomic-pathologic Tests</AssayTechnologyType>
<AssayTechnologyPlatform>Orbital Platform</AssayTechnologyPlatform>
<AccreditationProcedureForTheAssayTechnology>ISO/IEC17025
</AccreditationProcedureForTheAssayTechnology>
<ProtocolName>Extraction Protocol of FSK</ProtocolName>
<ProtocolType>Extraction Protocol</ProtocolType>
<ProtocolDescription>The protocol is definitely not made up</ProtocolDescription>
<ProtocolURI>https://url-for-study-protocol-location.bfr.bund.de</ProtocolURI>
<ProtocolVersion>version 1.0</ProtocolVersion>
<ProtocolParametersName>Parameter 1</ProtocolParametersName>
<ProtocolComponentsName>windows pc</ProtocolComponentsName>
<ProtocolComponentsType>hardware</ProtocolComponentsType>
```

2.3.14 StudySample

Element	Type	Min. Occurrences	Max. Occurrences
SampleName	string	1	1
ProtocolOfSampleCollection	string	1	1
SamplingStrategy	string	0	1
TypeOfSamplingProgram	string	0	1
SamplingMethod	string	0	1
SamplingPlan	string	1	1
SamplingWeight	string	1	1
SamplingSize	string	1	1
LotSizeUnit	string	0	1
SamplingPoint	string	1	1

SampleName An unambiguous ID given to the samples used in the assay.

ProtocolOfSampleCollection Additional protocol for sample and sample collection. Corresponds to the Protocol REF in ISA.

SamplingStrategy Sampling strategy (ref. EUROSTAT - Typology of sampling strategy, version of July 2009).

TypeOfSamplingProgram Indicate the type of programm for which the samples have been collected. .

SamplingMethod Sampling method used to take the sample.

SamplingPlan description of data collection technique: stratified or complex sampling (several stages).

SamplingWeight description of the method employed to compute sampling weight (nonresponse-adjusted weight).

SamplingSize number of units, full participants, partial participants, eligibles, not eligible, unresolved (eligibility status not resolved)....

LotSizeUnit Unit in which the lot size is expressed.

SamplingPoint Point in the food chain where the sample was taken. (Doc. ESTAT/F5/ES/155 “Data dictionary of activities of the establishments”).

Listing 2.12: Example of StudySample

```
<SampleName>Sample 1</SampleName>
<ProtocolOfSampleCollection>SampleID.1</ProtocolOfSampleCollection>
<SamplingStrategy>Convenient sampling</SamplingStrategy>
<TypeOfSamplingProgram>Diet study</TypeOfSamplingProgram>
<SamplingMethod>According to Reg 152/2009</SamplingMethod>
<SamplingPlan>Random sampling</SamplingPlan>
<SamplingWeight>description of the method employed to compute sampling
weight (nonresponse-adjusted weight)
</SamplingWeight>
<SamplingSize>10000.0</SamplingSize>
<LotSizeUnit>log10(CFU/25g)</LotSizeUnit>
<SamplingPoint>Catering</SamplingPoint>
```

Chapter 3

GenericModel

3.1 GeneralInformation

Element	Type	Min. Occurrences	Max. Occurrences
Name	string	1	1
Source	string	0	1
Identifier	string	1	1
Author	Contact	1	1
Creator	Contact	1	1
CreationDate	date	1	1
ModificationDate	date	0	*
Rights	string	1	1
Available	string	0	1
Format	string	0	1
Reference	Reference	1	*
Language	string	0	1
Software	string	0	1
LanguageWrittenIn	string	0	1
ModelCategory	ModelCategory	0	1
Status	string	0	1
Objective	string	0	1
Description	string	0	1

Name Name given to the model or data.

Source A related resource from which the described resources is derived.

Identifier An unambiguous ID given to the model or data.

Author Person who generated the model code or generated the data set originally.

Creator The person responsible for creating the model file in the present form or the person responsible for creating the data file in the present form.

CreationDate Temporal information on the model creation date.

ModificationDate Temporal information on the last modification of the model.

Rights Information on rights held in and over the resource.

Available Availability of data or model.

Format Form of model or data (file extension).

Reference

Language Language of the resource.

Software Program in which the model has been implemented.

LanguageWrittenIn Language used to write the model, e.g. R or Matlab.

ModelCategory

Status Curation status of the model.

Objective Objective of the model or data.

Description General description of the study, data or model.

3.2 Scope

Element	Type	Min. Occurrences	Max. Occurrences
Product	Product	0	*
Hazard	Hazard	0	*
PopulationGroup	PopulationGroup	0	*
GeneralComment	string	0	1
TemporalInformation	string	0	—
1 SpatialInformation	SpatialInformation	0	1

3.2.1 Product

Element	Type	Min. Occurrences	Max. Occurrences
Name	string	1	1
Description	string	0	1
Unit	string	0	1
Method	string	0	1
Packaging	string	0	1
Treatment	string	0	1
OriginCountry	string	0	1
OriginArea	string	0	1
FisheriesArea	string	0	1
ProductionDate	date	0	1
ExpiryDate	date	0	1

Name The product-matrix (animal, food product, matrix, lab media, etc.) for which the model or data applies

Description Description of the product-matrix (animal, food product, matrix, lab media, etc.) for which the model or data applies

Unit Units of the product-matrix for which the model or data applies

Method Type of production for the product/ matrix

Packaging Describe container or wrapper that holds the product/matrix. Common type of packaging: paper or plastic bags, boxes, tinplate or aluminium cans, plastic trays, plastic bottles, glass bottles or jars.

Treatment Used to characterise a product/matrix based on the treatment or processes applied to the product or any indexed ingredient.

OriginCountry Country of origin of the food/product (ISO 3166-1-alpha-2 country code).

OriginArea Area of origin of the food/product (Nomenclature of territorial units for statistics – NUTS – coding system valid only for EEA and Switzerland).

FisheriesArea Fisheries or aquaculture area specifying the origin of the sample (FAO Fisheries areas).

ProductionDate date of production of food/product

ExpiryDate date of expiry of food/product

3.3 DataBackground

Element	Type	Min. Occurrences	Max. Occurrences
Study	Study	0	1
StudySample	StudySample	0	*
DietaryAssessmentMethod	DietaryAssessmentMethod	0	*
Laboratory	Laboratory	0	*
Assay	Assay	0	*

3.3.1 DietaryAssessmentMethod

Element	Type	Min. Occurrences	Max. Occurrences
CollectionTool	string	0	1
NumberOfNonConsecutiveOneDay	string	0	1
SoftwareTool	string	0	1
NumberOfFoodItems	string	0	1
RecordTypes	string	0	1
FoodDescriptors	string	0	1

CollectionTool food diaries, interview, 24-hour recall interview, food propensity questionnaire, portion size measurement aids, eating outside questionnaire

RecordTypes consumption occasion, mean of consumption, quantified and described as eaten, recipes for self-made

FoodDescriptors use foodex2 facets

3.4 ModelMath

Element	Type	Min. Occurrences	Max. Occurrences
Parameter	Parameter	1	*
QualityMeasures	QualityMeasures	0	1
ModelEquation	ModelEquation	0	1
FittingProcedure	string	0	1
Exposure	Exposure	0	1
Event	string	0	1

Chapter 4

DoseResponseModel

4.1 GeneralInformation

Element	Type	Min. Occurrences	Max. Occurrences
ModelName	string	1	1
Source	string	0	1
Identifier	string	0	1
Author	Contact	0	*
Creator	Contact	1	*
CreationDate	date	1	1
ModificationDate	date	0	*
Rights	string	1	1
Available	boolean	0	1
Format	string	0	1
Reference	Reference	0	*
Language	string	0	1
Software	string	0	1
LanguageWrittenIn	string	1	1
ModelCategory	ModelCategory	0	1
Status	string	0	1
Objective	string	0	1
Description	string	0	1

ModelName Name given to the model.

Source Related resource from which the described resource is derived.

Identifier Unambiguous ID given to the model.

Author Person who generated the model code originally.

Creator Person or institution who contributed to the encoding of the model in its present form by creating the model file.

CreationDate Temporal information on the model creation date.

ModificationDate Temporal information on the last modification of the model.

Rights Information on rights held in an over the resource.

Available Availability of model.

Format Form of the model (file extension).

Language Language of the resource (some data or reports can be available in French language for example).

Software Program in which the model has been implemented.

LanguageWrittenIn Language used to write the model, e.g. R or MatLab

Status Curation status of the model.

Objective Objective of the model.

Description General description of the model.

4.2 Scope

Element	Type	Min. Occurrences	Max. Occurrences
Hazard	string	1	*
PopulationGroup	PopulationGroup	0	*
GeneralComment	string	0	1
TemporalInformation	string	0	1
SpatialInformation	SpatialInformation	0	1

4.3 DataBackground

Element	Type	Min. Occurrences	Max. Occurrences
Study	Study	1	1
StudySample	StudySample	0	*
Laboratory	Laboratory	0	*
Assay	Assay	0	*

4.4 ModelMath

Element	Type	Min. Occurrences	Max. Occurrences
Parameter	Parameter	1	*
QualityMeasures	QualityMeasures	0	1
ModelEquation	ModelEquation	0	1
FittingProcedure	string	0	1
Exposure	Exposure	0	1
Event	string	0	1